

2.5% BROMACIL LIQUID WEED KILLER

WATER SOLUBLE LIQUID

Active ingredient

Inert ingredients

2.5%
97.5%

Keep out of reach of children.
**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

WARNING! HARMFUL OR FATAL IF SWALLOWED. CAUSES EYE IRRITATION. MAY IRRITATE NOSE, THROAT AND SKIN. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Keep containers closed when not in use. Product will freeze at temperature below 32°F.

IMPORTANT—Injury to or loss of desirable trees or other plants may result from failure to observe the following: Do not apply, drain, or flush equipment on or near desirable trees or other plants or on areas where their roots may extend or in locations where the chemical may be washed or move into contact with their roots. Do not use on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift spray on desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides and seeds. Thoroughly clean all traces of 2.5% Bromacil Liquid Weed Killer from application equipment immediately after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tip and screens (clean these parts separately).

GENERAL INFORMATION—2.5% Bromacil Liquid Weed Killer is a water-soluble liquid to be sprayed, diluted on non-crop and areas. It is an effective general herbicide for control of brush and many annual and perennial weeds, and is particularly useful for control of perennial grasses. Effects are slow to appear and may not become apparent until the chemical has been carried to the roots of the weeds by moisture. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions. 2.5% Bromacil Liquid Weed Killer is non-volatile, non-flammable, and non-corrosive to metals except aluminum. Do not use with ammoniacal spray solutions.

NET 5 GALS.

JOHN DOE CHEMICAL CO. • ANYPLACE IN THE U.S.A.

BROMACIL LIQUID WEED KILLER

2.5%
97.5%
1.0%
0.5%

Children.
ELEMENTS
ANS

ATION MAY IRRITATE NOSE, THROAT AND SKIN
and breathing vapors. Wash thoroughly with
ing

TREATMENT
on if irritation persists.
on if irritation persists.

HAZARDS
by cleaning of equipment or disposal.

HAZARDS
at temperature below 32 F.

other plants may result from failure to
equipment on or near desirable trees or
in locations where the chemical may
t use on lawns, walks, driveways, tennis
ble plants. Do not contaminate homes,
des, fungicides and seeds. Thoroughly
from application equipment or ma-
n with several changes of water (after
separately).

Weed Killer is a water-soluble liquid and
effective general herbicide for control
particularly useful for control of per-
come apparent until the chemical has
e. The degree of control and duration of
soil type, rainfall, and other conditions.
non-flammable and non-corrosive to
spray nozzles.

LS.
PLACE IN THE U.S.A.

USE AND DIRECTIONS

Apply 18 to 40 gals. per acre to control oak, pine, sweet gum, and willow. Apply 48 to 96 gals. per acre to control brush such as American elm, cottonwood, hackberry, sumac, and winged elm. Use the higher levels of the dosage ranges on adsorptive soils (those high in organic matter or carbon).

Retreatment: Apply 12 to 14 gals. of 2.5% Bromacil Liquid Weed Killer per acre when annual weed and grasses reappear on sites where weed growth has been controlled.

For small areas: 1 gal. per 1,000 square feet is approximately 44 gals. per acre.

BRUSH CONTROL: To control undesirable woody plants on nursery, land areas such as RAILROAD RIGHT OF WAYS, STORAGE AREAS, INDUSTRIAL PLANT SITES, AND DRAINAGE DITCHES.

Apply in spring or summer as a broadcast or basal (soil) treatment. For use on drainage ditches, apply as a basal (soil) treatment only.

Note: For effective brush control and prevention of damage to desirable vegetation, do not apply to brush standing in water, do not use water from treated ditches for irrigation, do not use in irrigation ditch nor on right of ways or other sites where marketable timber or other desirable trees or shrubs are immediately adjacent to the treated area.

Broadcast Treatment: Apply 18 to 40 gals. per acre to control oak, pine, sweet gum, and willow; apply 48 to 96 gals. per acre to control brush such as American elm, cottonwood, hackberry, sumac, and winged elm. Use the higher levels of the dosage ranges on adsorptive soils (those high in organic matter or carbon).

Basal (Soil) Treatment: Apply at the rate of 2 to 4 fl. oz. per stem 2" to 4" in basal diameter, wet base of stem to run off. Treatment controls woody plants such as cottonwood, hackberry, maple, oak, poplar, red bud, sweet gum, wild cherry, willow, and winged elm.

NOTICE TO BUYER: Purchase of this material does not confer any rights under patents of countries outside of the United States.

STORAGE AND DISPOSAL

- Prohibitions:** Do not contaminate water, food, or feed by storage, spillage, or cleaning of equipment. Open dumping is prohibited. Avoid contamination of feed and food stuff.
- Pesticide Disposal:** Pesticide or rinse water that cannot be used and is not to be reclaimed must be disposed of in accordance with applicable Federal, State, or local procedure.
- Container Disposal:** Empty the container. Then either recycle, reuse, or incinerate or dispose of in a sanitary landfill, or by other means approved by state and local authorities.