

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

DANGER

FOR USE IN COMMERCIAL
SHIPYARDS ONLY

Before using read Du Pont Material Safety
Data Sheet for this product

Corrosive. Causes skin burns. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants, and hat. Causes eye irritation. May be fatal if swallowed. Harmful if absorbed through skin or inhaled. This product may be a dermal sensitizer. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. While spraying paint or sanding boat surface, wear a mask or respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating or smoking. Use with adequate ventilation.

ENVIRONMENTAL HAZARDS

This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

**PHYSICAL OR
CHEMICAL HAZARDS**

FLAMMABLE.

Keep away from heat or open flame. Keep container closed when not in use. In case of fire, use water spray, foam, dry chemical or CO₂.

*with comments
353-
1/18/83
D*



Protective Coatings
FOR
MAINTENANCE AND MARINE
FLOW KOTE SELF
POLISHING COPOLYMER
ANTI-FOULING PAINT

444-503
ORANGE

ACTIVE INGREDIENTS

Cuprous Oxide (Total copper as metallic 40.3%)
Tributyltin methacrylate (as part of a polymer)
(Total tin as metallic 1.5%)

45.8%

4.9%

INERT INGREDIENTS

49.7%

Contains Xylene And Petroleum Distillate Solvents.

KEEP OUT OF REACH OF CHILDREN

DANGER

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

If on skin: Wash with plenty of soap and water. Get medical attention.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Est. No. 352-PA-1 EPA Est. No. 352-GA-1
EPA Est. No. 352-CA-1 EPA Est. No. 352-NJ-3
EPA Reg. No. 352--

5 GALLONS/18.92 Liters

E. I. du Pont de Nemours & Co. (inc)
Maintenance Finishes • Wilmington, DE 19898

DIRECTIONS FOR

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.


This product is an anti-fouling paint for use on ship bottoms that provides best protection from barnacles and marine animals in tropical and northern waters.

STORAGE AND DISPOSAL

Residual spray mixture or other material that cannot be used according to directions must be disposed of in accordance with Federal or approved state or local regulations under Subtitle C of the Resource Conservation and Recovery Act.

Metal containers should be triple rinsed (or equivalent). Then offer for recycling, conditioning, or puncture and disposal at a sanitary landfill, or by other approved state and local procedures.

SEE TECHNICAL BU
FOR THIS PRODU



CAUTIONARY STATEMENTS
DANGERS TO HUMANS

DANGER

USE IN COMMERCIAL
PYARDS ONLY

Read Du Pont Material Safety
Sheet for this product.

Causes skin burns. Wear pro-
tection such as gloves, long-
sleeved shirt, long pants, and hat
and eye protection. May be fatal if swal-
lowed. If absorbed through skin or
inhalation, product may be a dermal sen-
sitizer. Avoid contact with skin, eyes, or
respiratory tract. Do not breathe vapor or spray
mist. Do not spray paint or sanding boat
while wearing a mask or respirator jointly
regulated by the Mining Enforcement and
Inspection Administration and the National Insti-
tute for Occupational Safety and Health.
Wash thoroughly with soap and water after
handling. Do not eat, drink, or smoke before
eating or smoking. Use
adequate ventilation.

ENVIRONMENTAL HAZARDS

Highly toxic to fish. Do not apply
to waterways. Do not use for cleaning of equipment or
structures. Do not allow chips and
debris during paint removal to
contaminate the disposal of paint debris in an
aquatic environment.

**PHYSICAL OR
CHEMICAL HAZARDS**

Flammable liquid or vapor. Keep
away from heat, open flame, or
other sources of ignition. Do not use in case of
fire. Do not spray toward dry chemicals or

*with comments
1983*



Protective Coatings
FOR
MAINTENANCE AND MARINE
FLOW KOTE SELF
POLISHING COPOLYMER
ANTI-FOULING PAINT
444-503
ORANGE

ACTIVE INGREDIENTS

Cuprous Oxide (Total copper as metallic 40.3%)

40.3

Tributyltin methacrylate (as part of a polymer)

49.7

(Total tin as metallic 15%)

49.7

INERT INGREDIENTS

Contains Xylene And Petroleum Distillate Solvents.

KEEP OUT OF REACH OF CHILDREN

DANGER

If swallowed: Drink promptly a large quantity of milk, egg whites,
gelatin solution or, if these are not available, drink large quantities
of water. Avoid alcohol. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contra-
indicate the use of gastric lavage.

If on skin: Wash with plenty of soap and water. Get medical
attention.

If in eyes: Flush with plenty of water. Get medical attention if
irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Est. No. 352-PA-1 EPA Est. No. 352-GA-1

EPA Est. No. 352-CA-1 EPA Est. No. 352-NJ-3

EPA Reg. No. 352-

5 GALLONS/18.92 Liters

E I du Pont de Nemours & Co. (Inc.)
Maintenance Finishes • Wilmington, DE 19898

DIRECTIONS FOR USE

It is a violation of Federal Law to use this
product in a manner inconsistent with its
labeling.


This product is an anti-fouling paint for hull
and bottom that provides below the water
protection for hulls and bottom for
warm water and tropical, Gulf Coast and
northern waters.

STORAGE AND DISPOSAL

This is a spray, therefore, do not use water
based solvents. Do not use in enclosed areas.
This product must be disposed of according
to Federal or approved state procedures
under Section 301 of the Resource Con-
servation and Recovery Act.

Metal containers should be triple rinsed (or
equivalent). Then offer for recycling or re-
conditioning, or puncture and dispose of in
a sanitary landfill, or by other approved
state and local procedures.

**SEE TECHNICAL BULLETIN
FOR THIS PRODUCT**



U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE MAR 2 1988
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE MAR 2 1988

- c. On the front panel, in the eyes first aid statement, delete the phrase "...ir irritation persists." On the side panel, change the statement to read:

Causes eye damage.

- d. In the technical bulletin, under the warranty, delete the reference to furnishing technical advice, recommendations and services gratis. This statement is not consistent with labeling requirements under the statute.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure