



DuPont Agricultural
Products



SUPPLEMENTAL LABELING

ALLY® HERBICIDE
FOR WEED CONTROL IN SUGAR
CANE IN THE STATE OF HAWAII

ACCEPTED

JUL 26 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 352-435

ALLY® HERBICIDE

EPA Reg. No. 352-435

FOR WEED CONTROL IN SUGAR CANE IN THE STATE OF HAWAII

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state, consult the agency responsible for pesticide regulation.

GENERAL INFORMATION

DuPont "Ally" Herbicide is recommended for use on sugar cane in Hawaii.

INFORMATION ON RESISTANT WEEDS

Naturally-occurring weed biotypes* resistant to this product are known to exist in Hawaii sugar cane. To delay the development of resistant biotypes, refer to our resistance management guidelines.

SUGAR CANE MAXIMUM USE RATE: Do not apply more than 6.25 oz product per acre per crop.

WEED CONTROL IN SUGAR CANE: For best weed control or weed suppression, apply "Ally" as a preplant/preemergence broadcast application or as postemergence direct spray application to weeds when environmental conditions favor active growth of broadleaf weeds. Unless otherwise directed, always include a surfactant at 0.25 to 0.50% V/V for postemergence mixture.

PREPLANT/PREEMERGENCE APPLICATION: Apply as a broadcast application at a rate of 0.83 to 3.33 oz per acre with ground equipment or air. Application should be made before crop emerges as crop injury to some varieties may occur.

POSTEMERGENCE APPLICATION: Apply as a directed spray application to emerged weeds at rates of 0.83 to 3.33 oz per acre with ground equipment or by hand equipment. Avoid contact with the sugar cane foliage as injury may occur.

WEEDS CONTROLLED: "Ally" will control a number of broadleaf weeds including:

- Amaranthus sp.
- Ipomoea triloba (Aiea Morningglory)
- Portulaca sp. (Purslane)
- Euphorbia sp. (Spurge)
- Momordica charantia (Pari)
- Erigeron canadensis (Fireweed)
- Crotalaria sp.
- Ageratum sp.
- Crassocephalum crepidioides (Thick head)

PARTIALLY CONTROLLED

Chloris inflata (Swollen fingergrass)

NOTE: Do not apply "Ally" closer than 16 months before harvest.

PRECAUTIONS

- Do not use liquid fertilizer in addition to or as a substitute for a surfactant.
- Do not use on soils with pH greater than 7.9 (for example, highly calcareous soils) if the following crop is sensitive to "Ally". Extended soil residual activity could adversely affect minimum rotation intervals for all crops.
- Do not apply to irrigated land where tailwater will be used to irrigate crops other than sugar cane. Varieties of sugar cane may differ in their tolerance to herbicides and some varieties can be adversely affected with post emergence applications. Therefore it is recommended that a small test block be installed prior to large scale applications.
- Do not apply "Ally" to sugar cane that is stressed by severe weather conditions, drought, low fertility, water saturated soil, disease or insect damage, as crop injury may result. Under certain conditions such as heavy rainfall, temporary discoloration and/or crop injury may occur. To reduce the potential for movement of treated soil due to wind erosion, do not apply to powdery dry or light sandy soils until they have been stabilized by rainfall, trashy mulch, reduced tillage or other cultural practices. Injury to adjacent crops may occur when treated soil is blown onto land used to produce other crops. For ground applications applied to weeds when dry, dusty field conditions exist, control of weeds in wheel track areas may be reduced.

"Ally" must be cleaned from application equipment according to cleanup procedures described in the SPRAYER CLEANUP section of the "Ally" EPA-registered label.

IMPORTANT

BEFORE USING "ALLY", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

¹ Registered trademark of Delavan Corporation

² Registered trademark of D. and W. Corp.

D-052494/070694

