350-436 2-25-97 Picase read instructions on reverse before completing form. Form Approved, OMB No. 2070-0060, Approval expires11-30-9 United States Environmental Protection Agency OPP Identifier Number Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 **Application for Pesticide:** 256938 Other Section I Company/Product Number 2. EPA Product Manager 3. Proposed Classification 352-436 P. V. Errico PM# None Restricted 4. Company/Product (Name) DuPont Classic® Herbicide 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling E.I. du Pont de Nemours and Compaany Barley Mill Plaza, Walker's Mill Bldg. 37 Wilmington, DE 19880-0038 EPA Reg. No. Attn: J. M. Marks, WM6-175 Check if this is a new address Product Name Section I I Final printed labels in response to Amendment - Explain below Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application. X Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) To submit notification for supplemental label as permitted under PR Notice 95-2 (II.A.12.) Attachments: One (1) copy of corrected and final supplemental labeling, identified as 011696, 112596 (Replaces H62937) One (1) copy of current approved accepted 1/22/97, with change highlighted. Ref. letter from J. M. Marks to NOTIF Desk, dated 2/12/97 Section III 1. Material This Product Will Be Packaged in: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Yes' Yes Metal Yes **Plastic** No Glass No Paper If "Yes." No. per If "Yes." No. per Other (Specify) Unit Package wgt. container Package wgt. container Certification must be submitted. 3. Location of Net Contents Information 5. Location of Label Directions 4. Size(s) of Retail Container On Label Container On Labeling accompanying product 6. Manner In Which Label Is Affixed To Product Lithograph Other (Paper glued Stenciled-Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Telephone No. (Include Area Code) J. M. Marks Registration Technician (302) 992-6486 Certification Dete Application Réceived' I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Strmped) both under applicable law. 2. Signature 3. Title

EPA Form 8570-1 (Rev. 12-90)

J. M. Marks

Previous editions are obsolete.

White - EPA File Copy (original)

Registration Technician

February 12, 1997

5. Date

Yellow - Applicant copy

DuPont Agricultural Products
Registration & Regulatory Affaris
Walker's Mill, Barley Mill Plaza
P.D. Box 80038
Wilmington, DE 19880-0038



DuPont Agricultural Products

February 12, 1997

Ms. Sherada D. Hobgood Document Processing Desk (NOTIF) Office of Pesticide Programs (H7504C) U.S. Environmental Protection Agency Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

SUBJECT: 1) Notification per PR Notice 95-2 of Change to Label for DuPont Classic® Herbicide (EPA Reg. No. 352-436)

2) Final Printed Label

Dear Ms. Hobgood:

Per PR Notice 95-2, II.A.12., we have made a minor label change consistent with 40 CFR Part 156 which involves no change in directions for use for the product, but instead corrects a typographical error in the recommended adjuvant application.

We have revised the statement on page 2 under "Adjuvants" changing 4 pt to 2 pt as follows: "Application of this tank mix must include a nonionic surfactant at 2 pt per 100 gal of spray solution (0.25% v/v)."

On the label submitted originally and EPA approved January 22, 1997, we correctly stated the final concentration of nonionic surfactant in the spray solution as 0.25% v/v. To obtain that concentration one must mix 2 pt adjuvant per 100 gallons, but we inadvertently typed 4 pt (a typo on our part).

"This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152-46, and no other changes have been made to the labeling or the confidential statement of formula of this products. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

S. Hobgood - Notification Classic® Herbicide Page 2

1. Marks

Attached for your use are:

- Notification, EPA form 8570-1 (OPP ID No.256938)
- Current approved label, EPA stamped accepted 1/22/97 with notification change highlighted (H-63133)
- · One clean copy of proposed label

Please contact me at (302) 992-6486 with any questions on this matter.

Sincerely,

oacqueline M. Marks Registration Technician

Enclosures

cc: P. V. Errico, EPA (PM25)



DuPont Agricultural Products

"..... A Growing Partnership With Nature"



SUPPLEMENTAL LABELING

CLASSIC® HERBICIDE
TANK MIXES WITH
ROUNDUP ULTRA¹ HERBICIDE

CLASSIC HERBICIDE

EPA Reg. No. 352-436

"CLASSIC" AND "ROUNDUP ULTRA" TANK MIXES FOR BROAD SPECTRUM WEED CONTROL IN ROUNDUP READY SO THEANS

DIRECTIONS FOR USE

is is a violation of federal law to use these products in a manner inconsistent with their labeling.

The tank mix of DuPont "Classic" Herbicide plus Monsanto "Roundup Ultra" Herbicide described on this supplemental label is recommended for use on soybeans designated "Roundup Ready". Severe injury or death of soybeans will result if any soybeans not designated as "Roundup Ready" are treated with the "Roundup Ultra" Herbicide portion of this tank mix.

APPLICATION INFORMATION

Tank Mixes

DuPont "Classic" Herbicide plus Monsanto "Roundup Ultra" Herbicide may be tank mixed for control of annual grasses and broadleaf weeds. Refer to the "Roundup Ultra" label for other weeds which may be controlled or suppressed and the maximum size at application.

Rate

Select the appropriate rate of "Classic" plus "Roundup Ultra" tank mix from the table below, basing the selection on the size and species of weeds to be controlled.

When to Apply

"Classic" plus "Roundup Ultra" tank mix performs best when applied to small weeds a few weeks after planting.

Timing to Crop Stage

Apply "Classic" plus "Roundup Ultra" tank mix to "Roundup Ready" soybeans anytime after the first trifoliate has expanded fully.

Apply no later than 60 days before harvest.

Timing to Weeds

Apply "Classic" plus "Roundup Ultra" tank mixes when weeds are young and actively growing (after the first true leaves have expanded, but before the weeds exceed the size indicated in the table below).

Applications made to weeds that are in the cotyledon stage, to weeds larger than the size indicated, or to weeds under stress may result in unsatisfactory control.

Weeds Controlled

When applied as directed, a tankmix of 1/4-1/2 oz "Classic" per acre + "Roundup Ultra" at 1-1.5 pt/a will CONTROL the following weeds:

Do not exceed 1/3 ounces of "Classic" in the States of Minnesota, Nebraska, South Dakota, Wisconsin and the Nicollet-Clarion-Webster soils area of lowa.

	Weeds Controlled	Heigh	Height in inches				
	1/	/4-1/2 oz Classic/a	1/4-1/2 oz Classic/a				
•	. <u>1</u>	pt Roundup Ultra/a	1.5 pt Roundup Ultra/a				
	Ann. Smartweeds	1-3	2-4				
	Cocklebur	2-6	2-8				
	Jimsonweed	2-4	2-6				
	Lambsquarters	2-4	2-4				
	•	Nightshade, Eastern Black 1-3					
	Pigweed Species		2-4				
	Redroot/Rough	2-10	2-12				
	Other pigweeds	2-8	2-8				
	Waterhemp speci	es 2-4.	2-4				
	Velvetleaf	1-3	2-4				
	Morningglory spp.		- •				
	Entireleaf	1-3	2-4				
	lvyleaf	1-3	2-4				
	Pitted	1-3	,2-4				
	Tall	1-3	2-4				
	Prickly Sida	1-2	2-4				
	Ragweed, common		2-4				
	Sicklepod	1-3	2-4				
	•						

© 1997 E. I. du Pont de Nemours and Company, DuPont Agricultural Products, Wilmington, Delaware 19898

	Weeds Controlled	Heigh	Height in inches				
•	1/4-1	/2 oz Classic/a	1/4-1/2 oz Classic/a				
	1 pt F	Roundup Ultra/a	1.5 pt Roundup Ultra/s				
	Foxtail species	2-4	2-4				
	Barnyardgrass	2-4	2-4				
	Fall Panicum	1-2	1-3				
	Signalgrass, broadlea	ıf 1-2	1-3				
	Crabgrass spp.	2-4	4-6				
	Texas panicum	2-4	4-6				
	Yellow Nutsedge	1-4	2-6				

Adjuvants

Application of this tankmix must include a nonionic surfactant at 2 pt per 100 gal of spray solution(0.25 %v/v). Use a high quality nonionic surfactant with at least 14% emulsifiers and 80% nonionic surfactant. In addition to a nonionic surfactant, an ammonium nitrogen fertilizer is recommended and required where velvetleaf is present.

- Use a high quality, liquid nitrogen fertilizer such as 28-0-0 or 30-0-0 at a rate of 4-8 pt per acre, or 10-34-0 at a rate 2-4 pt per acre.
- Alternatively, a high quality, sprayable grade ammonium sulfate (21-0-0) may be used at a rate of 2-4 lb per acre.
- Use the lower rate of fertilizer for spray volumes less than 15 gal per acre.

Mixing Instructions

- 1. Fill the sprayer tank 1/4 to 1/3 full with water. Begin agitation.
- 2.Add the required amount of "Classic". Continue agitation.
- 3. Allow the "Classic" to fully disperse in the water. This will take several minutes.
- 4. When the "Classic" is fully dispersed, resume filling the spray tank with water. Add the "Roundup Ultra".
- Add the spray adjuvants last.
- Maintain agitation throughout the spray application. If the mixture has settled, thoroughly re-agitate before using.
- Apply the spray preparation within 24 hours to avoid product degradation.

Precautions

- "Avoid "Classic" + "Roundup Ultra" contact with foliage, green stems, or fruit of other crops, or any desirable plants and trees, since severe injury or destruction will result.
- A temporary crop response may occur following an application of "Classic".
- Best results are obtained when applications are made to weeds and soybeans which are young and actively growing.
- Applications made when the crop and weeds are understress from moisture, cold, heat, high humidity, disease, insect pressure and prior herbicide stress may result in excessive crop response and/or reduced weed control effectiveness.
- Do not apply "Classic" plus "Roundup Ultra" if rain is expected within six hours of application
- Do not graze or feed soybean forage and hay if treated with "Classic" plus "Roundup Ultra".
- Read and follow the "Classic" and "Roundup Ultra" labels for additional information on product use, restrictions and precautions. When tank mixing, the most restrictive labeling applies.

IMPORTANT

BEFORE USING "CLASSIC" HERBICIDE AND
"ROUNDUP ULTRA" HERBICIDE READ AND FOLLOW
ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND
PRECAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package label. Follow the instructions carefully. This labeling must be in the possession of the user at the time of pesticide application.

1 & 2Registered	trade	mark	s of Mo	onsanto	Agric	ultural
Company.	_		_	_	-	

244606			-	-	
011696				 	~~
112596 (Re	places :	H-62937)		 . 1	/22/9