

352-436


10/05/2000

1/2



DuPont Agricultural
Products

"..... A Growing Partnership With Nature"



SUPPLEMENTAL LABELING
CLASSIC® HERBICIDE
EXPANDED APPLICATION
TIMING --
VARIABLE pH SOIL

CLASSIC® HERBICIDE

Reg. No.352-436

EXPANDED APPLICATION TIMING OF CLASSIC® ON VARIABLE pH SOILS

CLASSIC® at 1 ounce per acre can be used in soybean production for burndown and limited residual weed control regardless of soil type and pH. CLASSIC® at 1 ounce per acre is recommended for use in the states of Illinois, Indiana, Iowa outside the Nicollett-Clarion-Webster and Hamburg-Ida-Monana soil associations, Michigan*, Missouri, Ohio, and Pennsylvania.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labelling.

Do not apply this product through an irrigation system.

For use on soybeans only.

Do not graze treated fields or harvest forage for hay.

APPLICATION RATES AND ADJUVANTS

CLASSIC® applied at 1 ounce per acre is recommended for burndown of existing summer and winter annuals and limited preemergence control of certain broadleaf weeds (see Weeds Controlled list below). For burndown, always include a Crop Oil Concentrate at 1% v/v (1 gallon per 100 gallons of finished spray).

APPLICATION TIMING

CLASSIC® at 1 ounce can be applied to No-till or conservation tillage fields anytime after the Fall harvest, but prior to soybean emergence. **Do not apply to frozen ground.**

APPLICATION EQUIPMENT SPRAY VOLUMES

Apply uniformly by ground equipment using a properly calibrated fixed boom sprayer. Use 10-40 gallons per acre at 20-40 psi. For burndown applications of existing vegetation, use a minimum of 20 gallons per acre with spray nozzles that provide thorough spray coverage of the weeds to be burned down.

*In Michigan, do not use where Soil pH exceeds 7.6.

WEEDS CONTROLLED - BURNDOWN

Burndown control of existing winter and summer annuals with 1 oz CLASSIC® applied prior to planting will provide burndown control of certain broadleaf weeds no greater than 3" in height. To obtain burndown of the species listed below, use CLASSIC® plus 1% COC. For enhanced burndown control, 1 pint of 2,4-D LVE (0.5 lbs a.e./A) may be added up to 7 days prior to planting.

Dandelion	Mustard, wild	Smartweeds, annual
Deadnettle	Pennycress	Thistle, Canadian
Henbits	Pigweeds	(above ground
Lambsquarters*	Ragweed, Common	portion only)
Lettuce, Prickly,	Ragweed, Giant	Wild Garlic*
Marestail*	Shepherd's purse	

* always add 1 pt 2,4-D LVE

Chickweed Burndown

- Add 0.08-0.33 oz DuPont EXPRESS® herbicide to CLASSIC® for control of up to 6" chickweed. Addition of EXPRESS® will improve control of Canada thistle, and winter annual mustards. **EXPRESS® must be used at least 45 days prior to soybean planting.**

- Alternatively, Sencor®, LEXONE®, Roundup Ultra¹ or glyphosate-containing products registered for soybeans may be used for Chickweed burndown.

To burndown the broadleaf weeds listed above when they exceed the recommended heights, CLASSIC® may be tankmixed with one or more of the following: Roundup Ultra, Gramoxone Extra², Touchdown, 2,4-D LVE, Sencor/LEXONE® or other glyphosate-containing products registered for soybeans. Always include crop oil concentrate at 1% v/v (1 gallon per 100 gallons of spray mix). When tankmixing with Roundup Ultra, Touchdown, or other glyphosate-containing products, use a non-ionic surfactant at 0.25% v/v (1 quart per 100 gallons spray mix). To select the proper burndown product, identify the weeds

For product information call 1-888-6-DUPONT

© 2000 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

that need to be controlled and consult the product labels to determine which product is needed. Consult the companion burn-down herbicide for use instructions, rates, precautions, restrictions, and crop rotations. When tankmixing, the most restrictive labeling applies.

PREEMERGENCE

When used according to this label, 1 oz of CLASSIC® will provide limited preemergence control of the weeds below to contribute to a clean seed bed at planting. For season-long control, a planned PRE or POST sequential program is required.

- Pigweeds, Redroot and smooth
- Ragweed, Common
- Smartweeds, annual

1 oz CLASSIC® will provide partial preemergence control * (suppression) of the following weeds:

- | | |
|------------------|------------------|
| Cocklebur | Ragweed, Giant |
| Jimsonweed | Foxtail, species |
| Lambsquarters | Fall Panicum |
| Morningglories, | Velvetleaf |
| annual, | |
| ivyleaf, | |
| tall | |
| Nutsedge, yellow | |

*Due to heavy weed pressure, delayed planting, or adverse environmental conditions, additional burndown control measures may be required at planting.

For enhanced residual control, 2-4 oz LEXONE® or Sencor® may be tankmixed with 1 oz CLASSIC®.

Season-long Grass and Broadleaf Control

1 oz CLASSIC® will not provide season-long preemergence control of annual grasses and broadleaf weeds.

For season-long control,

- **when used on soils with pH's above 6.8**, 1.0 oz/acre CLASSIC® may be followed as needed, by postemergence grass and/or broadleaf herbicides such as Dupont ASSURE® II, or HARMONY® GT herbicides. Do not apply any additional chlorimuron ethyl containing herbicides, such as DuPont CLASSIC®, RELIANCE® STS®, SYNCHRONY® STS®, or CONCERT®, within the same year if pH's exceed 6.8.

- **when used on soils with pH less than 6.8**, 1.0 oz/acre CLASSIC® may be followed as needed, by sequential applications of CLASSIC®, SYNCHRONY® STS®, CONCERT®, or HARMONY® GT. Refer to the CLASSIC®, SYNCHRONY® STS®, CONCERT®, and HARMONY® GT labels for all claims, use directions, and restrictions associated with these products.

- 1.0 oz CLASSIC® may be tank mixed or followed as needed with a preemergence grass herbicide such as Lasso¹, Dual Magnum², Dual II Magnum², Prowl³, Command⁴, or Frontier⁵.

- 1.0 oz CLASSIC® may be used alone or in a tank mix with Roundup Ultra, or Touchdown as a burndown, and followed by Roundup Ultra in Roundup Ready¹ soybeans.

Refer to the preemergence or postemergence herbicide labels for specific information regarding use rates, pre-plant intervals, application timing, grasses controlled, precautions, restrictions, and other information.

IMPORTANT

Before using CLASSIC®, read and follow all applicable directions, restrictions, and precautions on the EPA-registered label.

For Rotational information following 1 oz CLASSIC® applications, use Recrop Interval 2, for all pH soil, on the CLASSIC® section 3 label.

This label contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

¹Trademark of Monsanto Agricultural Products, Co.

²Trademark of Zeneca, Inc.

³Trademark of Novartis Corp.


⁴Trademark of BASF

⁵Trademark of FMC Corp.

⁶Trademark of American Cyanamid Corp.

⁷Trademark of Bayer AG

DR-034 072400



For product information call 1-888-6-DUPONT

© 2000 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898