

"ESCORT" HERBICIDE
EPA REGISTRATION NO. 352-439

SUPPLEMENTAL LABELING
"ESCORT" HERBICIDE
SELECTIVE WEED CONTROL IN
LOBLOLLY PINE PLANTATIONS

NOT REVIEWED

In accordance with IS Notice 82-2.

First Labeling Dated 10/16/82

DIRECTIONS FOR USE

It is a violation of federal law to use this product
in a manner inconsistent with its labeling.

Du Pont "Escort" Herbicide is recommended for control of weeds in established plantations of loblolly pine at least 2 years old in Alabama, Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Texas, and West Virginia.


HOW TO USE

For control of the following perennials; diffuse knapweed, Japanese honeysuckle, European blackberry, palmetto, black cherry and black locust, apply 3 1/3 ounces "Escort" per acre in a minimum of 10 gallons water per acre; add surfactant at 0.25% by volume (1 qt, per 100 gals water). Treat perennial weeds and brush after they have reached full leaf, but before leaf tissue has hardened. Use sufficient spray volume for complete coverage of these plants.

For control of annual weeds, apply at rates shown on the "Escort" package label under "Selective Weed Control". Best results occur when annuals are treated just prior to emergence or in the seedling stage.

For broader spectrum control, "Escort" should be tank mixed with "Velpar" L[1] Herbicide. Use "Velpar" L as directed on the package label.

H-09567



or other stresses, as injury may result.

2. Excessive injury may result to conifers less than 4 years of age from transplanting on coarse-textured soils, and less than 3 years of age from transplanting on medium and fine-textured soils.
3. Use on gravely or rocky soils and exposed subsoils may cause conifer injury or mortality.
4. Poor weed and brush control may occur from application made when the soil is saturated with water and rain is imminent within 24 hours.
5. Do not use on poorly drained or marshy sites.

IMPORTANT

BEFORE USING "ESCORT" OR "VELPAR" L, READ AND CAREFULLY NOTE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT CONTAINER LABELS.

This bulletin contains new or supplemental instructions for use of these products in combination which does not appear on the package label. Follow the instructions carefully.


This labeling must be in the possession of the user at the time of pesticide application.

[1]Registered trademark of E. I. du Pont de Nemours & Co. (Inc.)

E. I. du Pont de Nemours & Co., Inc.
Agricultural Products Department
Wilmington, Delaware 19880-0038


070588

10/12/88



SUPPLEMENTAL LABELING
EPA REGISTRATION NO. 352-439

ESCORT® HERBICIDE
SELECTIVE WEED CONTROL IN
LOBLOLLY PINE PLANTATIONS



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Du Pont Escort® Herbicide is recommended for control of weeds in established plantations of loblolly pine at least 2 years old in Alabama, Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Texas, Virginia and West Virginia.

How to Use



For control of the following perennials; diffuse knapweed, Japanese honeysuckle, European blackberry, palmetto, black cherry and black locust, apply 3 1/3 ounces Escort® per acre in a minimum of 10 gallons water per acre; add surfactant at 0.25% by volume (1 qt. per 100 gals water). Treat perennial weeds and brush after they have reached full leaf, but before leaf tissue has hardened. Use sufficient spray volume for complete coverage of these plants.

For control of annual weeds, apply at rates shown on the Escort® package label under "Selective Weed Control". Best results occur when annuals are treated just prior to emergence or in the seedling stage.

(1) For broader spectrum control, Escort® should be tank mixed with "Velpar" L Herbicide. Use "Velpar" L as directed on the package label.

(1) Registered trademark of E. I. du Pont de Nemours & Company, Inc

I-070388



2. Excessive injury may result to conifers less than 4 years of age from transplanting on coarse-textured soils, and less than 3 years of age from transplanting on medium and fine-textured soils.
3. Use on gravely or rocky soils and exposed subsoils may cause conifer injury or mortality.
4. Poor weed and brush control may occur from applications made when the soil is saturated with water and rain is imminent within 24 hours.
5. Do not use on poorly drained or marshy sites.

IMPORTANT

BEFORE USING "ESCORT" OR "VELPAR" L, READ AND CAREFULLY NOTE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT CONTAINER LABELS

This bulletin contains new or supplemental instructions for use of these products in combination which does not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.


E. I. du Pont de Nemours & Co., Inc.
Agricultural Products Department
Wilmington, Delaware

D070588

U. S. G. O.
E. I. du Pont de Nemours & Co.

SUPPLEMENTAL LABELING
EPA REGISTRATION NO. 352-439

ESCORT® HERBICIDE
SELECTIVE WEED CONTROL IN
LOBLOLLY PINE PLANTATIONS



DIRECTIONS FOR USE

It is a violation of federal law to use this product
in a manner inconsistent with its labeling.

Du Pont Escort® Herbicide is recommended for control of weeds in
established plantations of loblolly pine at least 2 years old in Alabama,
Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina,
South Carolina, Tennessee, Texas, Virginia and West Virginia.

How to Use

For control of the following perennials; diffuse knapweed, Japanese
honeysuckle, European blackberry, palmetto, black cherry and black locust,
apply 3 1/3 ounces Escort® per acre in a minimum of 10 gallons water ~~per acre;~~
add surfactant at 0.25% by volume (1 qt, per 100 gals water). Treat perennial
weeds and brush after they have reached full leaf, but before leaf tissue has
hardened. Use sufficient spray volume for complete coverage of these plants.

For control of annual weeds, apply at rates shown on the Escort® package
label under "Selective Weed Control". Best results occur when annuals are
treated just prior to emergence or in the seedling stage.

- (1) For broader spectrum control, Escort® should be tank mixed with "Velpar" L
Herbicide. Use "Velpar" L as directed on the package label.

- (1) Registered trademark of E. I. du Pont de Nemours & Company, Inc.

D070588

