

ESCORT® HERBICIDE


EPA REG. NO. 352-439

SELECTIVE WEED CONTROL IN TURF (INDUSTRIAL, UNIMPROVED ONLY)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Du Pont "Escort" Herbicide is recommended for control of weeds in established rough turf on industrial noncrop sites only. When used as directed (see container label) at rates up to and including of 3 1/3 ozs. "Escort" per acre, forage grasses may be cut for hay, fodder or green forage and fed to livestock 3 days after treatment.



IMPORTANT

BEFORE USING "ESCORT", READ AND CAREFULLY NOTE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT CONTAINER LABELS.

This bulletin contains new or supplemental instructions for use of these products in combination which do not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Rev 2/8-15/91

D-081691

After Treatment With 2 ozs. Active Ingredient Per Acre (3 1/3 oz. 60% "Escort" Herbicide Per Acre)

Table AMR-951-87	State	Concentration (ppm)			
		Forage		Hay	
		<u>Metsulfuron methyl</u>	<u>Met. Al</u>	<u>Met. methyl</u>	<u>Met. Al</u>
5	IL	2.8	1.00	4.2	0.77
6	MT	1.6	0.58		
8	NC	2.8	0.19	5.0	0.10
9	CO	4.9	0.17		
10	IA	0.13	0.07	0.22	0.17
11	TX	1.9	<0.04		
12	CO	3.8	0.88	4.0	2.3
13	OH	3.8	1.39		
14	VA	3.3	3.2		
16	TX	0.98	0.12	0.78	<0.10
17	FL	0.41	<0.04		

ESCORT® HERBICIDE

EPA REG. NO. 352-439

FOR CONTROL OF NOXIOUS WEEDS IN RANGELAND

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Du Pont "Escort" Herbicide is recommended for control of musk thistle (biennial) in rangeland.

Apply 1/2 oz. "Escort" per acre at rosette, bolt and bud stages to control existing plants and to inhibit seed production. Include a nonionic surfactant at least 80% active ingredient to improve wetting and/or contact activity. Use at 1/4 to 1/2% V/V or 1 to 2 quarts per 100 gallons of water.

Apply "Escort" by ground sprayer only.


NOTE: Livestock may graze treated areas 0 days after application. Do not use on grasses grown for seed.

IMPORTANT

BEFORE USING "ESCORT", READ AND CAREFULLY NOTE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT CONTAINER LABELS.

This bulletin contains new or supplemental instructions for use of these products in combination which does not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.



Rev. 2/8-15/91
D-081691/082091