



DuPont Agricultural Products



SUPPLEMENTAL LABELING

FINESSE® HERBICIDE FOR FALLOW WEED CONTROL IN EASTERN COLORADO, SOUTHEASTERN WYOMING & NEBRASKA PANHANDLE

FINESSE® HERBICIDE

EPA Reg. #352-445

FOR WEED CONTROL IN FALLOW

IN EASTERN COLORADO, SOUTHEASTERN WYOMING & THE NEBRASKA PANHANDLE

ACCEPTED ... Growing Partnership With Nature

DEC - 9 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 352-445

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont "Finesse" Herbicide is recommended for use on land primarily used for production of winter wheat & winter barley. "Finesse" should not be used in areas where annual crop rotations are frequently practiced.

Prior to use, read and follow all information mentioned on the "Finesse" product label, in particular sections titled "Important Information", "Pesticide Handling", "General Information", "Information on Resistant Weeds", Field Bioassay Information, Weeds controlled & Specific weed problems.

Do not use this product through any type of irrigation equipment.

AREA DEFINITION

Eastern Colorado - East of the continental divide except do not use "Finesse" in the following counties: Alamosa, Conejos, Costilla, Rio Grande & Saguache.

W. E. Wyoming: Following counties only Platte, Goshen & Laramie

Nebraska Panhandle: Deuel, Garden and Sheridan counties and all counties to the west of them to the Wyoming border.

USE RATES/APPLICATION TIMING

In areas where conservation compliance is practiced in wheat/fallow/wheat rotations and/or where the interval between an application of "Finesse" and the planting of corn or sorghum is at least 24 months (See "Recropping Intervals"), "Finesse" may be used as a fallow treatment preceding the planting of wheat.

Use "Finesse" at 0.2 to 0.3 oz/A in a planned herbicide rotation program where other residual broadleaf herbicides having different modes of action are used. "Finesse" may not be used on a given field more often than once in a 24-month period. Do not use a residual herbicide having the same mode of action as "Finesse" (i.e., DuPont Ally® Herbicide, Amber®) on these same fields between this 24-month period.

When using "Finesse" in these types of rotations, use either tillage, sequential herbicide applications with a different mode of action than "Finesse", or tank mixes to control escaped weeds. DO NOT LET WEED ESCAPES GO TO SEED. Also, see information on resistant weeds on "Finesse" product labeling.

RECROPPING INTERVALS

Recropping plans are determined by soil pH, rate of "Finesse" applied and minimum recropping interval. The minimum recropping interval is from time of last application to the anticipated date of planting.

CEREALS

Table with columns: Soil pH\*, Use Rate (oz/acre), Wheat/Rye/Triticale, Oats, Barley. Rows for 7.9 or lower and Field Corn, Millets & Grain Sorghum.

Field Corn, Millets & Grain Sorghum

Table with columns: Crop, Soil pH, Use Rate (oz/acre), Cumulative Precipitation (in.), Rotation Interval (months). Rows for Field Corn and Millets.

On nonirrigated land, the intervals for grain sorghum are:

Table with columns: Crop, Soil pH, Use Rate (oz/acre), Cumulative Precipitation (in.), Rotation Interval (months). Row for Grain Sorghum.

Do not rotate to crop(s) other than those listed on this label until bioassay results indicate that the assay crops are growing normally. See "Finesse" product labeling for Bioassay instructions.

IMPORTANT

BEFORE USING "FINESSE", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Registered trademark of Ciba-Geigy Corp.

D-100793/101893