



000352-00445-042799

Printed: 13:18:02 Friday, 21 May, 1999 # 89 / 2955

Systems Integration Group, Inc.



352-445

4-27-99
SUPPLEMENTAL LABELING 10/3

DuPont Agricultural
Products



DUPONT SMALL GRAIN
HERBICIDES PLUS
STARANE¹ HERBICIDE

"..... A Growing Partnership With Nature"

DUPONT SMALL GRAIN HERBICIDES

ALLY[®] HERBICIDE

Reg. No. 352-435

CANVAS[®] HERBICIDE

Reg. No. 352-586

EXPRESS[®] HERBICIDE

Reg. No. 352-509

FINESSE[®] HERBICIDE

Reg. No. 352-445

GLEAN[®] FC HERBICIDE

Reg. No. 352-522

HARMONY[®] EXTRA HERBICIDE

Reg. No. 352-538

PLUS STARANE^{*} HERBICIDE

DuPont small grain herbicides (ALLY[®], CANVAS[®], EXPRESS[®], FINESSE[®]) can be tank mixed with Starane^{*} herbicide for improved control of broadleaf weeds in wheat, barley, and fallow.

DuPont small grain herbicides (GLEAN[®] FC, HARMONY[®] EXTRA) can be tank mixed with Starane^{*} herbicide for improved control of broadleaf weeds in wheat, barley, and oats.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

DIRECTIONS FOR USE

For improved control of Kochia (2-4" tall), Russian thistle, standard species, and wild buckwheat DuPont small grain herbicides may be tank mixed with 1/3 to 1 1/3 pints per acre of Starane^{*}. Refer to the DuPont herbicide label, and the Starane^{*} label for information regarding use restrictions, labeled crops, rotational cropping recommendations, sprayer cleanup, use precautions and other information. The most restrictive provisions on either label will apply. Do not use the tank mix if any restrictions on the Starane^{*} label conflict with recommendations on the DuPont herbicide label.

Other suitable registered herbicides, fungicides, and insecticides registered for use on small grains or fallow may be tank mixed or used sequentially with this mixture. Read and follow all manufacturer's label recommendations for the companion herbicide. The most restrictive provisions on either label will apply.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


IMPORTANT

BEFORE USING DUPONT SMALL GRAIN HERBICIDES, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for the use of this product which does not appear on the EPA-registered package label. Follow these instructions carefully. This labeling must be in the possession of the user at the time of application.

¹ Starane is a trademark of Dow AgroSciences LLC

D-120998



For product information call 1-888-6-DUPONT

© 1999 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898



**DuPont Agricultural
Products**

"..... A Growing Partnership With Nature"



**DUPONT SMALL GRAIN
HERBICIDES PLUS
STARANE*¹ + SWORD*²
HERBICIDES**

DUPONT SMALL GRAIN HERBICIDES

ALLY® HERBICIDE

Reg. No. 352-435

FINESSE® HERBICIDE

Reg. No. 352-445

CANVAS® HERBICIDE

Reg. No. 352-586

GLEAN® FC HERBICIDE

Reg. No. 352-522

EXPRESS® HERBICIDE

Reg. No. 352-509

HARMONY® EXTRA HERBICIDE

Reg. No. 352-538

PLUS STARANE* + SWORD* HERBICIDES

DuPont small grain herbicides (ALLY®, CANVAS®, EXPRESS®, FINESSE®) can be tank mixed with Starane* + Sword* herbicides for improved control of broadleaf weeds in wheat, barley, and fallow.

DuPont small grain herbicides (GLEAN® FC, HARMONY® EXTRA) can be tank mixed with Starane* + Sword* herbicides for improved control of broadleaf weeds in wheat, barley, and oats.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

DIRECTIONS FOR USE

For improved control of Kochia (2-4" tall) Russian thistle, mustard species and wild buckwheat, DuPont small grain herbicides may be tank mixed with 3/4 to 2 3/4 pints per acre of Starane* + Sword*. Refer to the DuPont herbicide label, and the Starane* + Sword* label for information regarding use restrictions, labeled crops, rotational cropping recommendations, sprayer cleanup, use precautions and other information. The most restrictive provisions on either label will apply. Do not use the tank mix if any restrictions on the Starane* + Sword* label conflict with recommendations on the DuPont herbicide label.

Other suitable registered herbicides, fungicides, and insecticides registered for use on cereal grains or fallow may be tank mixed or used sequentially with this mixture. Read and follow all manufacturer's label recommendations for the companion herbicide. The most restrictive provisions on either label will apply.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


IMPORTANT

BEFORE USING DUPONT SMALL GRAIN HERBICIDES, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for the use of this product which does not appear on the EPA-registered package label. Follow these instructions carefully. This labeling must be in the possession of the user at the time of application.

- 1 Starane is a trademark of Dow AgroSciences LLC
- 2 Sword is a trademark of Platte Chemical Co.

D-112498



For product information call 1-888-6-DUPONT

© 1999 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

3043



DuPont Agricultural Products

"..... A Growing Partnership With Nature"



DUPONT SMALL GRAIN HERBICIDES PLUS STARANE*¹ + SALVO*² HERBICIDES

DuPONT SMALL GRAIN HERBICIDES

ALLY® HERBICIDE

Reg. No. 352-435

CANVAS® HERBICIDE

Reg. No. 352-586

EXPRESS® HERBICIDE

Reg. No. 352-509

FINESSE® HERBICIDE

Reg. No. 352-445

GLEAN® FC HERBICIDE

Reg. No. 352-522

HARMONY® EXTRA HERBICIDE

Reg. No. 352-538

PLUS STARANE* + SALVO* HERBICIDES

DuPont small grain herbicides (ALLY®, CANVAS®, EXPRESS®, FINESSE®) can be tank mixed with Starane* + Salvo* herbicides for improved control of broadleaf weeds in wheat, barley, and fallow.

DuPont small grain herbicides (GLEAN® FC, HARMONY® EXTRA) can be tank mixed with Starane* + Salvo* herbicides for improved control of broadleaf weeds in wheat, barley, and oats.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

DIRECTIONS FOR USE

For improved control of Kochia (2-4" tall) Russian thistle, mustard species and wild buckwheat, DuPont small grain herbicides may be tank mixed with 2/3 to 2 2/3 pints per acre of Starane* + Salvo*. Refer to the DuPont herbicide label, and the Starane* + Salvo* label for information regarding use restrictions, labeled crops, rotational cropping recommendations, sprayer cleanup, use precautions and other information. The most restrictive provisions on either label will apply. Do not use the tank mix if any restrictions on the Starane* + Salvo* label conflict with recommendations on the DuPont herbicide label.

Other suitable registered herbicides, fungicides, and insecticides registered for use on small grains or fallow may be tank mixed or used sequentially with this mixture. Read and follow all manufacturer's label recommendations for the companion herbicide. The most restrictive provisions on either label will apply.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT


BEFORE USING DUPONT SMALL GRAIN HERBICIDES, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for the use of this product which does not appear on the EPA-registered package label. Follow these instructions carefully. This labeling must be in the possession of the user at the time of application.

¹ Starane is a trademark of Dow AgroSciences LLC

² Salvo is a trademark of Platte Chemical Co.

D-112498



For product information call 1-888-6-DUPONT

© 1999 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898