


"Harmony" Herbicide
EPA Reg. No. 352-446

Supplemental Labeling
"Harmony" Herbicide For
Noncrop Usage



Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Du Pont "Harmony" herbicide is recommended for postemergence usage to control certain annual weeds on noncrop sites such as fence rows, roadsides, equipment storage areas and other similar areas; it is also recommended for control of wild garlic in rough bermudagrass turf on these sites in Arkansas, Mississippi, and Louisiana only.

How To Use

Nonselective Use

Wild Garlic - Apply 1 1/3 ounces "Harmony" per acre plus surfactant when plants are less than 12" tall and actively growing; results may not be noticeable for 2 to 5 weeks.

Kochia, Pigweeds (and other annuals shown on the package label) - Apply 1 1/3 ounces "Harmony" per acre plus surfactant to seedling weeds; results are slow to appear. Treatment provides contact control of emerged seedlings only.

(1) Registered trademark of E. I. du Pont de Nemours and Co. (Inc.)

Tank Mixtures

"Harmony" may be tank mixed with suitable registered herbicides to control weeds other than those listed. Read and follow all manufacturer's label recommendations for the companion herbicide.

Application

Ground Application For optimum spray distribution and thorough coverage, use flat fan or low volume flood nozzles. For flat fan nozzles, do not use less than 5 gallon spray volume per acre (GPA).

For flood nozzles on 30 inch spacing, use not less than 10 GPA and no larger than TK10 or equivalent and not less than 30 psi. On 40-inch nozzle spacings, use not less than 13 GPA or not less than 20 GPA when nozzles are on a 60-inch spacing. 100% overlapping of nozzle spray pattern is essential for 30, 40 and 60-inch spacings.

"Raindrop" nozzles are not recommended for "Harmony" applications as weed control performance may be reduced.

Use 50-mesh screens or larger.

Surfactant

Add a nonionic surfactant of at least 80% active ingredient strength at 0.25% vol/vol (1 quart per 100 gallons of water) to the spray solution.

Note: Do not allow spray to drift onto adjacent crops or land, as injury to plants other than wheat and barley will likely occur. When spraying close to adjacent crops or plants, do everything possible to reduce the occurrence of off target spray movement such as:

- Increase spray volume.
- Use lower sprayer pressure (but not less than 20 psi).
- Add an appropriate drift control agent.
- Stop spraying if wind speed becomes excessive.

Use the spray preparation of "Harmony" within 24 hours as product degradation may occur. If spray preparation is left standing, thoroughly agitate before reusing.

Do not graze or feed forage or hay from treated areas to livestock.

Selective Use

(Arkansas, Mississippi and Louisiana only)

Apply 1 1/3 ounces "Harmony" per acre plus surfactant when wild garlic plants are less than 12" tall and actively growing; results may not be noticeable for 2 to 5 weeks. Treatment provides contact control of emerged seedlings only.


Application

Ground Application - For optimum spray distribution and thorough coverage, use flat fan or low volume flood nozzles. For flat fan nozzles, do not use less than 5 gallon spray volume per acre (GPA).

For flood nozzles on 30-inch spacing, use not less than 10 GPA and no larger than TK10 or equivalent and not less than 30 psi. On 40-inch nozzle spacings, use not less than 13 GPA or not less than 20 GPA when nozzles are on a 60-inch spacing. 100% overlapping of nozzle spray pattern is essential for 30, 40 and 60-inch spacings.

"Raindrop" nozzles are not recommended for "Harmony" applications as weed control performance may be reduced.

Use 50-mesh screens or larger.



Important

BEFORE USING "HARMONY", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow instructions carefully.


This labeling must be in the possession of the user at the time of application.

E. I. du Pont de Nemours and Co., Inc.
Agricultural Products Department
Wilmington, Delaware

081288

"Harmony" Herbicide
EPA Reg. No. 352-446

Supplemental Labeling
"Harmony" Herbicide For
Noncrop Usage



Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Du Pont "Harmony" herbicide is recommended for postemergence usage to control certain annual weeds on noncrop sites such as fence rows, roadsides, equipment storage areas and other similar areas; it is also recommended for control of wild garlic in rough bermudagrass turf on these sites in Arkansas, Mississippi, and Louisiana only.


How To Use

Nonselective Use

Wild Garlic - Apply 1 1/3 ounces "Harmony" per acre plus surfactant when plants are less than 12" tall and actively growing; results may not be noticeable for 2 to 5 weeks.

Kochia, Pigweeds (and other annuals shown on the package label) - Apply 1 1/3 ounces "Harmony" per acre plus surfactant to seedling weeds; results are slow to appear. Treatment provides contact control of emerged seedlings only.

(1) Registered trademark of E. I. du Pont de Nemours and Co. (Inc.)



Tank Mixtures

"Harmony" may be tank mixed with suitable registered herbicides to control weeds other than those listed. Read and follow all manufacturer's label recommendations for the companion herbicide.

Application

Ground Application - For optimum spray distribution and thorough coverage, use flat fan or low volume flood nozzles. For flat fan nozzles, do not use less than 5 gallon spray volume per acre (GPA).

For flood nozzles on 30-inch spacing, use not less than 10 GPA and no larger than TK10 or equivalent and not less than 30 psi. On 40-inch nozzle spacings, use not less than 13 GPA or not less than 20 GPA when nozzles are on a 60-inch spacing. 100% overlapping of nozzle spray pattern is essential for 30, 40 and 60-inch spacings.

"Raindrop" nozzles are not recommended for "Harmony" applications as weed control performance may be reduced.

Use 50-mesh screens or larger.

Surfactant

Add a nonionic surfactant of at least 80% active ingredient strength at 0.25% vol/vol (1 quart per 100 gallons of water) to the spray solution.

Note: Do not allow spray to drift onto adjacent crops or land, as injury to plants other than wheat and barley will likely occur. When spraying close to adjacent crops or plants, do everything possible to reduce the occurrence of off target spray movement such as:

- Increase spray volume.
- Use lower sprayer pressure (but not less than 20 psi).
- Add an appropriate drift control agent.
- Stop spraying if wind speed becomes excessive.

Use the spray preparation of "Harmony" within 24 hours as product degradation may occur. If spray preparation is left standing, thoroughly agitate before reusing.

Do not graze or feed forage or hay from treated areas to livestock.

Selective Use

(Arkansas, Mississippi and Louisiana only)

Apply 1 1/3 ounces "Harmony" per acre plus surfactant when wild garlic plants are less than 12" tall and actively growing; results may not be noticeable for 2 to 5 weeks. Treatment provides contact control of emerged seedlings only.


Application

Ground Application - For optimum spray distribution and thorough coverage, use flat fan or low volume flood nozzles. For flat fan nozzles, do not use less than 5 gallon spray volume per acre (GPA).

For flood nozzles on 30-inch spacing, use not less than 10 GPA and no larger than TK10 or equivalent and not less than 30 psi. On 40-inch nozzle spacings, use not less than 13 GPA or not less than 20 GPA when nozzles are on a 60-inch spacing. 100% overlapping of nozzle spray pattern is essential for 30, 40 and 60-inch spacings.

"Raindrop" nozzles are not recommended for "Harmony" applications as weed control performance may be reduced.

Use 50-mesh screens or larger.



Important

BEFORE USING "HARMONY", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow instructions carefully.

This labeling must be in the possession of the user at the time of application.

E. I. du Pont de Nemours and Co., Inc. '
Agricultural Products Department
Wilmington, Delaware

081288