

## **PLEASE NOTE**

**This image contains more than one label approved for this product on this date.**

## DuPont Agricultural Products

".....A Growing Partnership With Nature"



## SUPPLEMENTAL LABELING

**DUPONT CLASSIC® HERBICIDE  
PLUS DUPONT HARMONY® GT HERBI-  
CIDE TANK MIX FOR BROADLEAF WEED  
CONTROL IN SOYBEANS IN CERTAIN  
COUNTIES IN THE STATES OF IN AND OH**

### CLASSIC® HERBICIDE

EPA Reg No. 352-436

### HARMONY® GT HERBICIDE

EPA Reg. No. 352-446

#### TANK MIX FOR BROADLEAF WEED CONTROL IN SOYBEANS IN CERTAIN COUNTIES IN THE STATES OF INDIANA AND OHIO

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

The tank mix of DuPont CLASSIC® herbicide plus DuPont HARMONY® GT herbicide described on this supplemental label is recommended for use only in the counties listed below in the States of Indiana and Ohio:

**Indiana:** Adams, Bartholomew, Benton, Blackford, Boone, Brown, Carroll, Cass, Clark, Clinton, Crawford, Dearborn, Decatur, Delaware, Dubois, Floyd, Fulton, Gibson, Grant, Hamilton, Hancock, Harrison, Henry, Hendricks, Howard, Jackson, Jasper, Jay, Jefferson, Jennings, Johnson, Lake, LaPorte, Lawrence, Marshall, Madison, Marion, Miami, Montgomery, Morgan, Monroe, Newton, Ohio, Orange, Parke, Perry, Pike, Porter, Posey, Pulaski, Putnam, Ripley, Scott, Shelby, Spencer, St. Joseph, Starke, Switzerland, Tippecanoe, Tipton, Vanderburgh, Warrick, Washington, Wells, White.

**Ohio:** Adams, Ashland, Ashtabula, Auglaize, Brown, Butler, Champaign, Clark, Clermont, Clinton, Crawford, Darke, Delaware, Erie, Fairfield, Fayette, Franklin, Gallia, Greene, Hamilton, Hancock, Hardin, Highland, Huron, Jackson, Knox, Lawrence, Licking, Logan, Lorain, Madison, Mahoning, Marion, Medina, Meigs, Mercer, Miami, Montgomery, Morrow, Ottawa, Perry, Pickaway, Pike, Portage, Preble, Putnam, Richland, Ross, Sandusky, Scioto, Seneca, Shelby, Stark, Trumbull, Union, Van Wert, Vinton, Warren, Wayne, Wood, Wyandot.

#### HOW TO USE

- A tank mix of DuPont CLASSIC® herbicide at a rate of 0.5 ounce per acre plus DuPont HARMONY® GT herbicide at a rate of 0.083 ounce per acre is recommended for control of the weeds listed in the table below.
- Applications of DuPont CLASSIC® herbicide plus DuPont HARMONY® GT herbicide must include a nonionic surfactant at the rate of 0.125% - 0.25% v/v (1-2 pints per 100 gallons of spray solution). **USE OF THE HIGHER RATE OF NONIONIC SURFACTANT, PARTICULARLY UNDER HOT, HUMID CONDITIONS MAY INCREASE TEMPORARY CROP INJURY. Use only EPA approved surfactants authorized for use on food crops. Use a nonionic surfactant of at least 80% active ingredient. For additional information refer to the DuPont Bulletin "Approved Adjuvants for Use With DuPont Row Crop and Cereal Herbicides."**

- DO NOT USE DASH<sup>1</sup>, CROP OIL CONCENTRATE, OR METHYLATED SEED OILS AS ADJUVANTS WITH THIS TANK MIX.
- The addition of an ammonium nitrogen fertilizer is required for control of velvetleaf and ragweeds. Use a high quality fertilizer such as 28-0-0 at the rate of 2-4 quarts per acre or 10-34-0 at the rate of 1-2 quarts per acre. Alternatively, a high quality, sprayable grade ammonium sulfate (21-0-0) may be used at the rate of 2-4 pounds per acre. Use the lower nitrogen rate for spray volumes less than 15 gallons per acre. The addition of ammonium fertilizer does not replace the need for a nonionic surfactant.
- Applications should be made when weeds are young, actively growing, and prior to exceeding the maximum size listed in the table. Applications made to weeds in the cotyledon stage or to weeds exceeding the maximum size listed below may result in unsatisfactory control.
- Applications should be made to actively growing soybeans after the first trifoliolate has opened but no later than 60 days before soybean maturity.
- Crop injury (temporary leaf yellowing and/or retardation of soybean growth) may result from application of this tank mixture. The potential for adverse crop response is most pronounced during hot, humid conditions, under widely fluctuating climatic conditions, or with application to soybeans growing under moisture stress.

#### WEEDS CONTROLLED

#### Height in inches

Cocklebur	2-6
Common Ragweed	1-3
Jimsonweed	2-4
Lambsquarters	2-4
Marestail	2-6
Morningglory (annual)* (Entireleaf, Ivyleaf, Pitted, Smallflower, Tall)	1-2
Mustard	2-4**
Pigweed	
Redroot (rough Other species)	2-12 2-8
Smartweeds (annual)	2-6
Sunflower	2-6
Velvetleaf	2-6
Yellow Nutsedge	2-3

© 2001 E. I. du Pont de Nemours and Company, DuPont Agricultural Products, Wilmington, Delaware 19898

**WEEDS SUPPRESSED\*\*\***

**Height in inches**

Burcucumber	2-3
Canada Thistle*	2-4
Common Milkweed (above ground portion)	2-6
Giant Ragweed*	2-4
Purple Nutsedge	2-3

\* May require sequential application with DuPont CLASSIC® herbicide

\*\* Diameter

\*\*\* Suppression is a visual reduction in weed competition (reduced population, size, and/or vigor) as compared to untreated areas.

**TANK MIXES**

- This 0.5 ounce DuPont CLASSIC® herbicide plus 0.083 ounce DuPont HARMONY® GT herbicide mix may be tank mixed with postemergence grass herbicides such as DuPont Assure® II herbicide. When tank mixing Dupont CLASSIC® herbicide plus DuPont HARMONY® GT herbicide with DuPont ASSURE® II herbicide or other postemergence grass herbicides, use 1-2 pints surfactant per 100 gallons spray solution. Use of the higher surfactant rate may increase crop injury. DO NOT USE "DASH", CROP OIL CONCENTRATE, OR METHYLATED SEED OIL AS ADJUVANTS.
- Do not use this DuPont CLASSIC® herbicide plus DuPont HARMONY® GT herbicide tank mix with Poast Plus<sup>1</sup>.

**APPLICATION INFORMATION**

- **Broadcast Application:** With ground equipment, use flat fan nozzles at 25-40 PSI. Use 10-25 gallons of spray per acre. Do not use hollow cone, flood, rain drop, or whirl chamber nozzles. For proper spray coverage, adjust boom and nozzle height according to the specifications listed by the manufacturer.

**IMPORTANT PRECAUTIONS**

- Refer to the DuPont CLASSIC® herbicide label and Dupont HARMONY® GT herbicide label for specific use instructions, limitations, precautions, and rotational crop intervals.
- Do not apply if rain is expected within one hour, otherwise weed control may be decreased.
- Do not cultivate before, during, or within 7 days after application. Cultivation may put weeds under stress by pruning roots, thus making control more difficult. The best time to cultivate is approximately 14 days after application.
- Do not overlap spray passes or severe crop injury will occur.
- Do not mix with organophosphate insecticides, or apply within 14 days before or after an application of an organophosphate insecticide as severe crop injury may occur.


**IMPORTANT**

**BEFORE USING DUPONT CLASSIC® AND DUPONT HARMONY® GT HERBICIDES, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.**

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

<sup>1</sup> Registered trademark of BASF AG



DR-074 021901

**NEXT**

**LABEL**

**DuPont Agricultural  
Products**



**SUPPLEMENTAL LABELING**

**HARMONY® GT HERBICIDE**

**PRE-PLANT/PRE-EMERGENCE  
BURNDOWN APPLICATIONS**

"..... A Growing Partnership With Nature"

## **HARMONY® GT HERBICIDE**

EPA Reg. No. 352-446

### **PRE-PLANT/PRE-EMERGENCE BURNDOWN APPLICATIONS OF HARMONY® GT HERBICIDE TO FIELDS PLANTED TO FIELD CORN OR SOYBEANS**

#### **DIRECTIONS FOR USE**

DuPont HARMONY® GT Herbicide may be applied as a pre-plant or pre-emergence burndown treatment for additional control of certain broadleaf weeds in fields planted to field corn or soybeans.

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Refer to the HARMONY® GT label and technical bulletins for full descriptions of use restrictions.

#### **PRE-PLANT/PRE-EMERGENCE BURNDOWN APPLICATIONS**

For burndown of emerged weeds, broadcast applications of HARMONY® GT may be applied anytime before field corn and soybean plants emerge. HARMONY® GT may be used in combination with other suitable pre-plant/pre-emergence herbicides registered for use in field corn and soybeans (such as "Roundup Ultra").

Apply HARMONY® GT at 0.3 to 0.6 ounce per acre for improved control of many broadleaf weeds.

Read and follow all manufacturer's label recommendations for companion herbicides. If those recommendations conflict with this label, do not tank mix the herbicide with HARMONY® GT.

#### **SPRAY ADDITIVES**

Consult your agricultural dealer, applicator, or DuPont representative for a listing of recommended surfactants. Antifoaming agents may be used if needed. Unless otherwise specified, add a DuPont recommended non-ionic surfactant having at least 80% active ingredient at 1 to 2 qt per 100 gal of spray solution (0.25 to 0.5% v/v). Refer to TANK MIXTURES section of the HARMONY® GT label for specific adjuvant recommendations when HARMONY® GT is used in a tank mix. Do not use low rates of liquid nitrogen fertilizer solution as a substitute for surfactant.

#### **IMPORTANT**


**BEFORE USING THESE PRODUCTS, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.**

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label and may contain recommendations which are not appropriate for all geographies and weed control situations. Consult local DuPont fact sheets, technical bulletins, and service policies prior to following the recommendations contained in this label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

<sup>1</sup>Registered Trademark of Monsanto


DR-062 030401



**NEXT**

**LABEL**

DuPont Agricultural  
Products



SUPPLEMENTAL LABELING

HARMONY® GT HERBICIDE  
FOR USE IN FIELD CORN

"..... A Growing Partnership With Nature"

## HARMONY® GT HERBICIDE

EPA Reg. No. 352-446

**FOR POST EMERGENCE CONTROL OF CERTAIN BROADLEAF WEEDS IN FIELD CORN FOR  
USE ONLY IN THE STATES OF CT, DE, IN, MA, MD, ME, MI, NH, NC,  
NJ, NY, OH, PA, RI, VA, VT, AND WV**

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont HARMONY® GT Herbicide is recommended for postemergence control of certain broadleaf weeds in field corn.

Do not apply this product through any kind of irrigation system.

Do not graze or feed forage or grain from treated field corn to livestock within 30 days of application.

Do not apply to fields treated with "Counter"™ Insecticide applied at planting or over-the-row at cultivation as severe crop injury may result.

### RESTRICTION

This product is limited to ground application only in the State of New York. Do not apply by air.

### APPLICATION INFORMATION

HARMONY® GT can be applied to 2-6 leaf field corn (1-4 collars, up to 12 inches tall) at a rate of 1/12 ounce per acre. Do not apply to field corn taller than 12 inches or 4 collars, whichever is more restrictive.

HARMONY® GT may be applied as a tank mixture with labeled rates of atrazine. Do not tank mix with other corn herbicides unless specified on HARMONY® GT labels.

Apply HARMONY® GT to field corn hybrids with a Relative Maturity (RM) of 88 days or more, including "food grade" (hollow dent, hard endosperm), waxy and DuPont Optimum High-Oil corn. Not all field corn hybrids of less than 88 days RM, not all white corn hybrids nor Hi-Lysine hybrids have been tested for crop safety, nor does DuPont have access to all seed company data. Consequently, injury arising from the use of HARMONY® GT on these types of corn is the responsibility of the user. Consult with your seed supplier before applying HARMONY® GT to any of these corn types.

Apply with ground equipment set to deliver 10-40 GPA. Use only flat fan nozzles operating at 20-40 PSI. Do not make more than one application per season.

### TIMING TO WEEDS

Apply to weeds whose first true leaves are expanded but before weeds exceed the sizes listed below.

When applied as directed, HARMONY® GT will control the following weeds:

<u>WEED</u>	<u>SIZE (Inches)</u>
Velvetleaf	2-6
Pigweed species	2-12
Lambsquarters	2-4
Annual smartweeds	2-6
Wild mustard	up to 4(')

(') indicates diameter

Apply in 10-40 gallons of water per acre. Always add either nonionic surfactant at 0.25% v/v (1 qt/100 gal) or crop oil concentrate at 1% v/v (1 gal/100 gal) plus either ammonium nitrogen solution such as 28% UAN (2-4 qu/acre) of ammonium sulfate (2-4 lb/acre).

### SOIL INSECTICIDE INTERACTIONS

HARMONY® GT may interact with certain insecticides previously applied to the crop. Crop response varies with field corn type, insecticide used, insecticide application method, and soil type. Corn types may be classified as conventional field corn, imazethapyr tolerant (IT), or imidazilino-resistance (IR) such as Pioneer 3180IR, etc.

### CORN TYPE

*For Conventional and "IT"*

HARMONY® GT may be applied to corn previously treated with Fortress<sup>4</sup> Insecticide or "Force"<sup>2</sup> soil insecticide regardless of soil type.

• DO NOT APPLY HARMONY® GT to corn previously treated with Counter 15G<sup>1</sup>.

For product information call 1-888-6-DUPONT

© 2001 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

• APPLICATIONS of HARMONY® GT TO CORN PREVIOUSLY TREATED WITH "COUNTER 20 CR" OR "THIMET" MAY CAUSE UNACCEPTABLE CROP INJURY, ESPECIALLY ON SOILS OF LESS THAN 4% ORGANIC MATTER.

Applications of HARMONY® GT to corn previously treated with "Dyfonate", "Lorsban", or other organophosphate insecticides not listed above, may result in temporary crop injury.

**For "IR" Corn**

There are no use precautions for applications of HARMONY® GT to "IR" type field corn previously treated with any insecticide.

**IMPORTANT**

**BEFORE USING HARMONY® GT, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.**

This label contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.


<sup>1</sup>Trademark of American Cyanamid Company

<sup>2</sup>Trademark of Zeneca, Inc.

<sup>3</sup>Trademark of Dow Elanco

<sup>4</sup>Trademark of Armvac

DR-076 011901  
(Replaces: H-63888)



**For product information call 1-888-6-DUPONT**

© 2001 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898