

MAY 3 1990

Diane M. Stanley, Ph.D.  
E.I. du Pont de Nemours & Co. (Inc.)  
Agricultural Products Department  
Barley Mill Plaza, WM6-174  
P.O. Box 80038  
Wilmington, DE 19880-0038

Dear Dr. Stanley:

Subject: Du Pont Velpar<sup>®</sup> ULW Herbicide  
EPA Registration No. 352-450  
Application To Amend Registration Dated March 3, 1990  
and Resubmission Dated April 20, 1990

The subject labeling submitted on April 20, 1990 in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended is acceptable provided that the following revisions are made prior to shipment under the enclosed stamped labeling:

1. Delete reference to "other similar areas" as this may allow for domestic uses that would require further data to support.
2. Define and clarify when to use the range of doses claimed under "Directions For Use". What weeds are controlled preemergence and postemergence at the different doses (2.5 to 6.0 lbs product)? The user of this product must know what to expect.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA, Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Joanne I. Miller  
Acting Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (H-7505C)

Enclosure

E.Wilson: Diskette No. 0007a: 05-03-90

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-450

"VELPAR" ULW HERBICIDE  
FOR DRY APPLICATION

DIRECTIONS FOR USE

It is a violation of federal law to use this product  
in a manner inconsistent with its labeling.

Velpar" ULW Herbicide may be applied dry for control of many weeds in non-cropland areas such as railroads, highways, utility and pipeline rights-of-ways, petroleum tank farms, storage areas, industrial plant sites, and other similar areas.

HOW TO APPLY

Apply "Velpar" ULW granules using dry application (ground) equipment to distribute the granules uniformly to the target area. Apply preemergence or early postemergence to seedling weeds. Do not apply to frozen or snow-covered soil.

SHORT-TERM CONTROL (up to 3 months):

Apply "Velpar" ULW at the rate of 2-1/2 to 6 lbs per acre for control of many annual, biennial and perennial weeds:

Barnyardgrass  
Bindweed\*  
Bouncing bet\*  
Bromegrass  
Buffalograss\*  
Burdock  
Cocklebur  
Crabgrass  
Crown vetch  
Curly dock\*  
Dandelion\*  
Dogbane\*  
Fiddleneck  
Filaree

Lespedeza  
Milkweed\*  
Mustard  
Nutsedge\*  
Orchardgrass\*  
Oxalis  
Paragrass  
Pigweed  
Purslane  
Quackgrass  
Ryegrass  
Smartweed  
Spurge  
Trumpet creeper\*

ACCEPTED  
with COMMENTS  
in EPA Letter-Draft

MAY 3 1990

352-450

**SEASON-LONG CONTROL:**

Apply "Velpar" ULW at the rate of 7 to 15 lbs per acre. Species controlled:

Bahiagrass*	Heath aster
Bermudagrass*	Honeysuckle
Bluegrass	Lantana
Broomsedge	Marestail
Camphorweed	Natalgrass
Canada thistle*	Plantain
Chickweed	Prickly lettuce
Clovers	Ragweed
Dewberry	Smutgrass
Dogfennel*	Spanish nettle
Fescue*	Vaseygrass
Fingergrass	Wild blackberry*
Foxtail	Wild carrot
Guineagrass	

\*Considered hard to kill; partial control or suppression only.

**IMPORTANT**

BEFORE USING "VELPAR" ULW HERBICIDE, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

[1] Registered trademark of E. I. du Pont de Nemours & Co., Inc.

E. I. du Pont de Nemours and Company, Inc.  
Agricultural Products Department  
Wilmington, Delaware

041690