



PM 25

332-560

1 of 3

DuPont Agricultural

Products
ACCEPTED

"... A Growing Partnership With Nature"
FEB 20 1996



SUPPLEMENTAL LABELING

ACCENT® SP/ACCENT® HERBICIDE

FOLLOWING REDUCED RATES OF
PREEMERGENCE GRASS HERBICIDES
FOR WEED CONTROL IN CORN

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 332-560

ACCENT® SP/ACCENT® HERBICIDE

EPA Reg. No 352-560

FOLLOWING REDUCED RATES OF PREEMERGENCE GRASS HERBICIDES FOR WEED CONTROL IN CORN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DuPont ACCENT Herbicide may be used as a sequential treatment as a planned postemergence weed control program in corn following a reduced rate of a preemergence grass herbicide. ACCENT may be tank mixed with labeled broadleaf products such as atrazine for additional broadleaf weed control. Refer to the ACCENT label for a complete list of labeled broadleaf tank mix herbicides.

WHEN TO APPLY

Apply any one of the following grass herbicides at the rate listed below from no more than seven (7) days before planting to just prior to corn emergence.

Product	Rate per Acre
Dual II [®] Herbicide	1 pint
DuPont Extrazine [®] II Herbicide	2 quarts
Frontier [®] Herbicide	10 ounces
Harness [®] Herbicide	1 pint
Prowl 3.3 EC [®] Herbicide	2.5 pints
Surpass EC [®] Herbicide	1 pint

ACCENT performs best when applied to 2 to 4 inch actively growing grasses, which often times occurs 30 to 45 days after planting corn. Apply ACCENT (or ACCENT plus a labeled broadleaf herbicide such as atrazine) at a rate of 2/3 ounces ACCENT per acre. If packaged in soluble packs, apply ACCENT at a rate of 1 soluble pack per 4 acres, which is equivalent to 2/3 ounces per acre. For a complete list of grasses controlled and the labeled sizes, refer to the ACCENT label. Do not apply less than 2/3 ounce of ACCENT per acre.

Always add either a nonionic surfactant to ACCENT at a rate of 1 quart per 100 gallons of spray solution (0.25% v/v); or a crop oil concentrate at a rate of 1 gallon per 100 gallons of spray solution (1.0% v/v)

In addition to the surfactant or crop oil concentrate; an ammonium nitrogen fertilizer such as 28-0-0 (2 to 4 quarts per acre), 10-34-0 (1 to 2 quarts per acre) or ammonium sulfate (21-0-0 at 2 to 4 pounds per acre) may be added to improve control. Refer to the ACCENT label for further instructions on tank mixing for broadleaf weed control.

IMPORTANT PRECAUTIONS

Refer to the ACCENT label for mixing and other use instructions.

An activating rainfall (>1/2") shortly after application of the pre-emergence herbicide will be required for activation and maximum activity. If activation does not occur prior to small grasses emerging, a timely cultivation such as a rotary hoeing may be required.

Refer to the ACCENT and the respective preemergence herbicide labels for additional use directions, use restrictions, rotational crop intervals, and precautions. The most restrictive provision on either label shall apply.

Do not apply ACCENT through any type of irrigation system.

IMPORTANT

BEFORE USING "ACCENT" HERBICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of these products which does not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at the time of application.

1. Registered trademark of Ciba-Geigy Corporation
2. Registered trademark of Sandoz Ltd.
3. Registered trademark of Monsanto Company
4. Registered trademark of American Cyanamid Company
5. Registered trademark of Zeneca Inc.

D-121895



**DuPont Agricultural
Products**

"..... A Growing Partnership With Nature"



SUPPLEMENTAL LABELING ^{2 of 3}

**ACCENT® SP HERBICIDE
PLUS
RESOURCE'
FOR WEED CONTROL IN CORN**

ACCENT® SP HERBICIDE

(EPA REG. NO. 352-560)

PLUS "RESOURCE" FOR WEED CONTROL IN CORN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont ACCENT Herbicide may be tank mixed with "Resource" for additional broadleaf weed control when applied to field corn. Do not apply this tank mix to popcorn or sweet corn, or to corn grown for seed.

WHEN TO APPLY

Postemerge applications of ACCENT plus "Resource" may be applied to field corn:

- Broadcast applications should be made to corn up to 24" tall (free-standing) or that exhibits 6 or fewer collars, whichever is most restrictive.
- For corn 24-36" tall apply with drop nozzles only and avoid spraying into the whorls of corn stalks. Do not apply to corn that is taller than 36" or exhibits 10 collars, whichever is most restrictive.
- Do not apply this tank mix to corn that has more than 10 leaf collars, or fewer than 2 leaf collars.

HOW TO USE

Apply ACCENT at the rate of one soluble pack per 4 acres (2/3 ounce per acre) plus 4 to 8 fluid ounces of "Resource" per acre.

Adjuvants: Include a crop oil concentrate (petroleum or seed oil based) at a rate of 1.0% v/v (1 gallon per 100 gallons of spray solution) plus an ammonium nitrogen source such as 28-0-0 (2 to 4 quarts per acre), 10-34-0 (1 to 2 quarts per acre) or ammonium sulfate (21-0-0 at 2 to 4 pounds per acre).

Application: Use a minimum of 10 gallons of water per acre and a spray pressure of 30 to 40 psi.

Refer to the ACCENT label for mixing instructions.

WEEDS CONTROLLED

Refer to the ACCENT and "Resource" label for a complete list of weeds controlled, and the proper size for application

IMPORTANT


BEFORE USING "ACCENT" HERBICIDE AND RESOURCE HERBICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA-REGISTERED LABELS

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at the time of application.

¹ Registered trademark of Valent U.S.A. Corporation.

D-080795



SUPPLEMENTAL LABELING



DuPont Agricultural Products

"..... A Growing Partnership With Nature"



ACCENT® SP HERBICIDE PLUS SCORPION® III HERBICIDE WEED CONTROL IN CORN

ACCENT® SP HERBICIDE

(EPA REG. NO. 352-560)

PLUS "SCORPION" III HERBICIDE FOR WEED CONTROL IN CORN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DuPont ACCENT SP Herbicide may be tank mixed with "Scorpion" III Herbicide for additional broadleaf weed control when applied to field corn grown for grain. Do not apply to corn grown for seed, to popcorn, or to sweet corn.

WHEN TO APPLY

A tank mix of ACCENT SP plus "Scorpion" III may be applied as a postemergence broadcast application to field corn that is in the 3-5 collar stage but no taller than 8 inches. Do not apply as a post directed spray (drop nozzles). Labeled grasses should be 2 to 4 inches tall and broadleaf weeds at the 2 to 4 true leaf stage.

HOW TO USE

Apply ACCENT SP in a tank mix for additional annual broadleaf control as directed below:

Product	Rate per 4 acres	Rate per acre	Adjuvants
ACCENT SP	1 soluble pak	2/3 ounce	NIS
"Scorpion" III	2 soluble paks	0.25 lb	

Do not apply less than 2/3 ounce of ACCENT SP per acre.

ACCENT SP performs best when applied to 2-4 inch actively growing grasses.

Consult the respective ACCENT SP and "Scorpion" III labels for a complete list of grasses and broadleaf weeds controlled, and the proper size for application.

Adjuvants:

Always add a nonionic surfactant (NIS) at the rate of 1 quart per 100 gallons of spray solution (0.25% v/v).

In addition to the surfactant an ammonium nitrogen fertilizer (NFERT) such as 28-0-0 (2-4 quarts per acre), 10-34-0 (1-2 quarts per acre) or ammonium sulfate (21-0-0) at 2-4 pounds per acre may be added to improve control.

Application:

Use a minimum of 15 gallons of water per acre (15 GPA) for best results.

IMPORTANT PRECAUTIONS

Refer to the ACCENT SP label for mixing instructions.

Refer to the ACCENT SP and "Scorpion" III labels for additional use directions, use restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.


Do not apply ACCENT SP through any type of irrigation system.

IMPORTANT

BEFORE USING "ACCENT" SP HERBICIDE IN A TANK MIX WITH SCORPION III, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at the time of application.



¹ Registered trademark of DowElanco

D-102695