



**DuPont Agricultural
Products**

"..... A Growing Partnership With Nature"



**ACCENT® HERBICIDE
FOR WEED CONTROL
IN SWEET CORN FOR PROCESSING
IN THE STATES OF
NEW JERSEY AND NEW YORK**

ACCENT® HERBICIDE

EPA REG. NO. 352-560

**FOR WEED CONTROL IN SWEET CORN FOR PROCESSING
IN THE STATES OF NEW JERSEY AND NEW YORK**

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont "Accent" Herbicide may be applied to sweet corn grown under contract for processing. Consult the "Accent" label for additional requirements, restrictions and precautions.

WHEN TO APPLY

Applications of "Accent" may be applied broadcast or with drop nozzles (post-directed) on sweet corn up to 12 inches tall. For sweet corn 12 - 18 inches tall, apply only with drop nozzles. Do not apply to sweet corn taller than 18 inches OR THAT EXHIBITS 6 OR MORE COLLARS (V6), WHICHEVER IS MOST RESTRICTIVE. Only one application of "Accent" is allowed per year.

HOW TO USE

Apply "Accent" at 0.66 ounces per acre (or, when packed in water soluble packs, one soluble packet per 4 acres) on processing sweet corn for selective postemergence grass control. See Federal label for weeds controlled.

"Accent" performs best when applied to actively growing weeds at weed heights no greater than those given in the rate guide. Applications made to weeds larger than the size indicated or to weeds under stress may result in unsatisfactory control.

Adjuvants:

Always add either a crop oil concentrate (1% v/v = 1 gal/100 gal), methylated seed oil (1% v/v = 1 gal/100 gal) or nonionic surfactant (0.25% v/v = 1 qt/100 gal). The addition of an ammonium nitrogen fertilizer such as 28-0-0 (2 - 4 qt per acre), 10-34-0 (1 - 2 qt per acre) or ammonium sulfate (21-0-0) at 2 - 4 lb per acre is also recommended.

Broadcast Application:

Apply "Accent" using properly calibrated ground equipment only. Use flat fan nozzles at 20 - 40 psi and use a minimum of 10 gal water per acre. Increase both spray volume and pressure as weed density and size increase. Spray equipment must be properly set up to avoid applying an excessive rate directly over the rows and into the corn plant whorl.

Tank Mixes:

Do not tank mix "Accent" with any other product except those specified on this label. Atrazine can be tank mixed with "Accent" for improved control of broadleaf weeds. See the Atrazine label for additional information on rates to use and weeds controlled. Do not apply this tank mix to corn taller than 12 inches.

Rotational Crops:

Follow rotational intervals on "Accent" label.

RESTRICTIONS AND LIMITATIONS

This product is limited to ground application only in the state of New York. Do not apply by air.

"Accent" may be used only on the following sweet corn hybrids grown under contract for processing:

Excalibur
More(GG 55)
Viking
Zenith

Applying "Accent" to processing sweet corn under stress may result in crop injury. Stress may be caused by:

- abnormally hot or cold weather
- environmental conditions such as drought, water saturated soils, soil compaction, hail damage, or frost
- disease, insect, or nematode injury
- prior herbicide, or carryover from a previous year's herbicide application.

The user assumes all responsibility associated with applications of "Accent" to sweet corn.

Do not apply any organophosphate insecticide or any other herbicide within 7 days before or 3 days after an application of "Accent".

Do not apply to sweet corn previously treated with any formulation of Counter¹ soil insecticide. Application of "Accent" to sweet corn previously treated with Thimet¹, Dyfonate², or Lorsban³ soil insecticide may cause unacceptable injury and is not recommended. IF A SOIL INSECTICIDE IS

For product information call 1-888-6-DUPONT

© 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

REQUIRED, DUPONT FORTRESS SOIL INSECTICIDE, AZTEC¹ OR FORCE² ARE THE RECOMMENDED SOIL INSECTICIDES, AS THEY DO NOT INTERACT WITH ACCENT.

Applications within 4 hours of rain may reduce weed control.

A timely cultivation may be necessary to control weeds that emerge after an application of "Accent". Do not cultivate within 10 days prior to the application because weed control might be reduced by pruning roots and placing the weed under stress. Optimum timing for cultivation is 7 - 14 days after "Accent" application.

To avoid subsequent injury to crops other than corn, thoroughly clean all mixing and spray equipment immediately following application. Refer to the label for cleanout procedure.

Do not graze or feed forage, hay, or straw from treated areas to livestock within 30 days of "Accent" application.

IMPORTANT

BEFORE USING "ACCENT", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.


This labeling must be in the possession of the user at the time of pesticide application.

¹ Registered trademark of American Cyanamid Co.

² Registered trademark of Zeneca

³ Registered trademark of DowElanco

⁴ Registered trademark of Bayer



020398


For product information call 1-888-6-DUPONT

© 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898



DuPont Agricultural Products

"..... A Growing Partnership With Nature"



SUPPLEMENTAL LABELING

ACCENT®
FOR WEED CONTROL IN SWEET CORN
FOR PROCESSING IN THE
STATES OF MINNESOTA, WISCONSIN,
ILLINOIS AND IOWA

ACCENT® HERBICIDE

EPA REG. NO. 352-560

FOR WEED CONTROL IN SWEET CORN FOR PROCESSING IN THE STATES OF MINNESOTA, WISCONSIN, ILLINOIS AND IOWA

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

uPont "Accent" Herbicide may be applied to sweet corn grown under contract for processing. Consult the "Accent" label for additional requirements, restrictions and precautions.

WHEN TO APPLY

Applications of "Accent" may be applied broadcast or with drop nozzles (post-directed) on sweet corn up to 12 inches tall. For sweet corn 12 - 18 inches tall, apply only with drop nozzles. Do not apply to sweet corn taller than 18 inches OR THAT EXHIBITS 6 OR MORE COLLARS (V6), WHICHEVER IS MOST RESTRICTIVE. Only one application of "Accent" is allowed per year.

HOW TO USE

Apply "Accent" at 0.66 ounces per acre (or, when packed in water soluble packs, one soluble packet per 4 acres) on processing sweet corn for selective postemergence grass control. See label for weeds controlled.

"Accent" performs best when applied to actively growing weeds at weed heights no greater than those given in the rate guide. Applications made to weeds larger than the size indicated or to weeds under stress may result in unsatisfactory control.

Adjuvants:

Always add either a crop oil concentrate (1% v/v = 1 gal/100 gal), methylated seed oil (1% v/v = 1 gal/100 gal) or nonionic surfactant (0.25% v/v = 1 qt/100 gal). The addition of an ammonium nitrogen fertilizer such as 28-0-0 (2 - 4 qt per acre), 10-34-0 (1 - 2 qt per acre) or ammonium sulfate (21-0-0) at 2 - 4 lb per acre is also recommended.

Broadcast Application:

Apply "Accent" using properly calibrated ground equipment only. Use flat fan nozzles at 20 - 40 psi and use a minimum of 10 gal water per acre. Increase both spray volume and pressure as weed density and size increase. Spray equipment must be properly set up to avoid applying an excessive rate directly over the rows and into the corn plant whorl.

Tank Mixes:

Do not tank mix "Accent" with any other product except those specified on this label. Atrazine can be tank mixed with "Accent" for improved control of broadleaf weeds. See the Atrazine label for additional information on rates to use and weeds controlled. Do not apply this tank mix to corn taller than 12 inches.

Rotational Crops:

Follow rotational intervals on "Accent" label.

RESTRICTIONS AND LIMITATIONS

"Accent" may be used only on the following sweet corn hybrids grown under contract for processing:

Excellency	GG 5
More(GG 55)	GG 43
Cornucopia	Crisp'N'Sweet 710
DMC 20-35	DMC 20-04
Reward	Excalibur
Empire (GH 2759)	Eliminator
GH 2628	Challenger
GH 2690	Zenith
Viking	HM701
GG 40	Sprint (GH 2643)
GG 22	Bonus (GH 9056)
GG 23	

Applying "Accent" to processing sweet corn under stress may result in crop injury. Stress may be caused by:

- abnormally hot or cold weather
- environmental conditions such as drought, water saturated soils, soil compaction, hail damage, or frost
- disease, insect, or nematode injury
- prior herbicide, or carryover from a previous year's herbicide application.

The user assumes all responsibility associated with applications of "Accent" to sweet corn.

2 of 2

Do not apply any organophosphate insecticide or any other herbicide within 7 days before or 3 days after an application of "Accent".

Do not apply to sweet corn previously treated with any formulation of Counter¹ soil insecticide. Application of "Accent" to sweet corn previously treated with Thimet¹, Dyfonate², or Lorsban³ soil insecticide may cause unacceptable injury and is not recommended. IF A SOIL INSECTICIDE IS REQUIRED, DUPONT FORTRESS SOIL INSECTICIDE, AZTEC⁴ OR FORCE² ARE THE RECOMMENDED SOIL INSECTICIDES, AS THEY DO NOT INTERACT WITH ACCENT.

Applications within 4 hours of rain may reduce weed control.

A timely cultivation may be necessary to control weeds that emerge after an application of "Accent". Do not cultivate within 10 days prior to the application because weed control might be reduced by pruning roots and placing the weed under stress. Optimum timing for cultivation is 7 - 14 days after "Accent" application.

To avoid subsequent injury to crops other than corn, thoroughly clean all mixing and spray equipment immediately following application. Refer to the label for cleanout procedure.

Do not graze or feed forage, hay, or straw from treated areas to livestock within 30 days of "Accent" application.

IMPORTANT

BEFORE USING "ACCENT", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.


This labeling must be in the possession of the user at the time of pesticide application.

¹ Registered trademark of American Cyanamid Co.

² Registered trademark of Zeneca

³ Registered trademark of DowElanco

⁴ Registered trademark of Bayer



061395, 020398

(Replaces H-63070)