

DuPont Agricultural  
Products

DRAFT

DUPONT™ ACCENT®  
HERBICIDE  
TANK MIXTURE WITH  
CALLISTO<sup>1</sup> HERBICIDE

"..... A Growing Partnership With Nature"

## DUPONT™ ACCENT® HERBICIDE

EPA Reg. No. 352-560

### TANK MIXTURE WITH CALLISTO HERBICIDE FOR WEED CONTROL IN CORN

#### DIRECTIONS FOR USE

DuPont™ ACCENT® Herbicide may be tank mixed with 1.5-3.0 oz of Callisto Herbicide for weed control in corn. Apply 0.66 oz ACCENT® per acre plus at least the rate of Callisto indicated in the table below, for the control of weeds listed on the ACCENT® label plus broadleaf weeds as noted:

Species	Maximum Weed Height (in inches)					
	Callisto alone			Callisto plus atrazine*		
	1.5 oz	2.0 oz	3.0 oz	1.5 oz	2.0 oz	3.0 oz
Cocklebur	5"	5"	5"	10"	10"	10"
Jimsonweed	5"	5"	5"	5"	10"	10"
Lambsquarters, common	5"	5"	5"	10"	10"	10"
Morningglory, ivyleaf	5"	5"	5"	5"	5"	5"
Nightshade, black	5"	5"	5"	10"	10"	10"
Nightshade, eastern black	5"	5"	5"	10"	10"	10"
Pigweed, Palmer	-	-	5"	5"	5"	10"
Pigweed, redroot	5"	5"	5"	10"	10"	10"
Ragweed, common	-	-	-	5"	10"	10"
Ragweed, giant	-	3"	5"	5"	10"	10"
Smartweed, ladythumb	-	5"	5"	5"	10"	10"
Smartweed, Pennsylvania	5"	5"	5"	5"	10"	10"
Velvetleaf	5"	5"	5"	10"	10"	10"
Waterhemp, tall & common	-	5"	5"	5"	10"	10"

\*plus 0.25 to 0.5 lb active ingredient atrazine per acre, may provide better control under more difficult growing conditions

Consult the Callisto label for additional tank mix options for enhancing the control of broadleaf weeds.

#### WHEN TO APPLY

Postemergence applications of ACCENT® + Callisto may be broadcast to corn up to 20" tall, up to and including 6 leaf collars (V6), whichever is more restrictive. Tank mixes with atrazine are limited to 12" tall corn. See the ACCENT® labels for a list of grasses controlled and sizes for application.

#### HOW TO USE

Apply 0.66 ounces of ACCENT® in combination with rates of Callisto listed above for the control of grasses and broadleaf weeds. ACCENT® performs best when applied to young, actively growing grasses and broadleaf weeds. Use a minimum of 15 gallons of water per acre (15 GPA) for best results.

#### SPRAY ADDITIVES

Add an ammonium nitrogen fertilizer such as 28-0-0 (2-4 qts/acre), 10-34-0 (1-2 qts/acre), or spray grade ammonium sulfate (21-0-0) at 2-4 lbs/acre plus a petroleum-based crop oil concentrate (COC) at 1%v/v (1 gal/100 gal spray solution).

#### IMPORTANT PRECAUTIONS

Refer to the ACCENT® and Callisto labels for additional use directions, restrictions, rotational crop intervals, and precautions. Except for the tank mixture use rates on this supplemental label, the most restrictive provision on either label shall apply. Do not apply ACCENT® through any type of irrigation system.


#### IMPORTANT

**BEFORE USING THESE PRODUCTS, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.**

This label contains supplemental instructions for use of this product and may contain recommendations which are not appropriate for all geographies and weed control situations. Consult local DuPont fact sheets, technical bulletins, and service policies prior to following the recommendations on this label.

This label must be in the possession of the user at the time of pesticide application.

<sup>1</sup>Callisto is a trademark of Syngenta Crop Protection.



DR-118 120501