


PM 21

352-564

1/1



DuPont Agricultural Products



SUPPLEMENTAL LABELING

BENLATE® SP FUNGICIDE
SUPPRESSION OF SCAB
IN WHEAT IN THE STATES
OF MN, ND, AND SD

"..... A Growing Partnership With Nature"

BENLATE® SP FUNGICIDE

EPA Reg. No. 352-564

**POST HEADING APPLICATION FOR SUPPRESSION OF SCAB (FUSARIUM HEAD BLIGHT)
IN WHEAT (INCLUDING DURUM) IN MINNESOTA, NORTH DAKOTA, AND SOUTH DAKOTA**

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont BENLATE SP Fungicide is recommended as a post heading application for suppression of scab (*Fusarium* Head Blight) in wheat (including durum) in the states of Minnesota, North Dakota, and South Dakota.

HOW TO USE

Apply BENLATE SP at 0.5 lb per acre. Make applications to wheat at 1/2 head emergence to mid-flowering. Make no more than 2 applications. Do not apply BENLATE SP within 21 days of harvest.

For best results apply BENLATE SP at the above rate as a tank mix with DuPont MANZATE 200 DF Fungicide at 1.0 to 2.0 lbs per acre. Do not apply MANZATE 200 DF within 26 days of harvest.

Spray coverage and droplet retention may be improved with the use of a spreader/sticker with BENLATE SP or BENLATE SP plus MANZATE 200 DF treatments.


Use a minimum of 5 gallons of water per acre applied by air and a minimum of 15 gallons of water per acre applied by ground equipment.

IMPORTANT

BEFORE USING 'BENLATE SP', READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

This bulletin contains new or supplemental recommendations for use of this product which do not appear on the EPA registered package label. Follow the instructions carefully.

This bulletin must be in the possession of the user at the time of pesticide application.



D-121196

BEST AVAILABLE COPY