

No. 1153 P. 4/6  
PM 21 352-564



DuPont Agricultural  
Products



**SUPPLEMENTAL LABELING**

**BENLATE® SP FUNGICIDE  
SUPPRESSION OF SCAB  
IN WHEAT IN THE STATES  
OF WI, MI, AND OH**

"..... A Growing Partnership With Nature"

**BENLATE SP FUNGICIDE**

EPA Reg. No. 352-564

**POST HEADING APPLICATION FOR SUPPRESSION OF SCAB (FUSARIUM HEAD BLIGHT)  
IN WHEAT (INCLUDING DURUM) IN WISCONSIN, MICHIGAN AND OHIO**

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont BENLATE SP Fungicide is recommended as a post heading application for suppression of scab (Fusarium Head Blight) in wheat (including durum) in the states of Wisconsin, Michigan and Ohio.

**HOW TO USE**

Apply BENLATE SP at 0.5 lb per acre. Make applications to wheat at 1/2 head emergence to mid-flowering. Make no more than 2 applications. Do not apply BENLATE SP within 21 days of harvest.

For best results apply BENLATE SP at the above rate as a tank mix with DuPont MANZATE 200 DF Fungicide at 1.0 to 2.0 lbs per acre. Do not apply MANZATE 200 DF within 26 days of harvest.

Spray coverage and droplet retention may be improved with the use of a spreader/sticker with BENLATE SP or BENLATE SP plus MANZATE 200 DF treatments.


Use a minimum of 5 gallons of water per acre applied by air and a minimum of 15 gallons of water per acre applied by ground equipment.

**IMPORTANT**

**BEFORE USING 'BENLATE' SP, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL.**

This bulletin contains new or supplemental recommendations for use of this product which do not appear on the EPA registered package label. Follow the instructions carefully.

This bulletin must be in the possession of the user at the time of pesticide application.



D-021097