

000352-00564-062299

Printed: 10:12:55 Wednesday, 21 Jul, 1999 # 67 / 3695

Systems Integration Group, Inc.

DRAFT

DuPont Agricultural Products

"..... A Growing Partnership With Nature"



BENLATE® SP FUNGICIDE

BENLATE® SP FUNGICIDE

(EPA REG. NO. 352-564)

FOR THE CONTROL OF CERCOSPORA/CERCOSPORELLA LEAF SPOTS, ANTHRACNOSE AND POWDERY MILDEW ON TURNIP GREENS GROWN IN THE STATE OF ILLINOIS

DIRECTIONS FOR USE

Apply DuPont BENLATE® SP Fungicide at 1/2 lb per acre ing sufficient water to obtain thorough coverage (3 to 10 galls per acre for aerial application). Begin applications when disease first appears and repeat at 14-day intervals. Do not make more than 3 applications per growing season. Do not exceed 1.5 lbs of BENLATE® SP per acre per season. Do not apply within 14 days of harvest.

IMPORTANT

BEFORE USING "BENLATE® SP", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

ACCEPTED

JUN 22 1999

Under the Federal Insecticities, Fungicide, and Rodenticide Act, as amended, for the postcide registered under RPA Red. No. 35, 2, 5 (a. 4)

D-060899

For product information call 1-888-6-DUPONT © 1999 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898