

000352-00571-051299

Printed: 10:51:37 Friday, 28 May, 1999 # 88 / 3208

Systems Integration Group, Inc.



BASIS® HERBICIDE TANK MIXED WITH ACCENT® HERBICIDE

DuPont Agricultural Products

"..... A Growing Partnership With Nature"

BASIS® HERBICIDE

EPA Reg. No. 352-571

TANK MIXED WITH ACCENT® HERBICIDE FOR EARLY POSTEMERGENCE CONTROL OF GRASSES IN CORN

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling. Before using BASIS® Herbicide, read and observe the cautionary statements and all other information appearing on the BASIS® federal label.

DuPont BASIS® Herbicide may be tank mixed with ACCENT® Herbicide for early postemergence control of emerged grasses in field corn grown for grain. This mix may also be tank mixed with labeled broadleaf products such as Banvel', Clarity' or Tough² for expanded broadleaf control; see the BASIS® label for additional tank mix information.

HOW TO USE

Apply 1/3 oz BASIS® + 1/4 oz ACCENT® per acre alone or in combination with other broadleaf herbicides registered for use in corn. If tank-mixing with other broadleaf herbicides, refer to the BASIS® label for instructions. Do not apply less than 1/3 oz of BASIS® per acre. Make only one application of BASIS® per season, and if a sequential application of ACCENT® is applied, do not apply more than 1-1/3 oz ACCENT® per acre per season.

ADJUVANTS

Add crop oil concentrate at the rate of 1%v/v (1 gallon per 100 gallons of spray solution) or non-ionic surfactant at 0.25-0.50%v/v (1-2 qt/100 gal spray solution) PLUS an ammonium nitrogen fertilizer such as 28-0-0 at the rate of 2 qts/A or ammonium sulfate (21-0-0) at 2-4 lbs/A. Use the higher concentration of NIS under drought conditions to enhance control. Choose the non-ionic surfactant if tank mixing with Banvel or Clarity.

WHEN TO APPLY

BASIS® + ACCENT® may be applied to the following grass weeds anytime from spike stage through 2-collar (4-leaf) corn (approximately 1/2 to 6 inches tall).

GRASSES CONTROLLED

	Maximum Weed Height
Grasses	At Application (inches)
Foxtails	
Bristly	3
Giant	3
Green	3
Yellow	2
Barnyardgrass	3
Crabgrass, large**	1
Panicum, fall	3
Johnsongrass, seedling*	. 8
Shattercane*	6
Sandbur, field	2
Wild proso millet*	2
Wild oats	2

- * Controls emerged plants only. Subsequent flushes may require sequential application of ACCENT® Herbicide.
- ** Large crabgrass will be controlled only if size is "mouse ear" (1 leaf emerging) at application.

For product information call 1-888-6-DUPONT © 1999 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

CULTIVATION

A timely cultivation may be necessary to control suppressed weeds, weeds beyond the recommended height at application or weeds that emerge after an application of this tank mix. The best time for cultivation is usually 10-15 days after a BASIS® + ACCENT® application.

EMPORTANT PRECAUTIONS

Refer to the BASIS® and ACCENT® labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS® or ACCENT® through any type of irrigation system.

IMPORTANT

BEFORE USING "BASIS" OR "ACCENT" READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS IN THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow these instructions carefully. This label must be in the possession of the user at time of application.

- 1 Registered trademark of BASF
- ² Registered trademark of Novartis

MAY 12 1999

Under the Federal Insectedda, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under RPA Res. No 350-571

D-012099