



DuPont Agricultural
Products



SUPPLEMENTAL LABELING

ACCENT® HERBICIDE
BASIS® GOLD™ HERBICIDE
CRABGRASS CONTROL IN CORN

"..... A Growing Partnership With Nature"

ACCENT® HERBICIDE
EPA Reg. No 352-560
BASIS® GOLD™ HERBICIDE
EPA Reg. No. 352-585

TANK MIXES WITH REDUCED RATES OF PREEMERGENCE GRASS HERBICIDES
FOR CRABGRASS CONTROL IN CORN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DuPont ACCENT Herbicide or DuPont BASIS GOLD Herbicide may be used in a tank mix with reduced rates of pre-emergence grass herbicides for residual activity on later emerging grass flushes, including large crabgrass (*Digitaria sanguinalis*) and smooth crabgrass (*Digitaria ischaemum*). ACCENT may be used in field corn, seed corn, and popcorn. BASIS GOLD may be used in field corn

Refer to the ACCENT label for use instructions on popcorn and seed corn. Refer to the tank mix product(s) label for use instructions on popcorn and seed corn as well.

ACCENT or BASIS GOLD may also be tank mixed with labeled broadleaf products for additional broadleaf weed control.

WHEN TO APPLY

Tank mixes of ACCENT or BASIS GOLD plus one of the pre-emergence grass herbicides listed below may be broadcast to corn before the crop exceeds the heights listed below.

Product	Maximum Corn Height
Surpass EC ¹ Herbicide	11 inches
Harness ² Herbicide	11 inches
Dual II ³ Herbicide	12 inches
Frontier ⁴ Herbicide	8 inches
Prowl 3.3 EC ⁵ Herbicide	6 leaf stage

Applications must be made before the crabgrass emerges (pre-emergence control only), and before the other grass weed species exceed the sizes listed on the ACCENT label or the BASIS GOLD label.

Refer to the ACCENT label or the BASIS GOLD label for a complete list of grasses controlled and the corn and weed sizes for application.

HOW TO USE

Rate

Apply a tank mix of ACCENT or BASIS GOLD plus a pre-emergence grass herbicides for postemergence control of the grasses listed on the ACCENT or BASIS GOLD label and residual control of large and smooth crabgrass as directed below:

ACCENT at a rate of 1 soluble pack per 4 acres (2/3 ounce per acre)

or

BASIS GOLD at a rate of 1 soluble pack per 4 acres (14 ounces per acre)

- plus -

	Soil Type*		
	Coarse	Medium	Fine
Surpass EC	1.5 pt	1.5 - 2 pt	1.5 - 2 pt
Harness	1.0 - 1.75 pt	1.25 - 2.25 pt	1.75 - 2.75 pt
Dual II	1.0 - 1.25 pt	1.25 - 1.75 pt	1.5 - 2.0 pt
Frontier	8 - 16 fl oz	8 - 16 fl oz	8 - 16 fl oz
Prowl 3.3 EC	1.8 - 2.4 pt	3.0 - 3.6 pt	3.0 - 3.6 pt

*Use the mid to lower end of the rate range for soils with less than 3% organic matter. Use the mid to upper end of the rate range for soils with 3% or more organic matter content.

- plus -

A crop oil concentrate at 1.0% v/v (1 gallon per 100 gallons of spray solution) or a nonionic surfactant at 0.25% v/v (1 quart per 100 gallons of spray solution). In addition, an ammonium nitrogen fertilizer such as 28-0-0 (2 quarts per acre), 10-34-0 (1 quart per acre), or ammonium sulfate (21-0-0 at 2 lb. per acre) is recommended to improve postemergence control.

97 MAR 28 P3
RECEIVED

2. 8. 4.

Refer to the ACCENT or BASIS GOLD labels for further instructions on tank mixing for broadleaf weed control.

IMPORTANT PRECAUTIONS

Refer to the ACCENT label or the BASIS GOLD label for mixing and other use instructions.

Preemergence herbicides rely on activation for control of grasses such as crabgrass that germinate or emerge after application. Precipitation or overhead sprinkler irrigation is required after application to move the preemergence grass herbicide into the weed germination zone to control unemerged weeds. The amount of precipitation or irrigation required depends on existing soil moisture, soil type, and percent organic matter content, but 1/4 to 3/4 inch is normally adequate. If weeds emerge after treatment, immediately rotary hoe or use a shallow cultivation to improve performance.

Refer to the ACCENT or BASIS GOLD and the respective pre-emergence herbicide labels for additional use directions, use restrictions, rotational crop intervals, and precautions. The most restrictive provision on either label shall apply.

Do not apply ACCENT or BASIS GOLD through any type of irrigation system.

IMPORTANT

BEFORE USING "ACCENT" HERBICIDE OR "BASIS GOLD" HERBICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of these products which does not appear on the EPA-registered package labels. Follow these instructions carefully.

This label must be in the possession of the user at the time of application.

¹ Registered trademark of Zeneca Inc.


² Registered trademark of Monsanto Company

³ Registered trademark of Ciba Corporation

⁴ Registered trademark of Sandoz Ltd.

⁵ Registered trademark of American Cyanamid Company

D-102596





DuPont Agricultural
Products

"..... A Growing Partnership With Nature"



3 4 4
SUPPLEMENTAL LABELING

BASIS® GOLD™
FOR USE IN STANDPIPE
SETBACKS ON TILE-OUTLET
TERRACED FIELDS

BASIS GOLD

EPA Reg. No. 352-585

FOR USE IN STANDPIPE SETBACKS ON TILE-OUTLET TERRACED FIELDS

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

To ensure protection of surface water from runoff through standpipes and tile outlets in terraced fields, choose ONE of the following two options when applying DuPont BASIS GOLD Herbicide.

1. Do not apply this product within 66 feet of standpipes in outletted terraced fields.
2. Apply this product to the entire tile-outletted terraced field under a no-till practice only when high crop residue management practices are used. High crop residue management practice is described as a crop management practice where little or no crop residue is removed from the field during or after crop harvest.

APPLICATION INFORMATION

Refer to the label for information on application methods, spray gallonage and pressure, nozzles and equipment.


All federal guidelines for protective clothing, precautions and other use requirements for BASIS GOLD shall be followed.

IMPORTANT

BEFORE USING BASIS GOLD, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow the instructions carefully.

This bulletin must be in the possession of the user at time of application.



020497


3/4/97

(Replaces H-63189)



**DuPont Agricultural
Products**

".....A Growing Partnership With Nature"



4 9 4
SUPPLEMENTAL LABELING

**BASIS® GOLD™ HERBICIDE FOR
USE ON FOOD GRADE AND
WAXY CORN HYBRIDS**

BASIS® GOLD™ HERBICIDE

EPA REG. NO. 352-585

FOR USE ON FOOD GRADE AND WAXY CORN HYBRIDS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Basis Gold may be applied to the following types of field corn of greater than 88 day Relative Maturity (RM): "food grade" (yellow dent field corn with hard endosperm) and waxy.

Not all "food grade" or waxy field corn hybrids of less than 88 day RM have been tested, nor does DuPont have access to all seed company data. Consequently, injury arising from the use of Basis Gold on "food grade" or waxy hybrids with a maturity rating of 88 day RM or less is the responsibility of the user.

WHEN TO APPLY

Apply Basis Gold alone or with its labeled tank mix partners on 1-3 inch foxtail anytime after corn emergence until corn is 12" tall or exhibits 6 collars, whichever is the more restrictive.

HOW TO USE

Apply Basis Gold at 14 ounces per acre. Each soluble packet of Basis Gold will treat 4 acres.


Refer to the federal label for complete directions for use.

IMPORTANT

BEFORE USING "BASIS GOLD" HERBICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which does not appear on the EPA-registered package label. Follow these instructions carefully.

This label must be in the possession of the user at the time of application.



D-033197

REC'D
APR -3 P2:29
DU PONT