



BASIS GOLD HERBICIDE PLUS REDUCED RATE OF SPIRIT ' OR EXCEED' HERBICIDES FOR WEED CONTROL IN CORN

"..... A Growing Partnership With Nature"

Products

DuPont Agricultural

BASIS GOLD HERBICIDE

EPA REG. NO. 352-585

PLUS A REDUCED RATE OF "SPIRIT" OR "EXCEED" HERBICIDE FOR WEED CONTROL IN FIELD CORN

DIRECTIONS FOR USE

It is a violation of federal law to use this product π a manner inconsistent with its labeling.


DuPont BASIS GOLD Herbicide may be tank mixed with a reduced rate of "Spirit" or "Exceed" Herbicides for additional control of the following weeds when applied to field form grown for grain.

	SIZE	
WEED	CONTROLLED	
Velvetleaf	4"	
Redroot Pigweed	5"	
Common Ragweed	6"	
Giant Ragweed	6"	
Lambsquarters	5"	
Ivyleaf Morningglo	ory 4"	
PA Smartweed	5"	

Do not apply to field corn grown for seed, to popcort or to sweet corn.

WHEN TO APPLY

Postemergence applications of BASIS GOLD and "Spirit" or "Exceed" should be made to emerged field corn before the corn is 12" tall or is exhibiting 6 collars, whichever is the more restrictive. See the BASIS GOLD label for sizes of prasses and



HOW TO USE

Apply BASIS GOLD and a reduced rate of "Spirit" or "Exceed" for additional annual broadleaf weed control as directed below:

PRODUCT		RATE
BASIS GOLD	plus or	14 ounces
"Spirit"		1/2 ounce
"Exceed"		1/8 ounce

Always add COC at 1% v/v (1 gal./100 gal. spray solution) and an ammonium nitrogen fertilizer such as

28-0-0 (2-4 qts/acre), 10-34-0 (1-2 qts/acre) or spray grade ammonium sulfate (21-0-0) at 2-4 lb/acre. The fertilizer must be added in addition to the crop oil concentrate. Do not apply less than 14 ounces of BASIS GOLD per acre.

BASIS GOLD performs best when applied to young, actively growing grasses and weeds at the sizes listed on the label. Use a minimum of 15 gallons of water per acre (15 GPA) for best results.

IMPORTANT PRECAUTIONS

An activating rainfall (>1/2") is required shortly after application for maximum BASIS GOLD residual activity

Refer to the BASIS GOLD and "Spirit" or "Exceed" labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS GOLD through any type of irrigation system.

For product information call 1-888-6-DUPONT

© 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

Page 1 of 2

H -

alite tanyakanya para serengen

IMPORTANT

BEFORE USINGT BASIS GOLD HERBICIDE IN A TANK MIX WITH "SPIRIT" OR "EXCEED," READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRIC-TIONS AND PRECAUTIONS ON THE EPA-REGIS-TERED LABEL.

This label contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at time of application.

¹ Registered trademark of Novartis Crop Protection, Inc.

D-041598

For product information call 1-888-6-DUPONT © 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

Η-

Page 2 of 2



BASIS GOLD HERBICIDE

EPA REG. NO. 352-585

PLUS A REDUCED RATE OF "HORNET" HERBICIDE FOR WEED CONTROL IN FIELD CORN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont BASIS GOLD Herbicide may be tank mixed with a reduced rate of "Hornet" Herbicide for additional control of the following weeds when applied to field corn grown for grain.

WEED	SIZE
Velvetleaf	6"
Cocklebur	6"
Giant Ragweed	6"

Do not apply to field corn grown for seed, to popcorn or to sweet corn.

WHEN TO APPLY

Postemergence applications of BASIS GOLD and "Hornet" should be made to emerged field corn before the corn is 12" tall or is exhibiting 6 collars, whichever is the more restrictive. See the BASIS GOLD label for sizes of grasses and other broadleaf weeds controlled.

HOW TO USE

Apply BASIS GOLD and a reduced rate of "Hornet" for additional annual broadleaf weed control as directed below:

PRODUCT	RATE
BASIS GOLD	14 ounces
plus "Hornet"	0.8 - 1.6 ounces

Always add COC at 1% v/v (1 gal./100 gal. spray solution) and an ammonium nitrogen fertilizer such as

28-0-0 (2-4 qts/acre), 10-34-0 (1-2 qts/acre) or spray grade ammonium sulfate (21-0-0) at 2-4 lb/acre. The fertilizer must be added in addition to the crop oil concentrate. Do not apply less D-041598 than 14 ounces of BASIS GOLD per acre.

BASIS GOLD performs best when applied to young, actively growing grasses and weeds at the sizes listed on the label. Use a minimum of 15 gallons of water per acre (15 GPA) for best results.

IMPORTANT PRECAUTIONS

An activating rainfall (>1/2") is required shortly after application for maximum BASIS GOLD residual activity

Refer to the BASIS GOLD and "Hornet" labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS GOLD through any type of irrigation system.

IMPORTANT

BEFORE USINGT BASIS GOLD HERBICIDE IN A TANK MIX WITH "HORNET," READ AND FOLLOW ALL APPLICABLE DIREC-TIONS, RESTRICTIONS AND PRECAUTIONS ON TH EEPA-REGISTERED LABEL.

This label contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at time of application.



Under the Federal Insecticide. Fungicide. and Hodenticide Act. as amended. for the pesticide registered under EPA Heg. No. 351-585

For product information call 1-888-6-DUPONT

© 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

Page 1 of 1

PM 13 256-303	SUPPLEMENTAL LABELING
DuPont Agricultural	BASIS [®] GOLD HERBICIDE
Products	SEQUENTIAL APPLICATIONS FOLLOWING REDUCED RATES OF
· A Growing Partnership With Nature"	PREEMERGENCE HERBICIDE FOR WEED CONTROL IN FIELD CORN
BASIS® GO	LD HERBICIDE
REG	NO. 352-585

SEQUENTIAL APPLICATIONS FOLLOWING REDUCED RATES OF PREEMERGENCE HERBICIDE FOR WEED CONTROL IN FIELD CORN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

JuPont BASIS GOLD Herbicide may be used as a sequential reatment in a planned postemergence weed control program in corn following a reduced rate of a preemergence herbicide. BASIS GOLD may be tank mixed with labeled broadleaf herbicides such as atrazine and Banvel (1) or Clarity (1) for additional broadleaf weed control. Refer to the BASIS GOLD label for a complete list of broadleaf tank mix herbicides.

WHEN TO APPLY

Apply any of the following preemergence herbicides prior to corn emergence.

Product	Rate per Acre
Bicep II (2) Herbicide	3/4 - 1 1/2 pints
)icep II Magnum (2) Herbicide	1/2 - 1 pint
Dual II (2) Herbicide	3/4 - 1 pint
Dual II Magnum (2) Herbicide	1/2 - 2/3 pint
DuPont Bladex 4L Herbicide	1-2 quarts
DuPont Extrazine II Herbicide	1-2 quarts
Frontier (1) Herbicide	3/4 - 1 pint
Guardsman (1) Herbicide	3/4 - 1 1/2 pints
Harness (3) Herbicide	3/4 - 1 pints
Harness Xtra (3) Herbicide	3/4 - 1 1/2 pints
FulTime (4) Herbicide	3/4 - 1 1/2 pints
TopNotch (4) Herbicide	3/4 - 1 pints
Surpass (4) Herbicide	3/4 - 1 pints
Surpass 100 (4) Herbicide	3/4 - 1 1/2 pints

BASIS GOLD performs best when applied to small, actively growing grasses, oftentimes 30-45 days after corn planting. Apply BASIS GOLD (with or without a labeled broadleaf herbicide) at a rate of 14 ounces per acre. Consult the BASIS GOLD label for a complete listing of grasses controlled and the labeled sizes.

Do not apply less than 14 ounces of BASIS GOLD per acre,

Always add a crop oil concentrate or methylated seed oil to BASIS GOLD at a rate of 1 gallon per 100 gallons of spray solution (1% v/v). In addition, add an ammonium nitrogen fertilizer such as 28-0-0 to the spray tank. See the BASIS GOLD label for additional information on ammonium fertilizer types and rates.

IMPORTANT PRECAUTIONS

Refer to the BASIS GOLD label for mixing and other use instructions.

An activating rainfall (>1/2") shortly after the application of the premergence herbicide BASIS GOLD is necessary for activation and maximum residual activity.

Refer to the selected preemergence herbicide label as well as the BASIS GOLD label for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS GOLD through any type of irrigation system.

ACCEPTED JUL 22 (998 Under the Federal Insecticide. Fungicide, und Rodenticide Act. as amended, for the particide gistered under EPA Bog. No. 352-585

For product information call 1-888-6-DUPONT © 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

Page 1 of 2

IMPORTANT

BEFORE USING "BASIS GOLD" READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of these products which does not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at the time of application.

1 Registered trademark of BASF Corporation

² Registered trademark of Novartis Crop Protection, Inc.

3 Registered trademark of Monsanto Company

* Registered trademark of Zeneca Inc.

D-050898

For product information call 1-888-6-DUPONT © 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

