

TANK MIXES WITH REDUCED RATES OF PREEMERGENCE GRASS HERBICIDES FOR CRABGRASS CONTROL IN CORN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DuPont ACCENT or BASIS GOLD Herbicides may be used in a tank mix with reduced rates of preemergence grass herbicides for residual activity on later emerging grass flushes, including large crabgrass (Digitaria sanguinalis) and smooth crabgrass (Digitaria ischaemum).

ACCENT may be used in field corn, seed corn, and popcorn. Refer to the ACCENT label for use instructions in popcorn and seed corn. BASIS GOLD may be used in field corn grown for grain only.

ACCENT or BASIS GOLD may also be tank mixed with

eled broadleaf products for additional broadleaf weed control.

WHEN TO APPLY

;

Tank mixes of ACCENT or BASIS GOLD plus one of the preemergence grass herbicides listed below may be broadcast to corn before the crop exceeds the heights listed below.

| Product | Maximum Corn Height | | |
|-------------------------------------|---------------------|--|--|
| Surpass EC Herbicide' | 11 inches | | |
| Harness Herbicide' | 11 inches | | |
| Dual II Herbicide3 | 12 inches | | |
| Dual II MAGNUM 3 | 12 inches | | |
| Frontier 6.0 Herbicide ⁴ | 8 inches | | |
| Prowl 3.3 EC Herbicides | 6 leaf stage | | |
| LeadOff Herbicide | 8 inches | | |

Applications must be made before the crabgrass emerges (preemergence control only), and before the other grass weed species exceed the sizes listed on the ACCENT or BASIS GOLD label. Refer to the ACCENT or BASIS GOLD label for a complete list of grasses controlled and the corn and weed sizes

for application.

HOW TO USE

Rate

Apply a tank mix of ACCENT or BASIS GOLD plus a preemergence grass herbicide for postemergence control of the grasses listed on the ACCENT or BASIS GOLD label and residual control of large and smooth crabgrass as directed below:

ACCENT at a rate of 2/3 ounce per acre (1 soluble pack per 4 acres)

OR

BASIS GOLD at a rate of 14 ounces per acre (1 soluble pack per 4 acres)

plus –

Soil Type*

| | Coarse | Medium | Fine | |
|--------------|---------------|----------------|----------------|--|
| Surpass EC | 1.5 pt | 1.5 - 2 pt | 1.5 - 2 pt | |
| Harness | 1.0 - 1.75 pt | 1.25 - 2.25 pt | 1.75 - 2.75 pt | |
| Dual II | 1.0 - 1.25 pt | 1.25 - 1.75 pt | 1.5 - 2.0 pt | |
| Dual II MAGN | UM .678 pt | .8 – 1.2 pt | 1.0 – 1.3 pt | |
| Frontier 6.0 | 8 - 16 fl oz | 8 - 16 fl oz | 8 - 16 fl oz | |
| Prowl 3.3 EC | 1.8 - 2.4 pt | 3.0 - 3.6 pt | 3.0 - 3.6 pt | |
| LeadOff | 2.0-2.5 pt | 2.5-3.5 pt | 3.5- 4.5 pt | |

*Use the mid to lower end of the rate range for soils with less than 3% organic matter. Use the mid to upper end of the rate range for soils with 3% or more organic matter content. - plus –

A crop oil concentrate at 1.0% v/v (1 gallon per 100 gallons of spray solution) or a nonionic surfactant at 0.25% v/v (1 quart per 100 gallons of spray solution). In addition, an ammonium nitrogen fertilizer such as 28-0-0 (2 quarts per acre), 10-34-0 (1 quart per acre), or ammonium sulfate (21-0-0 at 2 lb. per acre) is recommended to improve postemergence control.

Refer to the ACCENT or BASIS GOLD labels for further instructions on tank mixing for broadleaf weed control.

IMPORTANT PRECAUTIONS

Refer to the ACCENT or BASIS GOLD label for mixing and other use instructions.

Preemergence herbicides rely on activation for control of grasses such as crabgrass that germinate or emerge after application.

Precipitation or overhead sprinkler irrigation is required after application to move the preemergence grass herbicide into the weed germination zone to control unemerged weeds. The amount of precipitation or irrigation required depends on existing soil moisture, soil type, and percent organic matter content, but 1/4 to 3/4 inch is normally adequate. If weeds emerge after treatment, immediately rotary hoe or use a shallow cultivation to improve performance.

Refer to the ACCENT or BASIS GOLD and the respective preemergence herbicide labels for additional use directions, use

restrictions, rotational crop intervals, and precautions. The most restrictive provision on either label shall apply.

Do not apply ACCENT or BASIS GOLD through any type of irrigation system.


IMPORTANT

BEFORE USING "ACCENT" OR "BASIS GOLD "HERBICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRIC-TIONS, AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of these products which does not appear on the EPA-registere + package labels. Follow these instructions carefully. , This label must be in the possession of the user at the time of application.

1 Registered trademark of Zeneca Inc.


- 2 Registered trademark of Monsanto Company
- 3 Registered trademark of Novartis Crop Protection, Inc.
- 4 Registered trademark of BASF
- 5 Registered trademark of American Cyanamid Company



(Replaces H-63217) D-111198

ŝ

352-585 ЭS



SUPPLEMENTAL LABELING

14 27 4

BASIS[®] GOLD™ HERBICIDE

PLUS A REDUCED RATE OF ACCENT, HERBICIDE FOR IMPROVED GRASS CONTROL IN FIELD CORN

"..... A Growing Partnership With Nature"

Products

DuPont Agricultural

BASIS® GOLD™ HERBICIDE

EPA REG, NO. 352-585

PLUS A REDUCED RATE OF ACCENT® HERBICIDE FOR IMPROVED GRASS CONTROL IN FIELD CORN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont BASIS GOLD Herbicide may be used alone or tank mixed with a reduced rate of ACCENT Herbicide for additional control of the following weeds when applied to field corn grown for grain:

| WEED | MAXIMUM SIZE CONTROLLED | | | |
|--------------------------|-------------------------|----------------------------|--|--|
| | BASIS GOLD | BASIS GOLD plus | | |
| | <u>alone 1</u> | <u>/4 - 1/3 oz. ACCENT</u> | | |
| Woolly cupgrass | < 2" | 4" | | |
| Wild proso millet | 2" | 4" | | |
| Fall panicum | 3" | 4" | | |
| Foxtail: bristly, giant, | | | | |
| green, yellow | 3" | 4" | | |
| Sandbur, Field | 2" | 2" | | |
| Quackgrass | 8" | 8" | | |

Do not apply to field corn grown for seed, to popcorn or to sweet corn.

WHEN TO APPLY

Postemergence applications of BASIS GOLD plus ACCENT should be made to emerged field corn before the corn is 12" tall or is exhibiting 6 collars, whichever is the more restrictive. See the BASIS GOLD label for sizes of other grasses and broadleaf weeds controlled.

HOW TO USE

Apply BASIS GOLD and a reduced rate of ACCENT for additional grass weed control as directed below:

| PRODUCT | RATE PER ACRE | | |
|------------|------------------|--|--|
| BASIS GOLD | 14 ounces | | |
| plus | | | |
| ACCENT | 1/4 - 1/3 ounces | | |

BASIS GOLD plus ACCENT may be tank mixed with labeled broadleaf herbicides such as Hornet(2), Tough(1), Banvel (1) or Clarity (1) for additional broadleaf weed control. Refer to the BASIS GOLD label and supplemental labels for a complete list of broadleaf tank mix herbicides, use rates and precautions.

BASIS GOLD performs best when applied to small, actively growing grasses, oftentimes 30-45 days after corn planting. Consult the BASIS GOLD label and supplemental labels for a complete listing of grasses controlled and the labeled sizes.

Do not apply less than 14 ounces of BASIS GOLD per acre. ACCENT applications in combination with and following a BASIS GOLD application may not exceed a total of 1 ounce per acre.

Always add a crop oil concentrate or methylated seed oil to BASIS GOLD at a rate of 1 gallon per 100 gallons of spray solution (1% v/v) unless specified otherwise on BASIS GOLD supplemental labels. In addition, add an ammonium nitrogen fertilizer such as 28-0-0 to the spray tank. See the BASIS GOLD label for additional information on crop oil concentrates and ammonium fertilizer types and rates. For best performance use a minimum of 15 gallons of water per acre (15 GPA) and follow the herbicide application with a cultivation 10-14 days later.

For product information call 1-888-6-DUPONT © 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

IMPORTANT PRECAUTIONS

An activating rainfall (>1/2") is required shortly after application for maximum BASIS GOLD residual activity.

Refer to the BASIS GOLD and ACCENT labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS GOLD through any type of irrigation system.

IMPORTANT

BEFORE USING "BASIS GOLD" AND "ACCENT", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGIS-TERED LABELS.

This bulletin contains new or supplemental instructions for use of these products, which do not appear on the EPA-registered package labels. Follow these instructions carefully.

This label must be in the possession of the user at the time of application.

(1) Registered Trademark of BASF

(2) Registered Trademark of Dow AgroSciences

D-103098

ΩĽ,

| A | C | C | E | P | T | Ē | D |
|---|---|---|---|---|---|---|---|
| | | | | | | | |

FEB - 2 1999

Under the Federal Insectacide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under BPA Reg. No 352-585