


DuPont Agricultural  
Products

"..... A Growing Partnership With Nature"



SUPPLEMENTAL LABELING

BASIS® GOLD™ HERBICIDE

SPRING APPLICATION FOLLOWING  
FALL-APPLIED DUAL II<sup>1</sup> OR DUAL II  
MAGNUM<sup>1</sup> HERBICIDE FOR WEED  
CONTROL IN FIELD CORN

## BASIS® GOLD™ HERBICIDE

EPA REG. NO. 352-585

### SPRING APPLICATION FOLLOWING FALL-APPLIED DUAL II<sup>1</sup> OR DUAL II MAGNUM<sup>1</sup> HERBICIDE FOR WEED CONTROL IN FIELD CORN

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DuPont BASIS® GOLD™ Herbicide may be used as a sequential application in a planned postemergence weed control program in corn following a full or reduced rate of Dual II or Dual II MAGNUM herbicide applied the previous fall. BASIS® GOLD™ may be tank mixed with other herbicides such as DuPont ACCENT® Herbicide, Homet<sup>2</sup>, Tough<sup>1</sup> and Banvel<sup>2</sup> or Clarity<sup>2</sup> for additional grass and broadleaf weed control. Refer to the BASIS® GOLD™ label and supplemental labels for a complete list of tank mix herbicides.

#### WHEN TO APPLY

Apply Dual II or Dual II MAGNUM at the following rates after harvest but before the ground freezes. Read and follow all directions on the Dual II or Dual II MAGNUM label.

PRODUCT	RATE PER ACRE
Dual II Herbicide	1.0 - 3.0 pt
Dual II MAGNUM Herbicide	.67 - 2.0 pt

Use the higher rates on heavier soil types and where weed pressures are expected to be heavy or weed species are difficult to control (such as wooly cupgrass). Fall applications will provide limited residual control of many weeds the following spring resulting in a cleaner seedbed at planting. A sequential application of BASIS® GOLD™ will be needed to control weeds that emerge after planting.

BASIS® GOLD™ performs best when applied to small, actively growing weeds. Apply BASIS® GOLD™ (with or without a labeled tank mix herbicide) at a rate of 14 ounces per acre or one soluble packet per four acres. Consult the BASIS® GOLD™ package label and supplemental labels for a complete listing of weeds controlled and the maximum weed height at application.

Do not apply less than 14 ounces of BASIS® GOLD™ per acre.

Always add a crop oil concentrate or methylated seed oil to BASIS® GOLD™ at a rate of 1 gallon per 100 gallons of spray

solution (1% v/v) unless specified otherwise on BASIS® GOLD™ supplemental labels. In addition, add an ammonium nitrogen fertilizer such as 28-0-0 to the spray tank. See the BASIS® GOLD™ label for additional information on crop oil concentrates and ammonium fertilizer types and rates.

#### IMPORTANT PRECAUTIONS

Refer to the BASIS® GOLD™ label for mixing and other use instructions.

Adequate soil moisture is required for optimum activity for BASIS® GOLD™. Rainfall or sprinkler irrigation within 5 days will enhance BASIS® GOLD™ residual activity. A timely cultivation may be required for maximum weed control without an activating rain. See main label for additional details.

Refer to the selected preemergence herbicide label as well as the BASIS® GOLD™ label for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS® GOLD™ through any type of irrigation system.

#### IMPORTANT

**BEFORE USING "BASIS® GOLD™" READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.**

This bulletin contains new or supplemental instructions for use of these products which does not appear on the EPA-registered package labels. Follow these instructions carefully.

This label must be in the possession of the user at the time of application.

<sup>1</sup> Registered Trademark of Novartis Crop Protection, Inc.

<sup>2</sup> Registered Trademark of BASF Corporation

<sup>3</sup> Registered Trademark of Dow Agro Sciences

D-080599