PLEASE NOTE

This image contains more than one label approved for this product on this date.

352-585

7-30-2001

1/4

Please read instructions on	reverse before completir	ng form,	·	Form App	roved.	OMB No. 20	70-0060.	Approv	al expires 05-	<u>31-98</u>
€ EPA	Environmental	ited States Protectio gton, DC 2044		ī		Registra Amendr Other			entifier Numb	<u></u>
	AA	pplicatio	n for Pesti	cide - Sec	tion l					
1. Company/Product Numbe 352-585	or			A Product Ma A. Tompkins				· ·	lassification	
4. Company/Product (Name DuPont Basis(R) Gold	-		PM#	5				None	Restric	;ted
5. Name and Address of Ap DuPont Crop Protection, P.O. Box 30 Newark, Delaware 19714	Stine-Haskell Researcl	h Center chard A. Carv	(b)(i) to:	xpedited Re , my product A Reg. No	is simi	lar or identi	cal in coi	npositi		
Check if thi	s is a new address		Pro	duct Name						
			Section	- 11						
Amendment - Explai	n below.			Final print		in response	to	VOTIF	ICATION	
Resubmission in res	ponse to Agency letter d below.	iated	[["Me Too" Other - Ex				JUL	3 0 2001	
4-25-01 (H-64104; Replace	·····	osed is a cop	y of the current Section	· · · · · · · · · · · · · · · · · · ·	d labelin	g (H-64054; 	DR-059 0	011501 2	-25-01).	
Child-Resistant Packaging	Unit Packaging		Water Solubl	e Packaging	<u>.</u>	2. Type of			·	
Yes⁺ No	Yes No		Vee No	Yes Metal No Glass						
* Certification must be submitted	lf "Yes" Unit Packaging wgt.	No. per container	lf "Yes" Package wgt	No. per contain			Paper Other (S	per her (Specify)		
3. Location of Net Contents	Information	4. Size(s) Ret	ail Container	········	5. Lo	Cation of Lab On Label On Label	el Directio		product	
6. Manner in Which Label i	Affixed to Product	Lithog Paper Stenci	raph glued led	Oth	er					
			Section	- IV						
1. Contact Point (Complet	e items directly below fo	or identificatio	n of individual (o be contected	d, if nec	essary, to pr				
Name Richard A. Carver			Title Product Re	gistration M	anager		Telephon (302)4		7	ode)
-	ements I have made on ny knowingly faise or m s law.		all attachments				•	Rec	Application elved (Stamped)	
			3. Title Product Regi	duct Registration Manager						
			5. Date July 20, 200 [°]						· ·	
						-	<u> </u>	<u>1 </u>		<u></u>

NOTIFICE

JUL 30 2001

SUPPLEMENTAL LABELING

DuPont Agricultural Products

"..... A Growing Partnership With Nature"

BASIS® GOLD™ HERBICIDE

EPA Reg. No. 352-585

TANK MIXTURES WITH DISTINCT, TOUGH OR STINGER HERBICIDES PLUS CROP OIL CONCENTRATE FOR WEED CONTROL IN FIELD CORN

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

This product is a restricted use herbicide due to ground and surface water concerns. Users must read and follow all precautionary statements and instructions for use on the container label in order to minimize potential for atrazine to reach ground and surface water.

DIRECTIONS FOR USE

DuPont BASIS® GOLDTM Herbicide may be tank mixed with 1-2 oz of Distinct, 1 pt of Tough, or 2-4 oz of Stinger for additional control of broadleaf weeds when applied to field corn. Do not apply to field corn grown for seed, to popcorn or to sweet corn.

WHEN TO APPLY

Postemergence applications of BASIS® GOLD[™] plus Distinct, Tough or Stinger should be made to corn that is 4-12" tall and is exhibiting fewer than 6 leaf-collars. See the BASIS® GOLD[™] label for sizes of grasses and other broadleaf weeds controlled.

HOW TO USE

BASIS® GOLDTM performs best when applied to young, actively growing grasses and weeds. An activating rainfall (>1/2") is required shortly after application for maximum BASIS® GOLDTM residual activity. Use a minimum of 15 gallons of water per acre (15 GPA) for best results. Do not apply less than 14 ounces of BASIS® GOLDTM per acre. Apply BASIS® GOLDTM plus Distinct, Tough or Stinger at the following rates:

Tank Mix	_	
<u>Herbicide</u>	<u>Rate</u>	Adjuvant
Distinct	1-2 oz	COC + N Fertilizer
Tough	l pt	COC + N Fertilizer
Stinger	2-4 oz	COC + N Fertilizer

SPRAY ADDITIVES

Add an ammonium nitrogen fertilizer such as 28-0-0 (2-4 qts/acre), 10-34-0 (1-2 qts/acre) or spray grade ammonium sulfate (21-0-0) at 2-4 lbs/acre plus crop oil concentrate (COC) at 1% v/v (1 gal/100 gal spray solution).

IMPORTANT PRECAUTIONS

Refer to the BASIS® GOLD^M and Distinct, Tough or Stinger labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS® GOLDTM through any type of irrigation system.

© 2001 E. I. du Pont de Nemours and Company, DuPont Agricultural Products, Wilmington, Delaware 19898

BASIS® GOLD™ HERBICIDE PLUS DISTINCT' HERBICIDE, TOUGH² HERBICIDE OR

STINGER³ HERBICIDE AND COC

IMPORTANT BEFORE USING THESE PRODUCTS, READ AND FOLLOW ALL APPLICABLE DIREC-TIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label and may contain recommendations which are not appropriate for all geographies and weed control situations. Consult local DuPont fact sheets, technical bulletins, and service policies prior to following the recommendations contained in this label.

This labeling must be in the possession of the user at the time of pesticide application.

¹ Registered trademark of BASF

² Registered trademark of Novartis

³ Registered trademark of Dow AgroSciences

R-059-1 071601 4-25-01 (Replaces H-64054)



NOTIFICATION

DuPont Agricultural Products

JUL 3 0 2001

BASIS® GOLD™ HERBICIDE PLUS DISTINCT¹ HERBICIDE, TOUGH² HERBICIDE OR STINGER³ HERBICIDE AND COC

"..... A Growing Partnership With Nature"

BASIS® GOLD™ HERBICIDE

EPA Reg. No. 352-585

TANK MIXTURES WITH DISTINCT, TOUGH OR STINGER HERBICIDES PLUS CROP OIL CONCENTRATE FOR FOR WEED CONTROL IN FIELD CORN

DIRECTIONS FOR USE

DuPont BASIS® GOLD[™] Herbicide may be tank mixed with 1-2 oz of Distinct, 1 pt of Tough, or 2-4 oz of Stinger for additional control of broadleaf weeds when applied to field corn. Do not apply to field corn grown for seed, to popcorn or to sweet corn.

WHEN TO APPLY

Postemergence applications of BASIS® GOLD[™] plus Distinct, Tough or Stinger should be made to corn that is 4-12" tall and is exhibiting fewer than 6 leaf-collars. See the BASIS® GOLD[™] label for sizes of grasses and other broadleaf weeds controlled.

HOW TO USE

BASIS® GOLDTM performs best when applied to young, actively growing grasses and weeds. An activating rainfall (>1/2") is required shortly after application for maximum BASIS® GOLDTM residual activity. Use a minimum of 15 gallons of water per acre (15 GPA) for best results. Do not apply less than 14 ounces of BASIS® GOLDTM per acre. Apply BASIS® GOLDTM plus Distinct, Tough or Stinger at the following rates:

Tank Mix

Herbicide Distinct	<u>Rate</u> 1-2 oz	<u>Adjuvant</u> COC + N Fertilizer
Tough	1 pt	COC + N Fertilizer
Stinger	2-4 oz	COC + N Fertilizer

SPRAY ADDITIVES

Add an ammonium nitrogen fertilizer such as 28-0-0 (2-4 qts/acre), 10-34-0 (1-2 qts/acre) or spray grade ammonium sulfate (21-0-0) at 2-4 lbs/acre plus crop oil concentrate (COC) at 1% v/v (1 gal/100 gal spray solution).

IMPORTANT PRECAUTIONS

Refer to the BASIS® GOLDTM and Distinct, Tough or Stinger labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS® GOLD[™] through any type of irrigation system.

IMPORTANT

BEFORE USING THESE PRODUCTS, READ AND FOLLOW ALL APPLICABLE DIREC-TIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label and may contain recommendations which are not appropriate for all geographies and weed control situations. Consult local DuPont fact sheets, technical bulletins, and service policies prior to following the recommendations contained in this label.

This labeling must be in the possession of the user at the time of pesticide application.

¹ Registered trademark of BASF

² Registered trademark of Novartis

³ Registered trademark of Dow AgroSciences

DR-059 011501 4-25-01

NEXT

LABEL

÷

352-585

7-30-2001

1/3

Please read instructions on re	verse before completi	ng form.		Form Appro	oved.	OMB No. 207	0-0080		al exp	ires 05-31-98
€PA	Environmental	United States Ivironmental Protection Agency Weshington, DC 20460			×	Registration OPP Identified Amendment Amendment X Other				r Number
	. 4	Application f	or Pestic	ide - Sect	ion	1				
1. Company/Product Number 352-585				Product Mana Tompkins	ager	-	1_	oposed C None	lassifi	cation Restricted
4. Company/Product (Name) DuPont Basis(R) Gold H	lerbicide	-	РМ# 25					None		Nesinciea
5. Name and Address of App DuPont Crop Protection, S P.O. Box 30 Newark, Delaware 19714-	tine-Haskell Researc 0030 Attn: Rid S300/4	chard A. Carver	(b)(i), to:	my product i	s sin	in accordan nilar or identic	al in co	mpositi		
Check if this	is a new address			uct Name _						
			Section -	11						
Amendment - Explain Resubmission in resp Notification - Explain	onse to Agency letter (dated	[_ [_	Final printed Agency lett "Me Too" A Other - Expl	er an Applio	ation.		FICATI 3 0 20		
statement is identical to that o last sentence of the Restricted MIXTURES WITH DISTINCT 071601 04-25-01 (H-64105; F	I Use Pesticide stateme HERBICIDE OR CLARI Ieplaces H-64070)]. Als	ent. Attached are fin ITY HERBICIDE AN so enclosed is a cop	e copies of r ID NON-IONI	evised supplerr C SURFACTAI EPA-approved	nental NT FO	Iabeling - Basis	Gold H	erbicide - I FIELD C	"TANK ORN"	(
1. Material This Product Will	1	I		·.		1				
Child-Resistant Packaging Yes* No * Certification must	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per	Vater Soluble Yes No Yes" ackage wgt	Packaging No. per containe		2. Type of 0	Metal Plastic Glass Paper	Specify)		. • . • .
be submitted 3. Location of Net Contents Label C	Information	4. Size(s) Retail C	ontainer	<u>t</u>	5.1	ocation of Labe				Jot
6. Manner in Which Lebel is		Lithograph Paper glue Stenciled	d	Othe	ir					_
			section -	IV ·						
1. Contact Point <i>(Complete</i>	items directly below f	or identification of	individual to	be contacted,	, if ne	cessery, to pro	cess th	is applic	tion.	
Name Richard A. Carver		Titl P	-	istration Ma	nage		-	ne No. 1 151-451	· . · ·	Area Code)
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					•					
2. Signatury) (Can	3.1 v-e/ Pro		stration Man	ager	· · · · · · · · · · · · · · · · · · ·				· · ·
4. Typed Name			Date					7		
Richard A. Carver		Jul	y 20, 2001							

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

SUPPLEMENTAL LABELING

DuPont Agricultural Products

BASIS GOLD® HERBICIDE PLUS DISTINCT' HERBICIDE OR CLARITY' HERBICIDE AND NIS

"..... A Growing Partnership With Nature"

BASIS GOLD® HERBICIDE EPA Reg. No. 352-585

NOTIFICATION

JUL 🗿 0 2001

TANK MIXTURES WITH DISTINCT HERBICIDE OR CLARITY HERBICIDE AND NON-IONIC SURFACTANT FOR WEED CONTROL IN FIELD CORN

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

This product is a restricted use herbicide due to ground and surface water concerns. Users must read and follow all precautionary statements and instructions for use on the container label in order to minimize potential for atrazine to reach ground and surface water.

DIRECTIONS FOR USE

DuPont BASIS GOLD® Herbicide may be tank mixed with 2 oz of Distinct Herbicide or 4-8 oz Clarity Herbicide for additional control of broadleaf weeds when applied to field corn. Do not apply to field corn grown for seed, to popcorn or to sweet corn.

WHEN TO APPLY

Postemergence applications of BASIS GOLD® plus Distinct or Clarity should be made to corn that is 4-12" tall and is exhibiting fewer than 6 leaf-collars. See the BASIS GOLD® label for sizes of grasses and other broadleaf weeds controlled.

HOW TO USE

BASIS GOLD® performs best when applied to young, actively growing grasses and weeds. An activating rainfall (>1/2") is required shortly after application for maximum BASIS GOLD® residual activity. Use a minimum of 15 gallons of water per acre (15 GPA) for best results. Do not apply less than 14 ounces of BASIS GOLD® per acre. Apply BASIS GOLD® plus Distinct or Clarity at the following rates:

Tank Mix		
Herbicide	Rate	<u>Adjuvant</u>
Distinct	2 oz	NIS + N Fertilizer
Clarity	4-8 oz	NIS + N Fertilizer

SPRAY ADDITIVES

Add an ammonium nitrogen fertilizer such as 28-0-0 (2-4 qts/acre), 10-34-0 (1-2 qts/acre) or spray grade ammonium sulfate (21-0-0) at 2-4 lbs/acre plus non-ionic surfactant (NIS) at 0.25% v/v (1 qt/100 gal spray solution).

IMPORTANT PRECAUTIONS

Refer to the BASIS GOLD® and Distinct or Clarity labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS GOLD® through any type of irrigation system.

IMPORTANT

BEFORE USING THESE PRODUCTS, READ AND FOLLOW ALL APPLICABLE DIREC-TIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label and may contain recommendations which are not appropriate for all geographies and weed control situations. Consult local DuPont fact sheets, technical bulletins, and service policies prior to following the recommendations contained in this label.

This labeling must be in the possession of the user at the time of pesticide application.

'Registered trademark of BASF.

R-096-1 071601 04-25-01 (Replaces H-64070)

DuPont Agricultural Products

BASIS GOLD® HERBICIDE PLUS DISTINCT' HERBICIDE OR CLARITY' HERBICIDE AND NIS

"..... A Growing Partnership With Nature"

BASIS GOLD® HERBICIDE EPA Reg. No. 352-585

NOTIFICATION

JUL 3 0 2001

TANK MIXTURES WITH DISTINCT HERBICIDE OR CLARITY HERBICIDE AND NON-IONIC SURFACTANT FOR WEED CONTROL IN FIELD CORN

DIRECTIONS FOR USE

DuPont BASIS GOLD® Herbicide may be tank mixed with 2 oz of Distinct Herbicide or 4-8 oz Clarity Herbicide for additional control of broadleaf weeds when applied to field corn. Do not apply to field corn grown for seed, to popcorn or to sweet corn.

WHEN TO APPLY

Postemergence applications of BASIS GOLD® plus Distinct or Clarity should be made to corn that is 4-12" tall and is exhibiting fewer than 6 leaf-collars. See the BASIS GOLD® label for sizes of grasses and other broadleaf weeds controlled.

HOW TO USE

BASIS GOLD® performs best when applied to young, actively growing grasses and weeds. An activating rainfall (>1/2") is required shortly after application for maximum BASIS GOLD® residual activity. Use a minimum of 15 gallons of water per acre (15 GPA) for best results. Do not apply less than 14 ounces of BASIS GOLD® per acre. Apply BASIS GOLD® plus Distinct or Clarity at the following rates:

Tank Mix		
<u>Herbicide</u>	Rate	<u>Adjuvant</u>
Distinct	2 oz	NIS + N Fertilizer
Clarity	4-8 oz	NIS + N Fertilizer

SPRAY ADDITIVES

Add an ammonium nitrogen fertilizer such as 28-0-0 (2-4 qts/acre), 10-34-0 (1-2 qts/acre) or spray grade ammonium sulfate (21-0-0) at 2-4 lbs/acre plus non-ionic surfactant (NIS) at 0.25% v/v (1 qt/100 gal spray solution).

IMPORTANT PRECAUTIONS

Refer to the BASIS GOLD® and Distinct or Clarity labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS GOLD® through any type of irrigation system.

IMPORTANT

BEFORE USING THESE PRODUCTS, READ AND FOLLOW ALL APPLICABLE DIREC-TIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label and may contain recommendations which are not appropriate for all geographies and weed control situations. Consult local DuPont fact sheets, technical bulletins, and service policies prior to following the recommendations contained in this label.

This labeling must be in the possession of the user at the time of pesticide application.

¹ Registered trademark of BASF.

(Replaces H-64056)

R-096 050701 04-25-01

NEXT

LABEL

-

352-585

7-30-2001

Please read instructions on reverse before complet	ting form.		Form Approved	. OMB No. 207	0-0060.	Approv	al exp	ires 05-31-98
SEPA Environmental	United States Environmental Protection Agency Washington, DC 20460			Registrat Amendm Other		opp id	<u>entifie</u>	r Number
	Application fo	Pesticid	e - Section	1		.		
1. Company/Product Number 352-585			roduct Manager Tompkins		3. Pro	oposed C	lassifi	
4. Company/Product (Name) DuPont Basis(R) Gold Herbicide		РМ# 25				None		Restricted
5. Name and Address of Applicant (Include ZIP Con DuPont Crop Protection, Stine-Haskell Research P.O. Box 30 Newark, Delaware 19714-0030 Check if this is a new address	ch Center ichard A. Carver	(b)(i), m to: EPA R	dited Review y product is sin eg. No xt Name					
· · · · · · · · · · · · · · · · · · ·	S	ction - I						·
Amendment - Explain below. Resubmission in response to Agency letter Notification - Explain below.	dated		Final printed lab Agency latter de "Me Too" Appli Other - Explain I	ated cation.		JUL		
statement is identical to that on the label attached added to the last sentence of the Restricted Use I Herbicide - "ADDITIONAL INSTRUCTIONS FOR	Addition of Restricted Use Pesticide statement to previously approved supplemental labeling, per recommendation from EPA Product Manager. The statement is identical to that on the label attached to and distributed with the product, except that the phrase "on the container label" has been added to the last sentence of the Restricted Use Pesticide statement. Attached are five copies of revised supplemental labeling - Basis Gold Herbicide - "ADDITIONAL INSTRUCTIONS FOR USE OF BASIS® GOLD(TM) IN CERTAIN SOUTHERN STATES (AL, GA, NC, SC)" [R-107-1 071601 4-25-01 (H-64103; Replaces H-63675)]. Also enclosed is a copy of the current EPA-approved labeling (H-63675; 020399 4/25/01) Section - III						been old 107-1	
		er Soluble Pi	.	1				<u> </u>
Child-Resistant Packaging Yes* No * Certification must be submitted Unit Packaging Yes No If "Yes" Unit Packaging Yes No	No. per	Yes No Yes" No. per kage wgt container			Container Metai Plastic Glass Paper Other (S	Plastic Glass		
3. Location of Net Contents Information	4. Size(s) Retail Co	tainer	5.1	Location of Label			produ	ot
8. Menner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	glued						
	S	ction - I	/					
1. Contact Point <i>(Complete items directly below i</i>	for identification of l	dividual to b	e contacted, if n		_			
Name Richard A. Carver	Title Pro	duct Regis	tration Manag		-	ie No. (51-451		Area Code)
Certification I certify that the statements I have made on this form and all stachments thereto are true, accurate and com I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.						Rec	e Appl eived (Stan	ication nped)
2. Signetures hand & Car		3. Title Product Registration Manager						
4. Typed Name Richard A. Carver	,	5. Date July 20, 2001						

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

Yellow - Applicant Copy

1/7

DuPont Agricultural

BASIS® GOLD(TM) HERBICIDE FOR USE IN CERTAIN SOUTHERN STATES

"..... A Growing Partnership With Nature"

BASIS® GOLD(TM) HERBICIDE

EPA REG. NO. 352-585

ADDITIONAL INSTRUCTIONS FOR USE OF BASIS® GOLD(TM) IN CERTAIN SOUTHERN STATES (AL, GA, NC, SC)

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

This product is a restricted use herbicide due to ground and surface water concerns. Users must read and follow all precautionary statements and instructions for use on the container label in order to minimize potential for atrazine to reach ground and surface water.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont BASIS® GOLD(TM) may be applied to field corn grown for grain to control certain weeds in southern states. BASIS® GOLD(TM) may be tank mixed with atrazine for improved control of certain weeds. Before applying BASIS® GOLD(TM), ensure it is compatible with any insecticide applied to corn. After applying BASIS® GOLD(TM), peanuts may be planted the following year. See directions for use below for detailed instructions.

TANK MIXES

In addition to currently registered tank mix partners, atrazine may be tank mixed with BASIS® GOLD(TM). Add 1/2-1 pint of atrazine (4lb/gal, or equivalent rate of other formulations) to improve control of sicklepod and Florida pusley. Always include crop oil concentrate at a rate of 1% V/V (1 gallon per 100 gallons of spray solution) when making application to emerged weeds.

WEEDS CONTROLLED

In addition to the weeds listed on the federal label, BASIS® GOLD(TM) will control the following weeds when applied at 14 oz per acre. Refer to the federal label for information on adjuvants, mixing and application. Do not apply more than 14 oz per acre per season.

Weed	Height at application
Sicklepod	1-2 inches**
Prickly sida	1-2 inches
Wild radish	6-12 inches
Cutleaf evening primrose	4-6 inches
Florida pusley	1-2 inches**

**For best results add 1/2-1 pt atrazine.

CROP ROTATION

In addition to the rotational crops listed on the federal label, peanuts may be planted the spring following a BASIS® GOLD(TM) application.

For tank mixes or sequential applications, follow the most restrictive provisions of the other products applied.

ENVIRONMENTAL CONDITIONS

Injury may be severe when BASIS® GOLD(TM) is applied under conditions of stress to corn plants, such as cold soil or air temperatures (under 50° F), water-saturated soils or stress from other factors. Wait for growing conditions to improve before applying BASIS® GOLD(TM). Refer to the EPA-registered label for additional information.

SOIL INSECTICIDE INTERACTION INFORMATION

Before using BASIS® GOLD, ensure that it is compatible with any insecticides previously applied to the corn crop.

Conventional Field Corn and "IT" Hybrids

Soil Insecticides	Application Method	Soil Organic Matter	BASIS® GOLD(TM) Use Precautions
Counter 15G ³	All	All	Do not use.
Counter 20CR ¹	In furrow at planting	Ali	Do not use.
	Over the row at cultivation	All	Do not use.
	T-band or Surface band	<u></u> 4%	May cause unacceptable injury.
	T-band or Surface band	>4%	May result in temporary injury.
Thimet 20G* ¹ Do not exceed 6 oz/1000	T-band or Surface band	<u><</u> 4%	May cause unacceptable injury.
linear feet	T Band or Surface band	>4%	May result in temporary injury.
Dyfonate II 15G * ² Do not exceed 8 oz/1000 linear feet Do not broadcast	Banded	All	May result in temporary injury.
Lorsban 15G* ³ Do not exceed . 8 oz/1000 linear feet	All	All	May result in temporary injury.
Fortress ⁴	Ali	All	No use precautions.
Force ²	All	All	No use precautions.
Aztec ⁵	All	All	No use precautions.

* Only apply BASIS® GOLD(TM) if insecticide is applied before or at planting.

For product information call 1-888-6-DUPONT © 2001 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

4/7

IMPORTANT PRECAUTIONS

Do not apply BASIS® GOLD(TM) to corn plants taller than 12 inches or exhibiting 6 collars, whichever is more restrictive. Do not apply BASIS® GOLD(TM) through any type of irrigation system.

SEE PAGE 2 FOR A COMPLETE LISTING OF SOIL INSECTICIDE INTERACTION INFORMA-TION.

IMPORTANT

BEFORE USING "BASIS GOLD" HERBICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRE-CAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at the time of application.

BASIS® GOLD(TM) is a Restricted Use Pesticide.

1 Registered trademark of American Cyanamid Co.

- 2 Registered trademark of Zeneca
- 3 Registered trademark of DowAgro Sciences
- 4 Registered trademark of DuPont Co.
- 5 Registered trademark of Bayer Corp.

020399

R-107-1 071601 4-01-99 (Replaces H-63675)

DuPont Agricultural **Products**



BASIS® GOLD(TM) HERBICIDE FOR USE IN CERTAIN SOUTHERN STATES

"..... A Growing Partnership With Nature"

BASIS® GOLD(TM) HERBICIDE

EPA REG, NO. 352-585

ADDITIONAL INSTRUCTIONS FOR USE OF BASIS® GOLD(TM) IN CERTAIN SOUTHERN STATES (AL, GA, NC, SC)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont BASIS® GOLD(TM) may be applied to field corn grown for grain to control certain weeds in southern states. BASIS® GOLD(TM) may be tank mixed with atrazine for improved control of certain weeds. Before applying BASIS® GOLD(TM), ensure it is compatible with any insecticide applied to corn. After applying BASIS® GOLD(TM), peanuts may be planted the following year. See directions for use below for detailed instructions.

TANK MIXES

In addition to currently registered tank mix partners, atrazine may be tank mixed with BASIS® GOLD(TM). Add 1/2-1 pint of atrazine (4lb/gal, or equivalent rate of other formulations) to improve control of sicklepod and Florida pusley. Always include crop oil concentrate at a rate of 1% V/V (1 gallon per 100 gallons of spray solution) when making application to emerged weeds.

WEEDS CONTROLLED

In addition to the weeds listed on the federal label, BASIS® GOLD(TM) will control the following weeds when applied at 14 oz per acre. Refer to the federal label for information on adjuvants, mixing and application. Do not apply more than 14 oz per acre per season.

Weed	Height at application
Sicklepod	1-2 inches**
Prickly sida	1-2 inches
Wild radish	6-12 inches
Cutleaf evening primrose	4-6 inches
Florida pusley	1-2 inches**

****For best results add 1/2-1 pt atrazine.**

CROP ROTATION

In addition to the rotational crops listed on the federal label, peanuts may be planted the spring following a BASIS® GOLD(TM) application.

For tank mixes or sequential applications, follow the most restrictive provisions of the other products applied.

ENVIRONMENTAL CONDITIONS

Injury may be severe when BASIS® GOLD(TM) is applied under conditions of stress to corn plants, such as cold soil or air temperatures (under 50° F), water-saturated soils or stress from other factors. Wait for growing conditions to improve before applying BASIS® GOLD(TM). Refer to the EPA-registered label for additional information.

IMPORTANT PRECAUTIONS

Do not apply BASIS® GOLD(TM) to corn plants taller than 12 inches or exhibiting 6 collars, whichever is more restrictive. Do not apply BASIS® GOLD(TM) through any type of irrigation system.

SEE PAGE 2 FOR A COMPLETE LISTING OF SOIL INSECTICIDE INTERACTION INFORMA-TION.

SOIL INSECTICIDE INTERACTION INFORMATION

Before using BASIS® GOLD, ensure that it is compatible with any insecticides previously applied to the corn crop.

Conventional Field Corn and "IT" Hybrids

Soil Insecticides	Application Method	Soil Organic Matter	BASIS® GOLD(TM) Use Precautions
Counter 15G ¹	All	All	Do not use.
Counter 20CR ¹	In furrow at planting	All	Do not use.
	Over the row at cultivation	All	Do not use.
	T-band or Surface band	<u><</u> 4%	May cause unacceptable injury.
	T-band or Surface band	>4%	May result in temporary injury.
Thimet 20G* ¹ Do not exceed 6 oz/1000	T-band or Surface band	<u><</u> 4%	May cause unacceptable injury.
linear feet	T Band or Surface band	>4%	May result in temporary injury.
Dyfonate II 15G * ² Do not exceed 8 oz/1000 linear feet Do not broadcast	Banded	All	May result in temporary injury.
Lorsban 15G* ³ Do not exceed . 8 oz/1000 linear feet	All	All	May result in temporary injury.
Fortress ⁴	All	All	No use precautions.
Force ²	All	All	No use precautions.
Aztec ⁵	All	All	No use precautions.

* Only apply BASIS® GOLD(TM) if insecticide is applied before or at planting.

For product information call 1-888-6-DUPONT © 1999 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

IMPORTANT

•

BEFORE USING "BASIS GOLD" HERBICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRE-CAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at the time of application.

BASIS® GOLD(TM) is a Restricted Use Pesticide.

1 Registered trademark of American Cyanamid Co.

- 2 Registered trademark of Zeneca
- 3 Registered trademark of DowAgro Sciences
- 4 Registered trademark of DuPont Co.
- 5 Registered trademark of Bayer Corp.

020399

04/01/99

NEXT

LABEL.

-

÷

4

352 - 585

7-30-2001

Please read instructions of	on reverse before completi	ing form		Form Appr	oved. (OMB No. 20	70-0060.	Approv	al expires 05-31-
United States		vited States				Registratio		OPP 1d	entifier Number
\$€PA	Environmental	Protection	Agency			Amendm	ent	1	
Aff hast of A		gton, DC 20460				Other			
	·							<u> </u>	
	/	Application	1						
1. Company/Product Number				A Product Man			3. Pr	oposed (Classification
352-585			J.	A. Tompkins	S		ᅴᅙ	None	Restricted
4. Company/Product (Nai DuPont	ne)		PM#]	
· ·							-		
	Applicent <i>(Include ZIP Cod</i> n, Stine-Haskell Researc	-							Section 3(c)(3)
P.O. Box 30	n, ound hasken nesearc	in Genter	(b)(i), my product is similar or identical in composition and labeling to:						
Newark, Delaware 197		chard A. Carve	r EPA	Reg. No.					
	\$300/4	415					·		
	this is a new address			luct Name					
			Section -	<u>· 11</u>					
Amendment - Exp	lain below.			Final printe	id labals	in response	to TVU	TIFTC	ATTUN
		• • •		Agency let	ter date	d		<u> </u>	2001
Resubmission in r	esponse to Agency letter (dated	L	"Me Too" /	Applicat	tion.	00	L J L	2001
Notification - Expl	ain below.			Other - Exp	plain bel	ow.			
									· · ·
	itional page(s) if necessary	•	,			mmandation	from EE		ot Manager The
statement is identical to	e Pesticide statement to p that on the label attached	to and distribute	ad with the pro	duct, except th	hat the r	ohrase "on th	e contair	ner label	has been
added to the last senten	ce of the Restricted Use P	esticide statem	ent. Attached	are five copies	s of revi	sed supplem	iental lab	eling - B	asis Gold
	DUCED RATE OF "SPIRI								1 071601
4-25-01 (H-64102; Repla	aces H-63471)]. Also encl	losed is a copy of	of the current i	=PA approved	l label (H	1-63471 050	298 4/25	/01)	
· · ·			Section -						
1. Material This Product	Will Be Backaged In:		000000						212 T
Child-Resistant Packagin			Water Soluble	Peckaging		2. Type of (Conteiner	······································	
Yes*	Yes		Yes				Metal		
No	No No						Plastic	: •	
		No. per	lf "Yes"	No. per			Glass Paper	÷	۰.
* Certification must be submitted	Unit Packaging wgt.	container	Package wgt	containe				Specify)	·
	<u> </u>			<u> </u>					
3. Location of Net Conte	nts Information	4. Size(s) Retai	l Conteiner		5. Loc	on Label	el Directi	ONB	
Label L	Container					On Label	ng eccor	npanyin	product
6. Manner in Which Labe	I is Affixed to Product	Lithogra	ph	Othe	8f				
		Paper pl Stencile							
	·		Section -						
1. Contact Point (Comp	lete items directly below f	or identification	of individual to	be contacted	l, if nece	assery, to pri	cess thi	applice	tion.)
Name			ītie				Telephor	10 No. (:	nstude Area Code
Richard A. Carver			Product Reg	gistration Ma	anager		(302)4	51-451	7
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Certificati	on					6. Dat	· Application
i certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.									
	t any knowingly false or n	nisloading states	mant may be p	unishable by fi	ine or in	nprisonmerit	or "		(Stamped)
both under applice								-	
2. Signature			3. Title			1			
The hand (Il armer			roduct Regi	stration Man	ager		÷		
4. Typed Name			5. Date				1		
Richard A. Carver		J	uly 20, 2001						•
EPA Form 8570-1 (Rev. 1	8-94) Previous editions are	e obsolete.		W	hite - E	PA File Copy	(original) Ye	Now - Applicant C

SUPPLEMENTAL LABELING

DuPont Agricultural **Products**

"..... A Growing Partnership With Nature"

BASIS® GOLD HERBICIDE PLUS REDUCED RATE OF SPIRIT 1 OR EXCEED¹ HERBICIDES FOR WEED CONTROL IN CORN

NOTIFICATION

JUL 3 0 2001

PLUS A REDUCED RATE OF "SPIRIT" OR "EXCEED" HERBICIDE FOR WEED CONTROL IN FIELD CORN

EPA REG. NO. 352-585

BASIS®G

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

This product is a restricted use herbicide due to ground and surface water concerns. Users must read and follow all precautionary statements and instructions for use on the container label in order to minimize potential for atrazine to reach ground and surface water.

DIRECTIONS FOR USE

WHEN TO APPLY

D HERBICIDE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont BASIS® GOLD Herbicide may be tank mixed with a reduced rate of "Spirit" or "Exceed" Herbicides for additional control of the following weeds when applied to field corn grown for grain.

	SIZE
WEED	CONTROLLED
Velvetleaf	4"
Redroot Pigweed	5"
Common Ragweed	6"
Giant Ragweed	6"
Lambsquarters	5"
Ivyleaf Morninggle	огу 4"
PA Smartweed	5"

is 12" tall or is exhibiting 6 collars, whichever is the more restrictive. See the BASIS® GOLD label for sizes of grasses and other broadleaf weeds controlled.

Postemergence applications of BASIS® GOLD and "Spirit" or

"Exceed" should be made to emerged field corn before the corn

HOW TO USE

Apply BASIS® GOLD and a reduced rate of "Spirit" or "Exceed" for additional annual broadleaf weed control as directed below:

PRODUCT BASIS® GOLD		RATE 14 ounces
"Spirit"	plus	1/2 ounce
"Exceed"	or	1/8 ounce

Do not apply to field corn grown for seed, to popcorn or to sweet corn.

Always add COC at 1% v/v (1 gal./100 gal. spray solution) and an ammonium nitrogen fertilizer such as

28-0-0 (2-4 gts/acre), 10-34-0 (1-2 gts/acre) or spray grade ammonium sulfate (21-0-0) at 2-4 lb/acre. The fertilizer must be added in addition to the crop oil concentrate. Do not apply less than 14 ounces of BASIS® GOLD per acre.

For product information call 1-888-6-DUPONT © 2001 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

BASIS® GOLD performs best when applied to young, actively growing grasses and weeds at the sizes listed on the label. Use a minimum of 15 gallons of water per acre (15 GPA) for best results.

IMPORTANT PRECAUTIONS

An activating rainfall (>1/2") is required shortly after application for maximum BASIS® GOLD residual activity

Refer to the BASIS® GOLD and "Spirit" or "Exceed" labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS® GOLD through any type of irrigation system.

IMPORTANT

BEFORE USINGT BASIS® GOLD HERBICIDE IN A TANK MIX WITH "SPIRIT" OR "EXCEED," READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRIC-TIONS AND PRECAUTIONS ON TH EEPA-REGIS-TERED LABEL.

This label contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at time of application.

¹ Registered trademark of Novartis Crop Protection, Inc.


050298

7/22/98

R-106-1 071601 7-22-98 (Replaces H-63471)



DuPont Agricultural Products



SUPPLEMENTAL LABELING

BASIS GOLD HERBICIDE PLUS REDUCED RATE OF SPIRIT ¹ OR EXCEED¹ HERBICIDES FOR WEED CONTROL IN CORN

"..... A Growing Partnership With Nature"

BASIS GOLD HERBICIDE

EPA REG. NO. 352-585

JUL 3 0 2001

NUTIFICATION

PLUS A REDUCED RATE OF "SPIRIT" OR "EXCEED" HERBICIDE FOR WEED CONTROL IN FIELD CORN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont BASIS GOLD Herbicide may be tank mixed with a reduced rate of "Spirit" or "Exceed" Herbicides for additional control of the following weeds when applied to field corn grown for grain.

	SIZE	
WEED	CONTROLLED	
Velvetleaf	4"	
Redroot Pigweed	5"	
Common Ragweed	6"	
Giant Ragweed	6"	
Lambsquarters	5"	
Ivyleaf Morningglo	ory 4"	
PA Smartweed	5"	

Do not apply to field corn grown for seed, to popcorn or to sweet corn.

WHEN TO APPLY

Postemergence applications of BASIS GOLD and "Spirit" or "Exceed" should be made to emerged field corn before the corn is 12" tall or is exhibiting 6 collars, whichever is the more restrictive. See the BASIS GOLD label for sizes of grasses and other broadleaf weeds controlled.

HOW TO USE

DRODUCT

Apply BASIS GOLD and a reduced rate of "Spirit" or "Exceed" for additional annual broadleaf weed control as directed below:

ю атт

PRODUCT		KAIL
BASIS GOLD	1	14 ounces
"Spirit"	plus	1/2 ounce
"Exceed"	or	1/8 ounce

Always add COC at 1% v/v (1 gal./100 gal. spray solution) and an ammonium nitrogen fertilizer such as

28-0-0 (2-4 qts/acre), 10-34-0 (1-2 qts/acre) or spray grade ammonium sulfate (21-0-0) at 2-4 lb/acre. The fertilizer must be added in addition to the crop oil concentrate. Do not apply less than 14 ounces of BASIS GOLD per acre.

BASIS GOLD performs best when applied to young, actively growing grasses and weeds at the sizes listed on the label. Use a minimum of 15 gallons of water per acre (15 GPA) for best results.

IMPORTANT PRECAUTIONS

An activating rainfall (>1/2") is required shortly after application for maximum BASIS GOLD residual activity

Refer to the BASIS GOLD and "Spirit" or "Exceed" labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply BASIS GOLD through any type of irrigation system.

For product information call 1-888-6-DUPONT © 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

IMPORTANT

BEFORE USINGT BASIS GOLD HERBICIDE IN A TANK MIX WITH "SPIRIT" OR "EXCEED," READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRIC-TIONS AND PRECAUTIONS ON TH EEPA-REGIS-TERED LABEL.

This label contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at time of application.

¹ Registered trademark of Novartis Crop Protection, Inc.

050298

7/22/98

NEXT

LABEL

.____ .

352-585

7-30-2001

1/3

Please read instructions	on reverse before complet	ing form.		Form Appro	ved. OMB No. 2	070-0060,	Approvel expires 05-31-98		
€EPA	Environmental	nited States Protection ngton, DC 20460			Registra Amend X Other		QPP identifier Number		
		Application	for Pestici	de - Sect	ion l				
1. Company/Product Number 352-585			2. EPA Product Manager J.A. Tompkins				3. Proposed Classification		
4. Company/Product (Na DuPont Basis(R) G			PM# 25			ר⊻	None Restricted		
DuPont Crop Protection P.O. Box 30 Newark, Delaware 19	Applicant <i>(Include ZIP Cod</i> on, Stine-Haskell Researd 714-0030 Attn: Ri S300/ T this is a new address	ch Center chard A. Carver	(b)(i), r to: EPA 1		s similar or iden	NOTIF	FIFRA Section 3(c)(3) mposition and labeling		
		· · · · ·	Section -	11		301 3	0 2001		
Amendment - Ex	•			Agency lett		se to	NOTIFICATION		
Notification - Exp	response to Agency letter Hain below.	dated		"Me Too" Application.			JUL 30 2001		
1. Material This Product Child-Resistant Packagin Yes*		······································	Section -		2. Type o	f Container			
• Certification mus be submitted	ont i dokaging wyt.		If "Yes" Package wgt	No. per container 1		Plastic Glass Paper Other (5			
3. Location of Net Contents Information 4. Size(s) Re Label Container			On Label On Labeling			el	I Directions		
6. Manner in Which Leb	el is Affixed to Product	Lithograp Paper gli Stencilec		Other	·				
4. On the D. 1 - 10	- to a taxan - Ataxan ta ta		Section -		¥		liastic= 1		
Name Richard A. Carver	plete items directly below f	Т	itle Product Regi			Telephor	e No. ('rs'ude Area Code) 51-4517		
-	statements I have made or at any knowingly false or r able law.		il attachments t				6. Dete Application Received (Stamped)		
2. Signatures There of Corver			3. Title Product Registration Manager			-			
4. Typed Name Richard A. Carver			5. Date July 20, 2001						
	8-94) Previous editions ar		- 	100	ite - EPA File Co	py (original) Yellow - Applicant Co		

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

SUPPLEMENTAL LABELING

BASIS® GOLD™ FOR USE IN STANDPIPE SETBACKS ON TILE-OUTLET TERRACED FIELDS

"..... A Growing Partnership With Nature"

Products

DuPont Agricultural



EPA Reg. No. 352-585

FOR USE IN STANDPIPE SETBACKS ON TILE-OUTLET TERRACED FIELDS

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

This product is a restricted use herbicide due to ground and surface water concerns. Users must read and follow all precautionary statements and instructions for use on the container label in order to minimize potential for atrazine to reach ground and surface water.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

To ensure protection of surface water from runoff through standpipes and tile outlets in terraced fields, choose **ONE** of the following two options when applying DuPont BASIS® GOLD Herbicide.

1. Do not apply this product within 66 feet of standpipes in outletted terraced fields.

2. Apply this product to the entire tile-outletted terraced field under a no-till practice only when high crop residue management practices are used. High crop residue management practice is described as a crop management practice where little or no crop residue is removed from the field during or after crop harvest.

APPLICATION INFORMATION

Refer to the label for information on application methods, spray gallonage and pressure, nozzles and equipment.

All federal guidelines for protective clothing, precautions and other use requirements for BASIS® GOLD shall be followed.

IMPORTANT

BEFORE USING BASIS® GOLD, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow the instructions carefully.

This bulletin must be in the possession of the user at time of application.

032597

4/16/97

R-105-1 071601 4-16-97 (Replaces H-63207)

NOTIFICATION

JUL 3 0 2001



DuPont Agricultural Products



SUPPLEMENTAL LABELING

BASIS® GOLD™ FOR USE IN STANDPIPE SETBACKS ON TILE-OUTLET TERRACED FIELDS

"..... A Growing Partnership With Nature"

BASIS GOLD

EPA Reg. No. 352-585

FOR USE IN STANDPIPE SETBACKS ON TILE-OUTLET TERRACED FIELDS

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

To ensure protection of surface water from runoff through standpipes and tile outlets in terraced fields, choose **ONE** of the following two options when applying DuPont BASIS GOLD Herbicide.

1. Do not apply this product within 66 feet of standpipes in outletted terraced fields.

2.Apply this product to the entire tile-outletted terraced field under a no-till practice only when high crop residue management practices are used. High crop residue management practice is described as a crop management practice where little or no crop residue is removed from the field during or after crop harvest.

APPLICATION INFORMATION

Refer to the label for information on application methods, spray gallonage and pressure, nozzles and equipment.

All federal guidelines for protective clothing, precautions and other use requirements for BASIS GOLD shall be followed.

IMPORTANT

BEFORE USING BASIS GOLD, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package labels. Follow the instructions carefully.

This bulletin must be in the possession of the user at time of application.

032597

4/16/97

VOTIFICATION

JUL 3 0 2001