3/28/2002

SUPPLEMENTAL LABELING

## **DuPont Agricultural Products**

DRAFT

DUPONT™ BASIS® GOLD TANK MIXTURES WITH CALLISTO HERBICIDE

"..... A Growing Partnership With Nature"

### DUPONT™ BASIS® GOLD HERBICIDE

EPA Reg. No. 352-585

## TANK MIXTURES WITH CALLISTO HERBICIDE FOR WEED CONTROL IN CORN

### **DIRECTIONS FOR USE**

DuPont™ BASIS® GOLD Herbicide may be tank mixed with 1.0-3.0 oz of Callisto Herbicide for weed control in corn. Apply 14 ounces of BASIS® GOLD per acre plus at least the rate of Callisto indicated in the table below, for the control of weeds listed on the BASIS® GOLD label plus broadleaf weeds as noted:

Species	Maximum Weed Height (Inches) Callisto rate per acre			
			2.0 oz	
Cocklebur	5"	10"	10***	10**
Jimsonweed	5"	5°	10°	10"
Lambaquarters, common	5"	10"	10**	10**
Morningglory, ivyleaf	3"	5"	5***	5174
Nightshade, black	5"	10"	10"	10"
Nightshade, castern black	5"	10"	10"	10"
Pigweed, palmer	_	5"	5"	10"
Pigweed, redroot	5"	10"	10"	10"
Ragweed, common	3"	5"	10**	10***
Ragweed, giant	3"	5"	10**	10***
Smartwood, ladysthumb	_	5"	10"	10°
Smartwood, Ponnsylvania	4"	5"	10"	10"
Velveticaf	5°°	10"	10**	10** <del>*</del>
Waterheme, tall & common	_	5"	10**	10**

<sup>\*</sup> may provide better control of larger weeds or when applications are made under more difficult growing conditions

### WHEN TO APPLY

Postemergence applications of BASIS® GOLD + Callisto may be broadcast to corn up to 12" tall, up to and including 5 leaf collars (V5), whichever is more restrictive. See the BASIS® GOLD label for a list of grasses controlled and sizes for application, as well as additional broadleaf weeds controlled.

# ACCEPTED MAR 2 8 2002

as amended, for the posticide

TPA Reg. No 352-585

registered under

### **HOW TO USE**

Apply 14 ounces of BASIS® GOLD in combination with rates of Callisto listed above for the control of grasses and broadleaf weeds. BASIS® GOLD performs best when applied to young. actively growing grasses and broadleaf weeds. Use a minimum of 15 gallons of water per acre (15 GPA) for best results.

#### SPRAY ADDITIVES

Add an ammonium nitrogen fertilizer such as 28-0-0 (2-4 qts/acre), 10-34-0 (1-2 qts/acre), or spray grade ammonium sulfate (21-0-0) at 2-4 lbs/acre plus a petroleum-based crop oil concentrate (COC) at 1%v/v (1 gal/100 gal spray solution).

### IMPORTANT PRECAUTIONS

Refer to the BASIS® GOLD and Callisto labels for additional use directions, restrictions, rotational crop intervals, and precautions. Except for the tank mixture use rates on this supplemental label, the most restrictive provision on either label shall apply. Do not apply BASIS® GOLD through any type of irrigation system.

### IMPORTANT

BEFORE USING THESE PRODUCTS, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRIC-TIONS, AND PRECAUTIONS ON THE EPA-REGIS-TERED LABELS.

This label contains supplemental instructions for use of this product and may contain recommendations which are not appropriate for all geographies and weed control situations. Consult local DuPont fact sheets, technical bulletins, and service policies prior to following the recommendations on this label.

This label must be in the possession of the user at the time of pesticide application.

'Callisto is a registered trademark of Syngenta Crop Protection

DR-121 110601-1

© 2001 Engerdin Products, Ingesticide, and Company, DuPont Agricultural Products, Wilmington, Delaware 19898

Page 1 of 1