




DuPont Agricultural Products



TRADEMARK

ACCENT® GOLD HERBICIDE


SEQUENTIAL APPLICATION FOLLOWING
REDUCED RATES OF PREEMERGENCE
HERBICIDES FOR WEED CONTROL
IN FIELD CORN

"..... A Growing Partnership With Nature"

ACCENT® GOLD HERBICIDE

REG. NO. 352-593

SEQUENTIAL APPLICATION FOLLOWING REDUCED RATES OF PREEMERGENCE HERBICIDES FOR WEED CONTROL IN FIELD CORN



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DuPont ACCENT GOLD Herbicide may be used as a sequential application in a planned postemergence weed control program in corn following a reduced rate of a preemergence herbicide. ACCENT GOLD may be tank mixed with other herbicides such as DuPont ACCENT Herbicide, atrazine and Banvel¹ or Clarity¹ for additional broadleaf weed control. Refer to the ACCENT GOLD label and supplemental labels for a complete list of tank mix herbicides.

WHEN TO APPLY

Apply any of the following preemergence herbicides prior to corn emergence

Product	Rate per Acre
Balance ² WDG Herbicide*	0.75-1.5 ounce
Bicep II ² Herbicide	0.75 - 1.5 pint
Bicep II Magnum ² Herbicide	0.5 - 0.75 quart
Dual II ² Herbicide	0.75 - 1.5 pint
Dual II Magnum ² Herbicide	0.5 - 0.75 pint
DuPont Bladex ⁴ 4L Herbicide	1-2 quart
DuPont Extrazine ⁴ II 4L Herbicide	1-2 quart
DuPont LeadOff™ Herbicide	0.75 - 2.0 pint
Frontier ¹ 6.0 Herbicide	0.75 - 1 pint
Harness ³ Herbicide	0.75 - 1.5 pint
Harness ³ Xtra Herbicide	0.75 - 1.5 pint
FulTime ⁴ Herbicide	0.75 - 2.5 pint
TopNotch ⁴ Herbicide	0.75 - 1.5 pint
Surpass ⁴ EC Herbicide	0.75 - 1.5 pint
Surpass ⁴ 100 Herbicide	0.75 - 1.5 pint

*For use only in those states where this product is registered

Use the higher rates on heavier soil types and where weed pressures are expected to be heavy, especially for foxtails, large crabgrass, woolly cupgrass and velvetleaf.

ACCENT GOLD performs best when applied to small, actively growing grasses. Apply ACCENT GOLD (with or without a labeled tankmix herbicide) at a rate of 2.9 ounces per acre or one soluble packet per four acres. Consult the ACCENT GOLD package label and supplemental labels for a complete listing of grasses controlled and the maximum weed height at application.

Do not apply less than 2.9 ounces of ACCENT GOLD per acre.

Always add a crop oil concentrate or methylated seed oil to ACCENT GOLD at a rate of 1 gallon per 100 gallons of spray solution (1% v/v) unless specified otherwise on ACCENT GOLD supplementals. In addition, add an ammonium nitrogen fertilizer such as 28-0-0 to the spray tank. See the ACCENT GOLD label for additional information on crop oil concentrates and ammonium fertilizer types and rates.

IMPORTANT PRECAUTIONS

Refer to the ACCENT GOLD label for mixing and other use instructions.

Adequate soil moisture is required for optimum activity. Rainfall or sprinkler irrigation within 5 days will enhance Accent Gold residual activity. A timely cultivation may be required for maximum weed control without an activating rain. See main label for additional details.

Refer to the selected preemergence herbicide label as well as the ACCENT GOLD label for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply ACCENT GOLD through any type of irrigation system.

For product information call 1-888-6-DUPONT

© 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

296

IMPORTANT

BEFORE USING "ACCENT GOLD" READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of these products which does not appear on the EPA-registered package labels. Follow these instructions carefully.

This labeling must be in the possession of the user at the time of application.

¹ Registered trademark of BASF Corporation

² Registered trademark of Novartis Crop Protection, Inc.

³ Registered trademark of Monsanto Company

⁴ Registered trademark of Zeneca Inc.


⁵ Registered Trademark of Rhone-Poulenc

D-050898



DuPont Agricultural Products

"..... A Growing Partnership With Nature"



ACCENT® GOLD™ HERBICIDE PLUS A REDUCED RATE OF ACCENT HERBICIDE FOR IMPROVED GRASS CONTROL IN FIELD CORN

ACCENT® GOLD™ HERBICIDE

EPA REG. NO. 352-593

PLUS A REDUCED RATE OF ACCENT HERBICIDE FOR IMPROVED GRASS CONTROL IN FIELD CORN

ACCEPTED DEC 15 1998 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 352-593

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont ACCENT GOLD Herbicide may be used alone or tank mixed with a reduced rate of ACCENT Herbicide for additional control of the following weeds when applied to field corn grown for grain:

Table with columns: WEED, MAXIMUM SIZE CONTROLLED (ACCENT GOLD alone, ACCENT GOLD plus 1/4 - 1/3 oz. ACCENT). Rows include Woolly cupgrass, Wild proso millet, Fall panicum, Foxtail, Green, yellow, Sandbur, Field, Jackgrass.

Do not apply to field corn grown for seed, to popcorn or to sweet corn.

WHEN TO APPLY

Postemergence applications of ACCENT GOLD plus ACCENT should be made to emerged field corn before the corn is 12" tall or is exhibiting 6 collars, whichever is the more restrictive. See the ACCENT GOLD label for sizes of other grasses and broadleaf weeds controlled.

HOW TO USE

Apply ACCENT GOLD and a reduced rate of ACCENT for additional grass weed control as directed below:

Table with columns: PRODUCT, RATE PER ACRE. Rows: ACCENT GOLD (2.9 ounces), ACCENT plus (1/4 - 1/3 ounces).

Use the higher rate of ACCENT for heavy weed pressures and for taller weeds. ACCENT GOLD plus ACCENT may be tank mixed with labeled broadleaf herbicides such as atrazine, Marksmán', Banvel' or Clarity' for additional broadleaf weed control. Refer to the ACCENT GOLD package label and supplemental labeling for a complete list of herbicides that may be tank mixed with ACCENT GOLD plus ACCENT.

ACCENT GOLD performs best when applied to small, actively growing grasses. Consult the ACCENT GOLD label and supplemental labels for a complete listing of grasses controlled and the labeled sizes.

Do not apply less than 2.9 ounces of ACCENT GOLD per acre. ACCENT applications in combination with and following an ACCENT GOLD application may not exceed a total of 1 ounce per acre.

Always add a crop oil concentrate or methylated seed oil to ACCENT GOLD at a rate of 1 gallon per 100 gallons of spray solution (1% v/v) unless specified otherwise on ACCENT GOLD supplemental labels. In addition, add an ammonium nitrogen fertilizer such as 28-0-0 to the spray tank. See the ACCENT GOLD label for additional information on crop oil concentrates and ammonium fertilizer types and rates. For best performance use a minimum of 15 gallons of water per acre (15 GPA) and follow the herbicide application with a cultivation 10-14 days later.

For product information call 1-888-6-DUPONT

© 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

4040

IMPORTANT PRECAUTIONS

Adequate soil moisture is required for optimum activity. Rain-fall or sprinkle irrigation within 5 days will enhance ACCENT GOLD residual activity. A timely cultivation may be required for maximum weed control without an activating rain. See main label for additional details.

Refer to the ACCENT GOLD and ACCENT labels for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply ACCENT GOLD through any type of irrigation system.

IMPORTANT BEFORE USING "ACCENT" OR "ACCENT GOLD", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRE- CAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

¹ Registered Trademark of BASF

D-103098

For product information call 1-888-6-DUPONT

© 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

PM 23
DUPONT

352-593

12-15-98

SUPPLEMENTAL LABELING 596

DuPont Agricultural
Products

... A Growing Partnership With Nature™



ACCENT® GOLD HERBICIDE
TANK MIXES WITH REDUCED RATES
OF PREEMERGENCE GRASS
HERBICIDES FOR CRABGRASS
CONTROL IN CORN

ACCENT® GOLD HERBICIDE

EPA Reg. No. 352-593

TANK MIXES WITH REDUCED RATES OF PREEMERGENCE GRASS
HERBICIDES FOR CRABGRASS CONTROL IN CORN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DuPont ACCENT GOLD Herbicide may be used in a tank mix with reduced rates of preemergence grass herbicides for residual activity on later emerging grass flushes, including large crabgrass (*Digitaria sanguinalis*) and smooth crabgrass (*Digitaria ischaemum*). ACCENT GOLD may be used in field corn only.

ACCENT GOLD may also be tank mixed with other herbicides for additional broadleaf weed control. Refer to the ACCENT GOLD label and supplemental labels for a complete list of tank mix herbicides.

WHEN TO APPLY

Tank mixes of ACCENT GOLD plus one of the preemergence grass herbicides listed below may be broadcast to corn before the crop exceeds the heights listed below.

Product	Maximum Corn Height
Surpass ¹ EC Herbicide	11 inches
Harness ² Herbicide	11 inches
Dual II ³ Herbicide	12 inches
Dual II MAGNUM ³	12 inches
Frontier ⁴ 6.0 Herbicide	8 inches
Prowl ⁵ 3.3 EC Herbicide	6 leaf stage
LeadOff™ Herbicide	8 inches

Applications must be made before the crabgrass emerges (pre-emergence control only), and before the other grass weed species exceed the sizes listed on the ACCENT GOLD label. Atrazine (4-16 ounces) may also be added to ACCENT GOLD

to improve control of crabgrass and other weeds. Do not apply ACCENT GOLD to corn taller than 12 inches or exhibiting six leaf collars, whichever is more restrictive. Refer to the ACCENT GOLD label for a complete list of grasses controlled and the corn and weed sizes for application.

HOW TO USE

Rate

Apply a tank mix of ACCENT GOLD plus a preemergence grass herbicide for postemergence control of the grasses listed on the ACCENT GOLD label and residual control of large and smooth crabgrass as directed below:

ACCENT GOLD at a rate of 2.9 ounces per acre or plus --

Soil Type*

	Coarse	Medium	Fine
Surpass EC	1.5 pt	1.5 - 2 pt	1.5 - 2 pt
Harness	1.0 - 1.75 pt	1.25 - 2.25 pt	1.75 - 2.75 pt
Dual II	1.0 - 1.25 pt	1.25 - 1.75 pt	1.5 - 2.0 pt
Dual II MAGNUM	.67 - .8 pt	.8 - 1.2 pt	1.0 - 1.3 pt
Frontier 6.0	8 - 16 fl oz	8 - 16 fl oz	8 - 16 fl oz
Prowl 3.3 EC	1.8 - 2.4 pt	3.0 - 3.6 pt	3.0 - 3.6 pt
LeadOff	2.0-2.5 pt	2.5-3.5 pt	3.5- 4.5 pt

*Use the mid to lower end of the rate range for soils with less than 3% organic matter. Use the mid to upper end of the rate range for soils with 3% or more organic matter content.

For product information call 1-888-6-DUPONT

© 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898

- plus -

A crop oil concentrate at 1.0% v/v (1 gallon per 100 gallons of spray solution) or a nonionic surfactant at 0.25% v/v (1 quart per 100 gallons of spray solution). In addition, an ammonium nitrogen fertilizer such as 28-0-0 (2 quarts per acre), 10-34-0 (1 quart per acre), or ammonium sulfate (21-0-0 at 2 lb. per acre) is recommended to improve postemergence control.

Refer to the ACCENT GOLD label for further instructions on tank mixing for broadleaf weed control.

IMPORTANT PRECAUTIONS

Refer to the ACCENT GOLD label for mixing and other use instructions.

Preemergence herbicides rely on activation for control of grasses such as crabgrass that germinate or emerge after application.

Precipitation or overhead sprinkler irrigation is required after application to move the preemergence grass herbicide into the weed germination zone to control unemerged weeds. The amount of precipitation or irrigation required depends on existing soil moisture, soil type, and percent organic matter content, but 1/4 to 3/4 inch is normally adequate. If weeds emerge after treatment, immediately rotary hoe or use a shallow cultivation to improve performance.

Refer to the ACCENT GOLD and the respective pre-emergence herbicide labels for additional use directions, use restrictions, rotational crop intervals, and precautions. The most restrictive provision on either label shall apply.

Do not apply ACCENT GOLD through any type of irrigation system.

IMPORTANT

BEFORE USING "ACCENT GOLD" HERBICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of these products which does not appear on the EPA-registered package labels. Follow these instructions carefully.

This label must be in the possession of the user at the time of application.

¹Registered trademark of Zeneca Inc.


²Registered trademark of Monsanto Company

³Registered trademark of Novartis Crop Protection, Inc.

⁴Registered trademark of BASF

⁵Registered trademark of American Cyanamid Company

D-110998



For product information call 1-888-6-DUPONT

© 1998 E. I. du Pont de Nemours and Company, Agricultural Products, Wilmington, Delaware 19898