

PLEASE NOTE

This image contains more than one label approved for this product on this date.



DuPont Agricultural Products

"..... A Growing Partnership With Nature"



SUPPLEMENTAL LABELING

ACCENT® GOLD™ HERBICIDE
ROTATIONAL CROPS:
PEAS AND CERTAIN VARIETIES OF SWEET CORN

ACCENT® GOLD™ HERBICIDE

EPA REG. NO. 352-593

ROTATIONAL CROPS:
PEAS AND CERTAIN VARIETIES OF SWEET CORN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHEN TO APPLY

Make a single application of 2.9 ounces of ACCENT® GOLD™ per acre. Refer to the specimen label for additional directions for timing, weeds controlled, adjuvants and restrictions.

CROP ROTATION

The following rotational intervals should be observed when using ACCENT® GOLD™. Refer to the specimen label for additional crop rotation intervals.

Table with 2 columns: Crop, Interval in Months. Rows include Field Corn, Seed corn, Popcorn, Winter Cereals, Spring Cereals, Grain Sorghum, Soybeans, Dry Beans, Peas, Alfalfa, Potatoes, Sunflower, Sweet Corn, and All Other Crops.

† For low moisture (less than 15 inches annual rainfall) and low organic matter (less than 2%) areas, dry beans, soybeans, and peas should not be planted until 18 months after treatment.

†† Except where the soil pH is greater than 8, in which case the interval is 12 months.

*Certain sweet corn varieties may be planted 10 1/2 months following postemergence application of up to 2.9 oz/acre of ACCENT® GOLD™. This interval applies only to the following varieties of sweet corn grown for processing:

Table listing sweet corn varieties and their corresponding codes: Beretta (GG 23), Bingo (GG 40), Bonus (GG 43), Challenger (GG 46), Chase (GG 55), Cornucopia (GG 60), Crisp'N Sweet 710 (GG 246), Crisp'N Sweet 710A (GG 255), DMC 20-04 (GG 520), DMC 20-10 (GG 539), DMC 20-35 Eliminator (HM 701), Empire (Lumina), Excalibur (Reveille), Excellency (Reward), GH 0937 (Rival), GH 2628 (Shaker), GH 2683 (Sprint), GH 2684 (Tribune), GH 2690 (Viking), GG 5 (Zenith), GG 22.

The rotational interval is 18 months for sweet corn varieties not listed.

**Rotation to sugarbeets, canola and all other crops requires a 26-month rotation interval and a successful bioassay.

***Field Bioassay Instructions: Using typical tillage, seeding practices and timings for the particular crop, plant several strips of the desired crop variety across the field previously treated with ACCENT® GOLD™. Plant the strips perpendicular to the direction ACCENT® GOLD™ was applied. The strips should also be located so that different field conditions are encountered, including differences in soil texture, pH and drainage. If the crop does not show visible symptoms of injury, or stand reduction, the field can be seeded with the test crop in the growing season following the bioassay. If visible injury, stand reduction, or yield reduction occurs, the test crop should not be seeded, and the bioassay must be repeated the next growing season.

IMPORTANT PRECAUTIONS

Refer to the ACCENT® GOLD™ label for mixing and other use instructions.

Do not apply ACCENT® GOLD™ through any type of irrigation system.

IMPORTANT BEFORE USING ACCENT® GOLD™, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

**ACCEPTED
with COMMENTS
In EPA Letter Dated
MAY 18 2000
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
352-593**

DR-018 022300



NEXT

LABEL

302-593

3/18/2000

Page 1 of 2



DuPont Agricultural Products



SUPPLEMENTAL LABELING

ACCENT@ GOLD™ HERBICIDE SEQUENTIAL APPLICATIONS

"..... A Growing Partnership With Nature"

ACCENT@ GOLD™ HERBICIDE

EPA Reg. No. 352-593

SEQUENTIAL APPLICATIONS FOLLOWING REDUCED RATES OF PREEMERGENCE HERBICIDES FOR WEED CONTROL IN FIELD CORN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DuPont ACCENT@ GOLD™ Herbicide may be used as a sequential application in a planned postemergence weed control program in corn following a reduced rate of a preemergence herbicide. ACCENT@ GOLD™ may be tank mixed with other herbicides such as DuPont ACCENT@ Herbicide, Atrazine and Banvel¹ or Clarity¹ for additional broadleaf weed control. Refer to the ACCENT@ GOLD™ label and supplemental labels for a complete list of tankmix herbicides.

Apply any of the following preemergence herbicides prior to corn emergence

Product	Rate per Acre
Axiom 68DF Herbicide ²	7 - 12 ounce
Balance WDG Herbicide ³	0.75 - 1.5 ounce
Bicep II Herbicide ⁴	0.75 - 1.5 pint
Bicep II Magnum Herbicide ⁴	0.5 - 0.75 quart
Dual II Herbicide ⁴	0.75 - 1.5 pint
Dual II Magnum Herbicide ⁴	0.5 - 0.75 pint
DuPont Bladex® 4L Herbicide	1 quart
DuPont Extrazine® II 4L Herbicide	1.3 quart
DuPont LeadOff™ Herbicide	0.75 - 2.0 pint
Epic 58F Herbicide ²	5- 10 ounce
Frontier 6.0 Herbicide ¹	0.75 - 1 pint
Harness Herbicide ⁵	0.75 - 1.5 pint
Harness Xtra Herbicide ⁵	0.75 - 1.5 quart
FulTime Herbicide ⁶	1.0 - 2.5 quart
TopNotch Herbicide ⁶	1.0 - 2.0 quart
Surpass EC Herbicide ⁶	0.75 - 1.5 pint
Surpass 100 Herbicide ⁶	1.0 - 2.0 quart

*Balance and Epic Herbicides are not labeled for use in all states and on all soil types. Refer to the Balance and Epic labels and technical bulletins for full descriptions of environmental hazards, use recommendations, and rate restrictions.

Use the higher rates on heavier soil types and where weed pressures are expected to be heavy, especially for foxtail, large crabgrass, wooly cupgrass and velvetleaf. ACCENT@ GOLD™ performs best when applied to small, actively growing grasses. Apply ACCENT@ GOLD™ (with or without a labeled tankmix herbicide) at a rate of 2.9 ounces per acre or one soluble packet per four acres. Consult the ACCENT@ GOLD™ package label and supplemental labels for a complete listing of grasses controlled and the maximum weed height at application.

Do not apply less than 2.9 ounces of ACCENT@ GOLD™ per acre.

Always add a crop oil concentrate or methylated seed oil to ACCENT@ GOLD™ at a rate of 1 gallon per 100 gallons of spray solution (1% v/v) unless specified otherwise on ACCENT@ GOLD™ supplementals. In addition, add an ammonium nitrogen fertilizer such as 28-0-0 to the spray tank. See the ACCENT@ GOLD™ label for additional information on crop oil concentrates and ammonium fertilizer types and rates.

IMPORTANT PRECAUTIONS

Refer to the ACCENT@ GOLD™ label for mixing and other use instructions.

Adequate soil moisture is required for optimum activity. Rainfall or sprinkler irrigation within 5 days will enhance ACCENT@ GOLD™ residual activity. A timely cultivation may be required for maximum weed control without an activating rain. See Federal label for additional details.

Refer to the selected preemergence herbicide label as well as the ACCENT@ GOLD™ label for additional use directions, restrictions, rotational crop intervals and precautions. The most restrictive provision on either label shall apply.

Do not apply ACCENT@ GOLD™ through any type of irrigation system.

**IMPORTANT
BEFORE USING "ACCENT®" OR "ACCENT®
GOLD™", READ AND FOLLOW ALL APPLI-
CABLE DIRECTIONS, RESTRICTIONS AND
PRECAUTIONS ON THE EPA-REGISTERED
LABELS.**

This label contains new or supplemental instructions for use of these products which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

- ¹ Registered trademark of BASF Corporation
- ² Registered Trademark of Bayer, Corp.
- ³ Registered Trademark of Aventis Crop Science
- ⁴ Registered trademark of Novartis Crop Protection, Inc.
- ⁵ Registered trademark of Monsanto Company
- ⁶ Registered trademark of Zeneca Inc.

DR-019 050800
(Replaces H-63552)

**ACCEPTED
with COMMENTS
In EPA Letter Dated**

MAY 18 2000

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.**

352-593