352-513

11/13/2002 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Rebecca M. Ashley
Registration Coordinator
DuPont Crop Protection
E.I. du Pont de Nemours & Company
P.O. Box 30
Newark, DE 19714-0030

NOV 1 3 2002

Dear Ms. Ashley:

Subject: Accent Gold® Herbicide

EPA Registration No. 352-593

Application and Letter Dated October 21, 2002:

Request To Amend Registration by Adding Supplemental Labeling To Reduce Crop Rotation Intervals for Certain

Crops

The proposed subject labeling amendment for the pesticide product "Accent Gold® Herbicide" has been reviewed and found to be acceptable under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, provided that you:

- 1. Revise the statement under the "Crop Rotation" section Footnote, "For low moisture (less than 15 inches annual rainfall) and low organic matter (less than 2%) areas, dry beans, snap beans soybeans and peas should not be planted until 18 months ate treatment." by changing the word "should" to "must".
- 2. Submit one (1) copy of the your final printed labeling before you release this product for shipment under the subject labeling

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA, section 6(e). Your release for shipment of this product under this labeling constitutes acceptance of these conditions.

A stamped copy of the proposed label is enclosed for your records.

Sincerely yours,

Joanne (L. Miller

Product Manager (23) Herbicide Branch

Registration Division (7505C)

SUPPLEMENTAL LABELING

DuPont Agricultural Products

DRAFT

ACCENT GOLD®

HERBICIDE

CROP ROTATION
INTERVALS

"..... A Growing Partnership With Nature"

ACCENT GOLD® HERBICIDE

EPA REG. NO. 352-593

CROP ROTATION INTERVALS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CROP ROTATION

The following rotational intervals must be observed when using ACCENT GOLD®.

Crop	Interval in Months
Field Corn	Anytime
Seed corn, Popcorn	10.5
Winter Cereals (wheat, oats	
barley and rye)	4
Spring Cereals (wheat, oats	
barley and rye)	8
Grain Sorghum	12
Soybeanst, Dry Beanst, Peast	10.5
Snap Beans†, Lima Beans†	
Alfalfa††	10.5
Potatoes, Sunflower	18
Sweet Corn	See table below
All Other Crops*	26 and field bioassay**

† For low moisture (less than 15 inches annual rainfall) and low organic matter (less than 2%) areas, dry beans, lima beans, snap beans, soybeans, and peas should not be planted until 18 months after treatment.

†† Except where the soil pH is greater than 8, in which case the interval is 12 months.

- * Rotation to sugarbeets, canola and all other crops requires a 26-month rotation interval and a successful bioassay.
- ** See Field Bioassay Instructions below.

FIELD BIOASSAY

Instructions

Using typical tillage, seeding practices and timings for the particular crop, plant several strips of the desired crop variety across the field previously treated with ACCENT GOLD®.

Plant the strips perpendicular to the direction ACCENT GOLD® was applied. The strips should also be located so that different field conditions are encountered, including differences in soil texture, pH and drainage. If the crop does not show visible symptoms of injury, or stand reduction, the field can be seeded with the test crop in the growing season following the bioassay. If visible injury, stand reduction, or yield reduction occurs, the test crop should not be seeded, and the bioassay must be repeated the next growing season.

SWEET CORN ROTATION INTERVALS

The following sweet corn varieties may be planted 10-1/2 months following postemergence application of up to 2.9 oz/acre of ACCENT GOLD®.

Beretta	GG 46
Bingo	GG 55
Bonus	GG 57
Challenger	GG 60
Chase	GG 243
Climax	GG 246
Cornucopia	GG 255
Crisp'N Sweet 710	GG 256
Crisp'N Sweet 710A	GG 445
DMC 20-04	GG 520
DMC 20-10	GG 539
DMC 20-35	HM 701
Eliminator	Legacy
Empire	Lumina
Excalibur	Reveille
Excellency	Reward
GH 0937	Rival
GH 2628	Shaker
GH 2683	Sheba
GH 2684	Spirit
GH 2690	Sprint
GH 2547	Stetson
GG 8	Tribune
GG 22	Viking
GG 23	Wht 2801
GG 40	Zenith
GG 43	781 Ultra

The rotational interval is 18 months for all varieties not listed.

IMPORTANT PRECAUTIONS

Refer to the ACCENT GOLD® label for mixing and other use instructions.

Do not apply ACCENT GOLD® through any type of irrigation system.

IMPORTANT

BEFORE USING ACCENT GOLD®, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

ACCEPTED
with COMMENTS
In EPA Letter Dated

NOV 13 2002

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

DR-207 062002