

## **PLEASE NOTE**

**This image contains more than one label approved for this product on this date.**


352-610



10/9/2003

4/1

**DuPont Crop  
Protection**



**SUPPLEMENTAL LABELING**

**DUPONT SMALL GRAIN  
HERBICIDES  
PLUS MAVERICK<sup>1</sup> HERBICIDE**

**ACCEPTED**

OCT - 9 2003

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended for the pesticide  
registered under  
EPA Reg. No. 352-610

**DUPONT SMALL GRAIN HERBICIDES**

**DUPONT™ ALLY® XP HERBICIDE**

EPA Reg. No. 352-435

**DUPONT™ CANVAS® XP HERBICIDE**

EPA Reg. No. 352-610

**DUPONT™ ALLY® EXTRA HERBICIDE**

EPA Reg. No. 352-610

**DUPONT™ EXPRESS® XP HERBICIDE**

EPA Reg. No. 352-509

**DUPONT™ HARMONY® GT XP HERBICIDE**

EPA Reg. No. 352-446

**DUPONT™ HARMONY® EXTRA XP HERBICIDE**

EPA Reg. No. 352-611

**ALLY® HERBICIDE**

EPA Reg. No. 352-435

**DUPONT™ FINESSE® HERBICIDE<sup>†</sup>**

EPA Reg. No. 352-445

**CANVAS® HERBICIDE**

EPA Reg. No. 352-586

**GLEAN® FC HERBICIDE**

EPA Reg. No. 352-522

**HARMONY® GT HERBICIDE**

EPA Reg. No. 352-446

**EXPRESS® HERBICIDE**

EPA Reg. No. 352-509

**HARMONY® EXTRA HERBICIDE**

EPA Reg. No. 352-538

**PLUS MAVERICK<sup>1</sup> HERBICIDE**

DuPont small grain herbicides (ALLY®, ALLY® XP, ALLY® EXTRA, CANVAS®, CANVAS® XP, EXPRESS®, EXPRESS® XP, FINESSE®, GLEAN® FC, HARMONY® EXTRA, HARMONY® EXTRA XP, HARMONY® GT, HARMONY® GT XP) can be tank mixed with "Maverick" herbicide for improved control of weeds in wheat.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**DIRECTIONS FOR USE**

Refer to the DuPont herbicide label, and the "Maverick" label for information regarding use restrictions, labeled crops, rotational cropping recommendations, sprayer cleanup, use precautions and other information. The most restrictive provisions on either label will apply. Do not use the tank mix if any restrictions on the "Maverick" label conflict with recommendations on the DuPont herbicide label.

Other suitable registered herbicides, fungicides, and insecticides registered for use on small grains or fallow may be tank mixed or used sequentially with this mixture. Read and follow all manufacturer's label recommendations for the companion herbicide. The most restrictive provisions on either label will apply.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT**

**BEFORE USING DUPONT SMALL GRAIN HERBICIDES, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.**

This label contains new or supplemental instructions for the use of this product which does not appear on the EPA-registered package label. Follow these instructions carefully. This label must be in the possession of the user at the time of application.

<sup>1</sup> Maverick is a trademark of Monsanto

<sup>†</sup> FINESSE® herbicide is not registered for use in the State of Minnesota

(Replaces H-63802)

DR-320 042103

© 2003 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, Delaware 19898

**NEXT**

**LABEL**

352-610




ACCEPTED

10/9/2003

1/1

OCT - 9 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the pesticide registered under EPA Reg. No. 352-610



### SUPPLEMENTAL LABELING

DuPont Crop Protection

ALLY® HERBICIDE  
DUPONT™ ALLY® XP HERBICIDE  
CANVAS® HERBICIDE  
DUPONT™ ALLY® EXTRA HERBICIDE  
DUPONT™ CANVAS® XP HERBICIDE

DUPONT™ ALLY® XP HERBICIDE

EPA Reg. No. 352-435

ALLY® HERBICIDE

EPA Reg. No. 352-435

DUPONT™ ALLY® EXTRA HERBICIDE

EPA Reg. No. 352-610

CANVAS® HERBICIDE

EPA Reg. No. 352-586

DUPONT™ CANVAS® XP HERBICIDE

EPA Reg. No. 352-610

## REDUCED ROTATION INTERVAL FOR CONDIMENT MUSTARD AND CHICKPEAS (GARBANZO BEANS) IN THE STATES OF IDAHO, OREGON, AND WASHINGTON

### DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

Du Pont ALLY® herbicide and DuPont™ ALLY® XP herbicide (referred to below as ALLY®), DuPont ALLY® EXTRA herbicide and DuPont™ CANVAS® XP herbicide (referred to below as ALLY® EXTRA), and CANVAS® herbicide are selective postemergence herbicides recommended for control of broadleaf weeds in wheat, barley, pasture, rangeland and fallow.

### HOW TO USE

In wheat, barley and fallow where 1/10 oz per acre of ALLY® 0.1 to 0.4 oz per acre of ALLY® EXTRA or up to 1 packet per 5 acres of CANVAS® has been applied, the following minimum crop rotation interval\* can be followed:

Soil pH	Minimum precipitation between application and planting	Rotation interval in months*
7.3 or lower	10 inches	10
7.4 or higher	28 inches	34

\* The rotation interval represents the period of time from the last application to the anticipated date of the next planting. Rotation intervals must be extended 1 crop season if drought conditions prevail after application and before the rotational crop is planted, unless a successful field bioassay has been completed (see ALLY®, ALLY® EXTRA and CANVAS® labels for details).

### RESTRICTIONS

Wherever ALLY®, ALLY® EXTRA or CANVAS® is used on land previously treated with GLEAN® FC, FINESSE®, Amber<sup>1</sup>, Assert<sup>2</sup>, or other longer residual herbicides having the same mode of action, read the rotational guidelines on both labels and follow the one with the longest interval stated for your situation before choosing to rotate to crops other than wheat or barley.

### IMPORTANT

BEFORE USING ALLY®, ALLY® EXTRA OR CANVAS®, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This label must be in the possession of the user at the time of pesticide application.

<sup>1</sup>Registered trademark of Syngenta Crop Protection, Inc.

<sup>2</sup>Registered trademark of BASF Corporation

(Replaces H-64046)


DR-323 042103

**NEXT**

**LABEL**



10/9/2003



**SUPPLEMENTAL LABELING**

**DuPont Crop  
Protection**

**DUPONT SMALL GRAIN  
HERBICIDES  
FOR USE ON TRITICALE**

**DUPONT SMALL GRAIN HERBICIDES**

**ALLY® HERBICIDE**  
EPA Reg. No. 352-435

**CANVAS® HERBICIDE**  
EPA Reg. No. 352-586

**EXPRESS® HERBICIDE**  
EPA Reg. No. 352-509

**DUPONT™ FINESSE® HERBICIDE \***  
EPA Reg. No. 352-445

**GLEAN® FC HERBICIDE**  
EPA Reg. No. 352-522

**HARMONY® EXTRA HERBICIDE**  
EPA Reg. No. 352-538

**HARMONY® GT HERBICIDE**  
EPA Reg. No. 352-446

**DUPONT™ ALLY® XP HERBICIDE**  
EPA Reg. No. 352-435

**DUPONT™ ALLY® EXTRA HERBICIDE**  
EPA Reg. No. 352-610

**DUPONT™ CANVAS® XP HERBICIDE**  
EPA Reg. No. 352-610

**DUPONT™ EXPRESS XP HERBICIDE**  
EPA Reg. No. 352-509

**DUPONT™ HARMONY® EXTRA XP HERBICIDE**  
EPA Reg. No. 352-611

**DUPONT™ HARMONY® GT XP HERBICIDE**  
EPA Reg. No. 352-446

DuPont small grain herbicides (ALLY®, ALLY® XP, ALLY® EXTRA, CANVAS®, CANVAS® XP, EXPRESS®, EXPRESS® XP, FINESSE®, GLEAN® FC, HARMONY® EXTRA, HARMONY® EXTRA XP, HARMONY® GT and HARMONY® GT XP) can be used for weed control in triticale. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**DIRECTIONS FOR USE**

DuPont small grain herbicides may be used as postemergence applications to triticale anytime after crop is in the 2-3 leaf stage but before the flag leaf is visible. Follow the postemergence use rate instructions listed for wheat. Refer to the DuPont herbicide label for information regarding use restrictions, rotational cropping recommendations, sprayer cleanup, use precautions and other information.

Other suitable herbicides, fungicides, and insecticides registered for use on triticale may be tank mixed or used sequentially with these products providing the recommended application timing is the same. Read and follow all manufacturer's label recommendations for the tank mix partner prior to use. The most restrictive provisions on either label apply.

It is a violation of federal law to use any of these products in a manner inconsistent with its labeling.

**IMPORTANT**


**BEFORE USING DUPONT SMALL GRAIN HERBICIDES, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.**

This label contains new or supplemental instructions for product use which does not appear on the EPA-registered package label. Follow these instructions carefully. This label must be in the possession of the user at the time of application.

\* Finesse herbicide is not registered for use in the State of Minnesota.

(Replaces H-63969)

DR-322 072403




**NEXT**

**LABEL**

352-610

10/9/2003

4/1



# SUPPLEMENTAL LABELING

## DuPont Crop Protection

## DUPONT SMALL GRAIN HERBICIDES PLUS STARANE\*1 + SWORD\*2 HERBICIDES

### DUPONT SMALL GRAIN HERBICIDES

DUPONT™ ALLY® HERBICIDE

EPA Reg. No. 352-435

DUPONT™ ALLY® XP HERBICIDE

EPA Reg. No. 352-435

DUPONT™ ALLY® EXTRA HERBICIDE

EPA Reg. No. 352-610

DUPONT™ CANVAS® XP HERBICIDE

EPA Reg. No. 352-610

DUPONT™ EXPRESS® XP HERBICIDE

EPA Reg. No. 352-509

DUPONT™ HARMONY® EXTRA XP HERBICIDE

EPA Reg. No. 352-611

ALLY® HERBICIDE

EPA Reg. No. 352-435

DUPONT™ FINESSE® HERBICIDE

EPA Reg. No. 352-445

CANVAS® HERBICIDE

EPA Reg. No. 352-586

GLEAN® FC HERBICIDE

EPA Reg. No. 352-522

EXPRESS® HERBICIDE

EPA Reg. No. 352-509

HARMONY® EXTRA HERBICIDE

EPA Reg. No. 352-538

### PLUS STARANE\* + SWORD® HERBICIDES

DuPont small grain herbicides (ALLY®, ALLY® XP, ALLY® EXTRA, CANVAS®, CANVAS® XP, EXPRESS®, EXPRESS® XP, FINESSE®) can be tank mixed with Starane\* + Sword® herbicides for improved control of broadleaf weeds in wheat, barley, and fallow.

DuPont small grain herbicides (GLEAN® FC, HARMONY® EXTRA, HARMONY® EXTRA XP) can be tank mixed with Starane\* + Sword® herbicides for improved control of broadleaf weeds in wheat, barley, and oats.

For any requirements specific to your State or tribe, consult the agency responsible for pesticide regulation.

#### DIRECTIONS FOR USE

For improved control of Kochia (2-4" tall) Russian thistle, mustard species and wild buckwheat, DuPont small grain herbicides may be tank mixed with 3/4 to 2 3/4 pints per acre of Starane\* + Sword®. Refer to the DuPont herbicide label, and the Starane\* + Sword® label for information regarding use restrictions, labeled crops, rotational cropping recommendations, sprayer cleanup, use precautions and other information. The most restrictive provisions on either label will apply. Do not use the tank mix if any restrictions on the Starane\* + Sword® label conflict with recommendations on the DuPont herbicide label.

Other suitable registered herbicides, fungicides, and insecticides registered for use on cereal grains or fallow may be tank mixed or used sequentially with this mixture. Read and follow all manufacturer's label recommendations for the companion herbicide.

The most restrictive provisions on either label will apply. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### IMPORTANT

**BEFORE USING DUPONT SMALL GRAIN HERBICIDES, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.**

This bulletin contains new or supplemental instructions for the use of this product which does not appear on the EPA-registered package label. Follow these instructions carefully. This labeling must be in the possession of the user at the time of application.

<sup>1</sup> Starane is a trademark of Dow AgroSciences LLC

<sup>2</sup> Sword is a trademark of Platte Chemical Co.

(Replaces H-63706)

DR-318 042103




**NEXT**

**LABEL**



DuPont Agricultural Products

"..... A Growing Partnership With Nature"



SUPPLEMENTAL LABELING

DUPONT SMALL GRAIN HERBICIDES PLUS STARANE<sup>®</sup> + SALVO<sup>®</sup> HERBICIDES

ACCEPTED

OCT 9 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act...

DUPONT SMALL GRAIN HERBICIDES

- DUPONT™ ALLY® XP HERBICIDE EPA Reg. No. 352-435
DUPONT™ ALLY® EXTRA HERBICIDE EPA Reg. No. 352-610
DUPONT™ CANVAS® XP HERBICIDE EPA Reg. No. 352-610
DUPONT™ EXPRESS® XP HERBICIDE EPA Reg. No. 352-509
DUPONT™ HARMONY® EXTRA XP HERBICIDE EPA Reg. No. 352-611

- ALLY® HERBICIDE EPA Reg. No. 352-435
DUPONT™ FINESSE® HERBICIDE EPA Reg. No. 352-445
CANVAS® HERBICIDE EPA Reg. No. 352-586
GLEAN® FC HERBICIDE EPA Reg. No. 352-522
EXPRESS® HERBICIDE EPA Reg. No. 352-509
HARMONY® EXTRA HERBICIDE EPA Reg. No. 352-538

PLUS STARANE<sup>®</sup> + SALVO<sup>®</sup> HERBICIDES

DuPont small grain herbicides (ALLY®, ALLY® XP, ALLY® EXTRA, CANVAS®, CANVAS® XP, EXPRESS®, EXPRESS® XP, FINESSE®) can be tank mixed with Starane<sup>®</sup> + Salvo<sup>®</sup> herbicides for improved control of broadleaf weeds in wheat, barley, and fallow.

DuPont small grain herbicides (GLEAN® FC, HARMONY® EXTRA, HARMONY® EXTRA XP) can be tank mixed with Starane<sup>®</sup> + Salvo<sup>®</sup> herbicides for improved control of broadleaf weeds in wheat, barley, and oats.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

DIRECTIONS FOR USE

For improved control of Kochia (2-4" tall), Russian thistle, mustard species and wild buckwheat, DuPont small grain herbicides may be tank mixed with 2/3 to 2 2/3 pints per acre of Starane<sup>®</sup> + Salvo<sup>®</sup>. Refer to the DuPont herbicide label, and the Starane<sup>®</sup> + Salvo<sup>®</sup> label for information regarding use restrictions, labeled crops, rotational cropping recommendations, sprayer cleanup, use precautions and other information.

Other suitable registered herbicides, fungicides, and insecticides registered for use on small grains or fallow may be tank mixed or used sequentially with this mixture. Read and follow all manufacturer's label recommendations for the companion herbicide.

The most restrictive provisions on either label will apply. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT BEFORE USING DUPONT SMALL GRAIN HERBICIDES, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for the use of this product which does not appear on the EPA-registered package label. Follow these instructions carefully. This labeling must be in the possession of the user at the time of application.

- 1 Starane is a trademark of Dow AgroSciences LLC
2 Salvo is a trademark of Platte Chemical Co.

(Replaces H-63707)

DR-319 041403

For product information call 1-888-6-DUPONT
© 2003 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, Delaware 19898


**NEXT**

**LABEL**

352-610

10/9/2003

1/1



# SUPPLEMENTAL LABELING

## DuPont Crop Protection

### DUPONT SMALL GRAIN HERBICIDES PLUS STARANE<sup>1</sup> HERBICIDE

## DUPONT SMALL GRAIN HERBICIDES

- DUPONT™ ALLY® XP HERBICIDE      EPA Reg. No. 352-435
- DUPONT™ ALLY® EXTRA HERBICIDE      EPA Reg. No. 352-610
- DUPONT™ CANVAS® XP HERBICIDE      EPA Reg. No. 352-610
- DUPONT™ EXPRESS® XP HERBICIDE      EPA Reg. No. 352-509
- DUPONT™ HARMONY® EXTRA XP HERBICIDE      EPA Reg. No. 352-611

**ALLY® HERBICIDE**  
EPA Reg. No. 352-435

**DUPONT™ FINESSE® HERBICIDE**  
EPA Reg. No. 352-445

**CANVAS® HERBICIDE**  
EPA Reg. No. 352-586

**GLEAN® FC HERBICIDE**  
EPA Reg. No. 352-522

**EXPRESS® HERBICIDE**  
EPA Reg. No. 352-509

**HARMONY® EXTRA HERBICIDE**  
EPA Reg. No. 352-538

DuPont small grain herbicides (ALLY®, ALLY® XP, ALLY® EXTRA, CANVAS®, CANVAS® XP, EXPRESS®, EXPRESS® XP, FINESSE®) can be tank mixed with Starane\* herbicide for improved control of broadleaf weeds in wheat, barley, and fallow.

DuPont small grain herbicides (GLEAN® FC, HARMONY® EXTRA, HARMONY® EXTRA XP) can be tank mixed with Starane\* herbicide for improved control of broadleaf weeds in wheat, barley, and oats. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### DIRECTIONS FOR USE

For improved control of Kochia (24" tall), Russian thistle, mustard species, and wild buckwheat DuPont small grain herbicides may be tank mixed with 1/3 to 1/3 pints per acre of Starane\*. refer to the DuPont herbicide label, and the Starane\* label information regarding use restrictions, labeled crops, rotational cropping recommendations, sprayer cleanup, use precautions and other information. The most restrictive provisions on either label will apply. Do not use the tank mix if any restrictions on the Starane\* label conflict with recommendations on the DuPont herbicide label.

Other suitable registered herbicides, fungicides, and insecticides registered for use on small grains or fallow may be tank mixed or used sequentially with this mixture. Read and follow all manufacturer's label recommendations for the companion herbicide. The most restrictive provisions on either label will apply.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### IMPORTANT

**BEFORE USING DUPONT SMALL GRAIN HERBICIDES, READ AND CAREFULLY NOTE THE CAUTIONARY STATEMENTS AND OTHER PROCEDURAL INFORMATION APPEARING ON THE EPA REGISTERED LABEL OR ON OTHER SUPPLEMENTAL LABELS.**

This bulletin contains new or supplemental instructions for use of these products in combination which does not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

<sup>1</sup> Starane is a trademark of Dow AgroSciences LLC

(Replaces H-63705)

DR-317 041103

