

PLEASE NOTE

This image contains more than one label approved for this product on this date.

SUPPLEMENTAL LABELING

**DuPont Crop
Protection**

**DUPONT™ HARMONY® EXTRA XP
HERBICIDE
HARMONY® EXTRA HERBICIDE
FOR USE ONLY ON IMAZETHAPYR
TOLERANT CANOLA**

DUPONT™ HARMONY® EXTRA XP HERBICIDE

EPA REG. NO. 352-611

HARMONY® EXTRA HERBICIDE

EPA REG. NO. 352-538

FOR USE ONLY ON IMAZETHAPYR TOLERANT CANOLA

(CANOLA VARIETIES WITH THE SMART™ TRAIT)

FOR USE IN THE STATES OF MN, ND AND MT

HARMONY® EXTRA Herbicide or DuPont™ HARMONY® EXTRA XP Herbicide (HARMONY® EXTRA) can be applied on Imazethapyr Tolerant Canola (eg. canola varieties with the SMART™ trait).

DIRECTIONS FOR USE

Apply HARMONY® EXTRA at 0.3 ounce per acre. Add a DuPont recommended, nonionic surfactant having at least 80% active ingredient strength at 0.25% v/v (1 qt per 100 gal of spray solution).

Apply HARMONY EXTRA when the Imazethapyr Tolerant Canola is in the 3 to 6 leaf stage of growth but prior to beginning of bolting. Temporary crop yellowing may be observed shortly after application of HARMONY EXTRA, especially when applied to crops growing under environmentally stressful conditions (See PRECAUTIONS).

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TANK MIXTURES

For the control of annual grasses as well as broadleaf weeds, apply a tank mixture of HARMONY EXTRA at 0.3 ounce per acre plus ASSURE® II (See the EPA approved ASSURE II label for use rates, weed size, precautions, and restrictions). Add a DuPont recommended, nonionic surfactant having at least 80% active ingredient strength at 0.25% v/v (1 qt per 100 gal of spray solution).

PRECAUTIONS

• Application of HARMONY EXTRA prior to the 3 leaf stage of Imazethapyr Tolerant Canola could result in crop injury.

• Avoid application to Imazethapyr Tolerant Canola fields in which germination is uneven (some plants outside the recommended leaf stage for application), as crop injury may result.


• Under certain environmentally stressful conditions (such as heavy rainfall, prolonged cool or hot weather, frost conditions, wide fluctuations in day/night temperatures), temporary lightening in crop color and occasionally a slight reduction in crop height may occur.

• Applications to Imazethapyr Tolerant Canola that are or have been stressed prior to application by severe weather conditions, frost, low fertility, drought, water saturated soil, disease or insect damage, may result in crop injury. Applications to Imazethapyr Tolerant Canola if the above stress conditions are expected within 3 days after application, may also result in crop injury.

• Application of the HARMONY EXTRA or HARMONY EXTRA plus ASSURE II tank mixture on Imazethapyr Tolerant Canola may cause a delay in flowering.

RESTRICTIONS

• DO NOT apply to NON-Imazethapyr Tolerant Canola (i.e. Canola varieties that DO NOT contain the SMART™ trait) as severe crop injury or death of the plant may occur.



For product information call 1-888-6-DUPONT

© 2004 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, Delaware 19898

272

IMPORTANT

BEFORE USING HARMONY EXTRA OR ASSURE II HERBICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

DR-410 081004

For product information call 1-888-6-DUPONT

© 2004 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, Delaware 19898

NEXT

LABEL

SUPPLEMENTAL LABELING

**DuPont Crop
Protection**

DUPONT™ HARMONY® EXTRA XP
HERBICIDE
HARMONY® EXTRA HERBICIDE
FOR USE ONLY ON
CDC TRIFFID FLAX

DUPONT™ HARMONY® EXTRA XP HERBICIDE

EPA REG. NO. 352-611 ✓

HARMONY® EXTRA HERBICIDE

EPA REG. NO. 352-538

**FOR USE ONLY ON CDC TRIFFID FLAX
IN THE STATES OF MN, ND AND MT**

HARMONY® EXTRA Herbicide or DuPont™ HARMONY® EXTRA XP Herbicide (HARMONY® EXTRA) can be applied to flax that contains the "Freedom™" trait (CDC Triffid Flax).

DIRECTIONS FOR USE

Apply HARMONY® EXTRA at 0.3 ounce per acre. Add a DuPont recommended, nonionic surfactant having at least 80% active ingredient strength at 0.25% v/v (1 qt per 100 gal of spray solution).

Apply HARMONY® EXTRA from the time the CDC Triffid Flax is 1/2 inch in crop height to the pre-bud stage. Temporary crop yellowing may be observed shortly after application of HARMONY® EXTRA, especially when applied to crops growing under environmentally stressful conditions (See PRECAUTIONS).

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS

- Application of HARMONY® EXTRA prior to CDC Triffid Flax crop height reaching 1/2 inch could result in crop injury.
- Avoid application to CDC Triffid Flax fields in which germination is uneven (some plants outside the recommended leaf stage for application), as crop injury may result.
- Under certain environmentally stressful conditions (such as heavy rainfall, prolonged cool or hot weather, frost conditions, wide fluctuations in day/night temperatures), temporary lightening in crop color and occasionally a slight reduction in crop height may occur.
- Applications to CDC Triffid Flax that are or have been stressed prior to application by severe weather conditions, frost, low fertility, drought, water saturated soil, disease or insect damage,

may result in crop injury. Applications to CDC Triffid Flax if the above stress conditions are expected within 3 days after application may also result in crop injury.

RESTRICTIONS

- Only apply to flax that contains the "Freedom™" trait. HARMONY® EXTRA will severely damage flax varieties that do not contain the "Freedom™" trait.

IMPORTANT


BEFORE USING HARMONY® EXTRA, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

DR-411 081004



For product information call 1-888-6-DUPONT


© 2004 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, Delaware 19898

NEXT

LABEL

SUPPLEMENTAL LABELING

DuPont Crop
Protection



DUPONT™ HARMONY® EXTRA XP
HERBICIDE

HARMONY® EXTRA HERBICIDE
PRE-PLANT BURNDOWN IN COTTON

DUPONT™ HARMONY® EXTRA XP HERBICIDE

EPA REG. NO. 352-611 ✓

HARMONY® EXTRA HERBICIDE

EPA Reg. No. 352-538

PRE-PLANT BURNDOWN IN COTTON

ACCEPTED

NOV 18 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended for the pesticide
registered under
EPA Reg. No. 352-611

HARMONY® EXTRA Herbicide or DuPont™ HARMONY® EXTRA XP Herbicide (HARMONY® EXTRA) may be applied for burndown of emerged weeds prior to the emergence of cotton.

DIRECTIONS FOR USE

HARMONY® EXTRA may be used as part of a pre-plant burndown treatment, in combination with other suitable registered pre-plant herbicides.

Read and follow all manufacturers label recommendations for the companion herbicide. If those recommendations conflict with this label, do not tank mix the herbicide with HARMONY® EXTRA. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply HARMONY® EXTRA at 0.3 to 0.5 ounce per acre for control or partial control of the weeds listed on the EPA registered label. Allow at least 14 days between application of HARMONY® EXTRA and planting of cotton. Include a non-ionic surfactant, petroleum based crop oil concentrate, or vegetable-seed oil-based product (methylated seed oils are considered a vegetable seed-based oil).

- If another herbicide is tank mixed with HARMONY® EXTRA to increase the broadleaf weed spectrum, select adjuvants based on the adjuvant limitations of the companion herbicide.

SPRAY ADJUVANTS

Nonionic Surfactant (NIS)

Apply at a rate (concentration) of 0.25-0.5% v/v (1-2 qt per 100 gal spray solution). Use the higher rate in hot and dry conditions to enhance control.

Crop Oil Concentrate

Under dry conditions or during cool weather, a petroleum based crop oil concentrate, or vegetable-seed oil-based product may be used in place of a nonionic surfactant at 1-2 gallon/100 gal of spray solution (1-2% v/v) to enhance weed control. Use a petroleum-based crop oil concentrate with at least 14% emulsifiers/surfactant and 80% oil.

Ammonium Nitrogen Fertilizer

An ammonium nitrogen fertilizer can be added to a surfactant or a crop oil concentrate to enhance control. Alternatively, a high-quality, sprayable grade of ammonium sulfate (21-0-0) may be used.

IMPORTANT PRECAUTIONS

Seedling disease, nematodes, cold weather, deep planting (more than 2"), excessive moisture, high salt concentration, and/or drought may weaken cotton seedlings and increase the possibility of crop injury. Cotton resumes normal growth once favorable growing conditions return.

RESTRICTION

- DO NOT apply later than 14 days before planting cotton.

IMPORTANT

BEFORE USING HARMONY® EXTRA, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

DR-414 082604

For product information call 1-888-6-DUPONT

© 2004 E. I. du Pont de Nemours and Company, DuPont Crop Protection, Wilmington, Delaware 19898