

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Kristi A. Barnett DuPont Crop Protection Stine-Haskell Research Center P.O. Box 30 Newark, DE 19714-0030

MAY 1 9 2011

SUBJECT: Supplemental Label Amendment

Dupont Kocide 2000

EPA Reg. No. 352-656; Decision 447940 Your Submission Dated: April 1, 2011

Dear Ms. Barnett:

The supplemental label referred to above, submitted in connection with registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as amended is acceptable providing you submit a final label version within 30 days which adds this statement prominently displayed at the top of the label "This supplemental label expires on 5/19/2014 and must not be used or distributed after this date."

If you have any questions, Rose Kearns of my staff at 703-305-5611 or via email at kearns.rosemary@epa.gov or myself at 703-308-9443 or via email at kish.tony@epa.gov.

Sincerely,

Tony Kish

Product Manager, Team 22

Fungicide Branch

Registration Division (7504P)

with COMMENTS In EPA Letter Dated MAY 1 9 2011

Under the Pederal Insecticide, Pungicide, and Rodenticide Acts as amended, for the pesticide

registered under EPA Reg. No.

352-656

SUPPLEMENTAL LABEL

DUPONT™ KOCIDE® 2000 FUNGICIDE/BACTERICIDE CONTROL OF DISEASES ON PROCESSING AND FRESH MARKET TOMATOES

DUPONT™ KOCIDE® 2000 FUNGICIDE/BACTERICIDE

EPA Reg. No. 352-656

CONTROL OF DISEASES ON PROCESSING AND FRESH MARKET TOMATOES

DIRECTIONS FOR USE

DuPont Crop

Protection

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Crop	Disease	Application Rate/Acre	Maximum Seasonal Rate/Acre	Use Instructions	֧֓֞֝֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓֓֟֓֓֓֓֓֓֟֓֓֓֟֓֓֓֓֓֟֓֓֓֓
Tomato	Anthracnose, Bacterial Speck, Bacterial Spot, Early Blight, Gray Leaf Mold, Late Blight, Septoria Leaf Spot	1.5 lbs. (processing) 1.5-3 lbs. (fresh market)	49.7 lbs. (processing) 22.8 lbs. (fresh market)	Begin applications when disease first threatens and repeat at 3 to 10 day intervals if needed depending on disease severity. Use the higher rates when conditions favor disease.	

IMPORTANT

BEFORE USING THIS PRODUCT, READ AND CAREFULLY NOTE THE CAUTIONARY STATEMENTS AND OTHER PROCEDURAL INFORMATION APPEARING ON THE EPA REGISTERED LABEL OR ON OTHER SUPPLEMENTAL LABELS.

This bulletin contains new or supplemental instructions for use of these products in combination which does not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Read the label affixed to the container for Kocide® 2000 before applying.

Use of Kocide® 2000 according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Kocide® 2000.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Wa rranty and Liability on the Section 3 Federal product label.

© 2011 E. I. du Pont de Nemours and Company, 1007 N. Market Street, Wilmington, Delaware 19898