ACCEPTED NOV -1 2007 Under the Federal Insecticide, Fungicide, and Rodenticide Ack, as amended for the pasticide registered under BPA Reg. No. 3

252-714

SUPPLEMENTAL LABELING

• DUPONT TM HARMONY [®] EXTRA Herbicide (with TotalSol [®] soluble granules)

DUPONT TM HARMONY [®] EXTRA SG Herbicide (with TotalSol [®] soluble granules)

Burndown in Cotton, Field Corn, Rice, Soybeans, and Grain Sorghum

DuPont Crop Protection "..... A Growing Partnership With Nature"

DuPont TM HARMONY [®] EXTRA Herbicide (with TotalSol [®] soluble granules) EPA Reg. No. 352-714

11/01/2007

DuPont TM HARMONY [®] EXTRA SG Herbicide (with TotalSol [®] soluble granules) EPA Reg. No. 352-714

BURNDOWN IN COTTON, FIELD CORN, RICE, SOYBEANS, AND GRAIN SORGHUM

GENERAL INFORMATION

DuPont[™] HARMONY® EXTRA HERBICIDE (with TotalSol® soluble granules) or DuPont[™] HARMONY® EXTRA SG HERBICIDE (with TotalSol® soluble granules) may be applied for burndown of emerged weeds before planting cotton, field corn, grain sorghum, rice and soybeans.

DIRECTIONS FOR USE

HARMONY® EXTRA or HARMONY® EXTRA SG may be used as part of a pre-plant or at-planting burndown treatment, in combination with other suitable registered herbicides.

Read and follow all manufacturer's label recommendations for the companion herbicide. If those recommendations conflict with this label, do not tank mix the herbicide with HARMONY® EXTRA or HARMONY® EXTRA SG.

For product information call 1-888-6-DUPONT © 2007 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, DE 19898

Page 1 of 3

Н-

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Rice may be planted anytime after the application of HARMONY® EXTRA or HARMONY® EXTRA SG. Allow at least 7 days between application and planting of soybeans. Allow at least 14 days between application and planting of cotton, field corn, or grain sorghum.

In fields to be planted to cotton, apply HARMONY® EXTRA or HARMONY® EXTRA SG at 0.45 to 0.75 ounce per acre. In fields to be planted to field corn, grain sorghum, rice, or soybeans, apply HARMONY® EXTRA or HARMONY® EXTRA SG at 0.45 to 0.9 ounce per acre for control or partial control of the weeds listed on the EPA registered label. Always include a spray adjuvant when applying HARMONY® EXTRA or HARMONY® EXTRA SG. If another herbicide is tank mixed with HARMONY® EXTRA or HARMONY® EXTRA SG to increase the broadleaf weed spectrum, select adjuvants based in the adjuvant limitations of the companion herbicide.

SPRAY ADJUVANTS

Nonionic Surfactants (NIS)

Apply at a rate (concentration) of 0.06-0.50% v/v (1/2 pint to 4 pints per 100 gallons of spray solution). Use the higher rate in hot and dry conditions to enhance weed control.

Crop Oil Concentrate

Under dry conditions or during cool weather, a petroleum based crop oil concentrate, or vegetable-seed oil-based product may be used in place of a nonionic surfactant at 1-2 gallon/100 gallons of spray solution (1-2% v/v) to enhance weed control. Use an oil adjuvant that contains at least 80% of a high quality, petroleum (mineral) or modified vegetable seed oil with at least 15% surfactant emulsifiers.

Ammonium Nitrogen Fertilizer

An ammonium nitrogen fertilizer can be added to a surfactant or a crop oil concentrate to enhance control. Alternately, a high-quality, sprayable grade of ammonium sulfate may be used.

	HARMONY® EXTRA SG	T'
Cron	or HARMONY® EXTRA	Time Interval
Crop	(ounce per acre)	Before Planting (days)
rice	0.45 to 0.9	0
soybeans	0.45 to 0.9	7
cotton	0.45 to 0.75	14
field corn		
and grain sorghum	0.45 to 0.9	14

For product information call 1-888-6-DUPONT © 2007 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, DE 19898

Page 2 of 3

н -

IMPORTANT PRECAUTIONS - COTTON

Seedling disease, nematodes, cold weather, deep planting (more than 2"), excessive moisture, high salt concentration, and/or drought may weaken cotton seedlings and increase the possibility of crop injury. Cotton resumes normal growth once favorable growing conditions return.

RESTRICTIONS

- DO NOT apply after planting cotton, field corn, grain sorghum, or soybeans
- DO NOT apply later than 7 days before planting soybeans
- DO NOT apply later than 14 days before planting cotton, field corn, or grain sorghum
- DO NOT allow livestock to graze on, or feed forage, hay or straw from treated soybean fields
- DO NOT make more than one pre-plant or at-planting application of HARMONY® EXTRA or HARMONY® EXTRA SG to field corn, rice, grain sorghum, or soybeans per growing season
- DO NOT exceed a total of 1.5 ounces of HARMONY® EXTRA or HARMONY® EXTRA SG per acre during one fallow/pre-plant cropland season.

IMPORTANT

BEFORE USING HARMONY[®] EXTRA or HARMONY[®] EXTRA SG, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

Read the Limitation of Warranty and Liability on the <u>Section 3 Federal</u> product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the <u>Section 3 Federal</u> product label.

This bulletin contains new or supplemental instructions for the use of this product, which do not appear on the EPA-registered package label. Follow these instructions carefully. This labeling must be in the possession of the user at the time of application.

This product may not be available in all states. See you local DuPont retailer or representative for details and availability in your state.

DR-765 082107

For product information call 1-888-6-DUPONT © 2007 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, DE 19898

Page 3 of 3