

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

S.K. Theodorakis Product Registration E.I. DuPont de Nemours and Company Stine-Haskell Research Center PO Box 30 Newark, DE 19714

NOV 7 2008

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

(Storage & Disposal Changes)

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated September 18, 2008 for:

EPA Registration 352-716 "DuPont 30WDG Insecticide'/"Du Point Provaunt Insecticide"

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on	reverse before comple	form.		Form Approve	ed. B No. 2	070-006	O. Approval expires 2-28-	
United States Environmental Protection Age Washington, DC 20460			ion Agency	✓ ×	Registration Amendment ✓ Other		OPP Identifier Number	
		Applicati	ion for Pesti	icide - Section	n I			
1. Company/Product Numb 352-716	er		i	PA Product Manager an Hebert		3. Pr	oposed Classification	
4. Company/Product (Name DuPont Provaunt 30W			PM# 7				Noticed Nostricted	
5. Name and Address of Ap DuPont Crop Protection Stine-Haskell Research C P.O. Box 30 Newark, DE 19714-0030	enter	ode) .	(b)(i) to: EPA			cal in co	FIFRA Section 3(c)(3) mposition and labeling ON	
		, , , , , , , , , , , , , , , , , , , 	Section	- 11			· ·	
Amendment - Explain Resubmission in res Notification - Explain Explanation: Use addition	ponse to Agency letter	· . ·		Final printed lab Agency letter da "Me Too" Applie Other - Explain b	ated cation.	to		
This notification is consister labeling of this product. I un notification is not consistent enforcement action and per	derstand that it is a viola with the terms of PR No	ation of 18 U.S. otice 98-10 and	.C. Sec. 1001 to w 1 40CFR 152.46, th	illfully make any false nis product may be in	statement to EF	A. I furth	er understand that if this	
1. Material This Product W	ill Be Packaged In:						· · · · · · · · · · · · · · · · · · ·	
Child-Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Yes No If "Yes" Package wgt	No. per	2. Type of C	ontainer Metal Plastic Glass Paper Other (S	pecify)	
3. Location of Net Contents	Information Container	4. Size(s) Re	etail Container	5. L	ocation of Labe	l Directio	ns	
6. Manner in Which Label is	· · · · · · · · · · · · · · · · · · ·	Litho Paper Stend	graph r glued ciled	Other	·			
			Section -	IV				
1. Contact Point (Complete	items directly below t	for identification	on of individual to	be contacted, if ne	cessary, to prod	ess this	application.)	
Name S. K. Theodorakis		Title Product Registrations Manager		1	Telephone No. (Include Area Code) 302-366-5965			
	ements I have made on ny knowlinglly false or Iaw.		all attachments				6. Date Application Received (Stamped)	
2. Signature	ludirahis		3. Title Product Registra	ations Manager				
4. Typed Name S. K. Theodorakis	,		5. Date 9 -	18-08				



DuPont Crop Protection Stine-Haskell Research Center P.O. Box 30 Newark, DE 19714-0030

Sent FedX and Electronic Mail

September 18, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard, Room S-4900, 4th Floor
2777 S. Crystal Drive
Arlington, VA 22202

Attn: John Hebert, PM Team 7

RE: DuPont™ Provaunt™ 30WDG Insecticide (primary name)
DuPont™ Provaunt™ Insecticide (alternate name)
EPA Reg. No. 352-716
Labeling Notification Updated Container Disposal Instructions
Per EPA PR Notice 2007-4

Dear Mr. Hebert:

E.I. du Pont de Nemours and Company (DuPont) had submitted an application dated 3-20-08 concerning the above reference DuPont end-use product using the Notification option to:

- 1. Revise existing use directions for the turf insect pest Annual Bluegrass Weevil
- 2. Revise the container disposal instructions to comply with PR Notice 2007-4 for a dry formulation that is packaged in rigid plastic containers
- 3. Correct the DuPont Warranty and Liability section.

Consequently, we received a formal approval of this Notification from Ms. Linda Arrington dated April 18, 2008 (see attached copy). We are now submitting a revised label for our Provaunt 30WDG Insecticide master label that contains expanded Container Disposal directions that are in compliance with PR Notice 2007-4.

Enclosed are the following documents to support this Notification:

- EPA Registration Application form 8570-1
- Three (3) copies of the revised DuPont Provaunt 30WDG Insecticide master label
- Notification statement

If you have any questions concerning this Notification, please contact me at 302-366-5965 or at tim.k.Theodorakis@usa.dupont.com.

Respectfully submitted, L. L. Lesdouhi

S. K. Theodorakis

Registration Product Manager, Professional Products

(Label code D-1327MSTR 081408)



DuPont Crop Protection Stine-Haskell Research Center P.O. Box 30 Newark, DE 19714-0030

RE: DuPont™ Provaunt™ 30WDG Insecticide (primary name)

DuPont™ Provaunt™ Insecticide (alt. name)

EPA Reg. No. 352-716 Labeling Notification for:

Revised Container Disposal (PR Notice 2007-4)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

S. K. Theodorakis

Registration Product Manager DuPont Professional Products

Date

DuPont™ Provaunt™ 30WDG

INSECTICIDE

INSECTICIDE

100.0%

Professional Products

A water dispersible granular insecticide for the control of lepidopterous larvae (including armyworms, cutworms, sod webworms, bagworms, fall webworms, gypsy moth caterpillars, tent caterpillars, tussock moth caterpillars and yellownecked caterpillars) and certain other pests infesting landscape and recreational (including golf courses) turfgrass and landscape ornamentals. Active Ingredient By Weight Indoxacarb* (S)-methyl 7-chloro-2,5-dihydro-2-[[(methoxycarbonyl)[4(trifluoromethoxy)phenyl]amino]carbonyl]indeno[1,2-e][1,3,4]oxadiazine-4a-(3H)-carboxylate 30.0% Other ingredients 70.0%

*Indoxacarb belongs to the oxadiazine chemical class. EPA Reg. No. 352-716 EPA Est. No. _____

EPA Reg. No. 352-716
Net Contents:

TOTAL

GROUP

E. I. du Pont de Nemours and Company

1007 Market Street

Wilmington, Delaware 19898

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or a doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-441-3637 for emergency medical treatment information.

For information on the use of this product call DuPont Professional Products at 1-888-6-DUPONT (1-888-638-7668).

CAUTION

NOTIFICATION

NOV 7 2008



The miracles of science

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution!: Harmful if swallowed. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Harmful if inhaled. Avoid breathing (dust, vapor or spray mist). Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for Category A on the EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- Chemical Resistant Gloves Category A (such as butyl rubber, natural rubber, neoprene rubber or nitrile

rubber), all > 14 mls.

· Shoes plus socks

After the product has been diluted in accordance with label directions for use, shirt, pants, socks, shoes and waterproof gloves are sufficient Personal Protective Equipment. Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

USER SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment rinsewater. Do not apply where/when conditions could favor runoff. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Not for use on plants being grown for sale or other commercial use, or for commercial seed production.
- Do not formulate this product into other end-use products without written permission of DuPont Professional Products
- Do not apply this product through any type of irrigation system.
- Do not apply this product in commercial nurseries and greenhouses or on sod farms.
- Do not apply more than 24 ounces (equivalent to 0.45 lb of active ingredient) of product per acre per season in broadcast applications to turfgrass.
- Wait a minimum of 7 days to retreat.
- Keep people and pets away from treated areas until treatment has dried.

DuPontTM PROVAUNTTM 30 WDG insecticide should be used only in accordance with recommendations on this label or in separate DuPont supplemental labeling that may be made temporarily available through local distributors, as a result of new EPA approvals. DuPont will not be responsible for losses or damages resulting from the use of this product in any manner not specifically recommended by DuPont. User assumes all risks associated with such non-recommended use.

GENERAL INFORMATION

PROVAUNTTM 30 WDG insecticide is a water dispersible granular that may be applied as a foliar or broadcast spray to control lepidopterous larvae (such as armyworms, cutworms, sod webworms, bagworms, fall webworms, gypsy moth caterpillars, tent caterpillars, tussock moth caterpillars, vellownecked caterpillars) and certain other pests on landscape and recreational (including golf course) turfgrass and landscape ornamentals including trees, shrubs, foliage plants, flowers and non-bearing fruit and nut trees, which will not produce a raw agricultural commodity during the season of application. PROVAUNTTM 30 WDG insecticide may only be used on plants or turfgrasses that are being grown for aesthetic or recreational purposes or climatic modification in or around home lawns, residential dwellings, business and office complexes, shopping complexes, multi-family residential complexes, institutional buildings, airports, cemeteries, interior plantscapes, ornamental gardens, parks, playgrounds, schools, golf courses (tee box areas, roughs, fairways, greens, collars etc.), athletic fields and other landscaped areas. PROVAUNTTM 30 WDG insecticide is in GROUP 22 of the

EPA's Insecticide and Acaricide Groups Based on Target Site of Action (EPA PR Notice 2001-5) and may be used in rotational resistance management programs. PROVAUNTTM 30 WDG insecticide must be diluted with water before application.

INTEGRATED PEST MANAGEMENT (IPM) PROGRAMS

DuPontTM PROVAUNTTM 30 WDG insecticide is recommended for IPM programs on turf and landscape ornamentals because it does not directly impact natural arthropod predator and parasitoid populations including ladybird beetles, lacewings, minute pirate bugs and predatory mites. The feeding behavior of predatory beneficial arthropods will aid in extending natural control of other insect and mite pests and will reduce the possibility of secondary pest outbreaks. PROVAUNTTM 30 WDG insecticide will reduce the target pest species that may serve as a food source for beneficial arthropods. If PROVAUNTTM 30 WDG insecticide is tankmixed with an insect control product that negatively impacts beneficial arthropods, then the full benefit of PROVAUNTTM 30 WDG insecticide to the IPM program may not be realized.

APPLICATION TIMING

PROVAUNT™ 30 WDG insecticide applications should target eggs and small instar lepidopterous larvae. Use sufficient water to obtain thorough, uniform coverage. Repeat applications may be made after 7 days, if necessary.

APPLICATION EQUIPMENT PREPARATION

Application equipment must be clean and free of previous pesticide deposits before mixing PROVAUNTTM 30 WDG insecticide.

Mixing Directions:

- 1. Use clean, well maintained application equipment.
- 2. Fill sprayer tank 1/4 to 1/2 full of water.
- 3. Then add DuPontTM PROVAUNTTM 30 WDG insecticide directly to the sprayer tank.
- 5. Mix thoroughly to fully disperse the insecticide and continue agitation to keep the insecticide in suspension. Use mechanical or hydraulic agitation. Do not use air agitation.
- 6. The mixture should not be stored in the spray tank overnight.

Tank-mixtures:

PROVAUNTTM 30 WDG insecticide may be tank-mixed with other pesticides. When tank-mixing PROVAUNTTM 30 WDG insecticide with other pesticides, observe all precautions and limitationson each separate product label. No label application rates may be exceeded. PROVAUNTTM 30 WDG insecticide cannot be mixed with any product containing a label prohibition against such mixing. The physical compatibility of PROVAUNTTM 30 WDG insecticide may vary with different sources of pesticide products and local cultural practices. Any tank-mixture that has not been previously tested should be prepared on a small scale (pint or quart jar) using the proper proportions of pesticides and water to ensure the physical compatibility of the mixture.

Tank-mixing Sequence:

Add different formulation types in the sequence indicated below. Allow time for complete mixing and dispersion after the addition of each product.

- 1. Water soluble bags
- PROVAUNTTM 30 WDG and other water dispersible granules

- 3. Wettable powders
- 4. Water-based suspension concentrates
- Water soluble concentrates
- 6. Oil-based suspension concentrates
- 7. Emulsifiable concentrates
- 8. Adjuvants, surfactants, oils
- 9. Soluble fertilizers
- 10. Drift retardants

APPLICATION EQUIPMENT CLEANING

Prior to application, start with clean, well maintained application equipment. Immediately following application, thoroughly clean all application equipment to reduce the risk of forming hardened deposits that might become difficult to remove. Drain application equipment. Thoroughly rinse application equipment and flush hoses, boom and nozzles with clean water. Clean all other associated application equipment. Take all necessary safety precautions when cleaning equipment. Do not clean equipment near wells, water sources or desirable vegetation. Dispose of waste rinse water in accordance with local regulations.

RESISTANCE MANAGEMENT

Some insects are known to develop resistance to products used repeatedly for control. When this occurs, the recommended dosages fail to suppress the pest population below threshold levels. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. These strategies may include incorporation of cultural and biological control practices, alternation of active classes of insecticides on succeeding generations and targeting the most susceptible life stage. Consult your local DuPont Professional Products representative, Cooperative Extension Service specialist or pest control advisor for the latest information on resistance management in your area.

APPLICATION RATES FOR LAWNS, GOLF COURSES AND OTHER RECREATIONAL-TURFGRASS AREAS

To ensure optimum control of lepidopterous larvae, delay watering (irrigation) and mowing for 24 hours after application. If the grass area is being maintained at a mowing height of greater than 1 inch, then the higher application rate (4 ounces per acre) may be required during periods of high pest pressure. For maximum residual effectiveness, PROVAUNTTM 30 WDG insecticide may be applied at up to 12 ounces per acre (0.275 ounces per 1,000 square feet = 0.225 lb AI/A).

8/1

Target Pest	Product per Acre	Product per 1,000 Square Feet	lb AI/A
Caterpillars (including armyworms, cutworms and sod webworms)	2 to 4 Ounces	0.046 to 0.092 Ounces	0.0375 to 0.075
European Crane Fly Larvae	6 to 12 Ounces	0.138 to 0.275 Ounces	0.1125 to 0.225
Grasshoppers Mole Crickets Annual Bluegras Weevil Larvae (Curative)	12 Ounces	0.275 Ounces	0.225

	Product per	Product per 1,000 Square	lb AI/A	
Target Pest	Acre	Feet		
Annual Bluegra	SS			
Weevil Adults			٠.	
(Preventative)	12 Ounces	0.275 Ounces	0.225	
Approximately	three weeks a	fter the Preventat	ive	
treatment (abo	ve) apply the C	Curative treatmen	t (below):	
Annual Bluegra	SS			
Weevil Larvae				
· · · · · · · · · · · · · · · · · · ·				

APPLICATION RATES FOR ORNAMENTAL PLANTS (EXTERIOR LANDSCAPES AND INTERIOR PLANTSCAPES)

Apply the desired application rate of DuPontTM PROVAUNTTM 30 WDG insecticide as a full coverage foliar spray. Repeat treatment as necessary to achieve control using higher application rates as pest pressure and foliage area increases. Repeat applications must be limited to no more than once per seven days. Certain plant species or cultivars may be sensitive to the final spray solution. If local experience is not available, then a small number of plants should be treated and observed for phytotoxicity for at least one week before making application to the entire planting.

Target Pests	Product per 100 Gallons	lb AI per 100 Gallon	s PPM	Percent AI
Leaf-feeding caterpillars (such as	1.25 to 2.5 Ounces	0.023 to 0.046	28.1 to 56.2	0.0028 to 0.0056
bagworms, gypsy moth caterpillars, tent caterpillars	Cunices	0.040	50.2	
[including easter tent caterpillar], tussock moth	n			
caterpillars [including whitemarked tussock moth],			•	
webworms [including fall webworm] and yellownecked caterpillars)	·			
European pine sawfly	2.5 to 5.0 Ounces	0.046 to 0.092	56.2 to 112.4	0.0056 to 0.01124
Potato leafhopper	5.0 Ounces	0.092	112.4	0.01124

APPLICATION DILUTION CHART

Application Volume (Gallons per 1,000	Application Rate (Ounces	Application Rate (Ounces per 1,000	Application Rate (lb A.I.	Ounces of DuPont™ PROVAUNT™ 30 WDG diluted to these volumes of finished spray			
Square Feet)	per Acre)	Square Feet)	per Acre)	1 gallon	5 gallons	10 gallons	100 gallons
1 1 1 1 1	1 2 3 4 6	0.023 0.046 0.069 0.092 0.138	0.01875 0.0375 0.05625 0.075 0.1125	0.023 0.046 0.069 0.092 0.138	0.115 0.23 0.345 0.46 0.69	0.23 0.46 0.69 0.92 1.38	2.3 4.6 6.9 9.2 13.8
1 1 2 2 2 2 2 2 2 2 2	8 12 1 2 3 4 6 8	0.184 0.275 0.023 0.046 0.069 0.092 0.138 0.184	0.15 0.225 0.01875 0.0375 0.05625 0.075 0.1125 0.15	0.184 0.275 0.012 0.023 0.035 0.046 0.069 0.092	0.92 1.38 0.058 0.115 0.173 0.23 0.345 0.46	1.84 2.76 0.115 0.23 0.345 0.46 0.69 0.92	18.4 27.6 1.15 2.3 3.45 4.6 6.9 9.2
2 3 3 3 3 3 3 3	12 1 2 3 4 6 8 12	0.275 0.023 0.046 0.069 0.092 0.138 0.184 0.275	0.225 0.01875 0.0375 0.05625 0.075 0.1125 0.15 0.225	0.138 0.008 0.015 0.023 0.031 0.046 0.062 0.092	0.69 0.039 0.077 0.116 0.154 0.231 0.308 0.462	1.38 0.007 0.154 0.231 0.308 0.462 0.616 0.924	13.8 0.77 1.54 2.31 3.08 4.62 6.16 9.24
4 4 4 4 4 4	! 2 3 4 6 8 12	0.023 0.046 0.069 0.092 0.138 0.184 0.275	0.01875 0.0375 0.05625 0.075 0.1125 0.15 0.225	0.006 0.012 0.017 0.023 0.035 0.116 0.070	0.029 0.058 0.087 0.116 0.174 0.232 0.348	0.058 0.116 0.174 0.232 0.348 0.464 0.696	0.58 1.16 1.74 2.32 3.48 4.64 6.96
5 5 5 5 5 5	1 2 3 4 6 8 12	0.023 0.046 0.069 0.092 0.138 0.184 0.275	0.01875 0.0375 0.05625 0.075 0.1125 0.15 0.225	0.005 0.009 0.014 0.018 0.028 0.037 0.055	0.023 0.046 0.069 0.092 0.138 0.184 0.276	0.046 0.092 0.138 0.184 0.276 0.368 0.552	0.46 0.92 1.38 1.84 2.76 3.68 5.52
10 10 10 10 10 10 10	1 2 3 4 6 8 12	0.023 0.046 0.069 0.092 0.138 0.184 0.275	0.01875 0.0375 0.05625 0.075 0.1125 0.15 0.225	0.002 0.005 0.007 0.009 0.014 0.018 0.028	0.012 0.023 0.035 0.046 0.069 0.092 0.138	0.023 0.046 0.069 0.092 0.138 0.184 0.276	0.23 0.46 0.69 0.92 1.38 1.841 2.76

<sup>To convert from ounces to grams, multiply by 28.35.
1 ounce = 28.35 grams.
Do not use household utensils to measure PROVAUNT™ 30 WDG insecticide</sup>

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage and disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER HANDLING:

Nonrefillable Plastic Containers (Capacity Equal to or Less Than 50 Pounds): Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Plastic Containers (Capacity Greater Than 50 Pounds): Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning: If burned, stay out of

NOTICE TO BUYER— Purchase of this material does not confer any rights under patents of countries outside of the United States.

The DuPont Oval Logo, DuPont™ and PROVAUNT™ are trademarks of E.I. duPont de Nemours and Company.

D-1357MSTR 110608

1/1

LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read This Limitation of Warranty and Liability Before Buying or Using This Product. If the Terms Are Not Acceptable, Return the Product at Once, Unopened, and the Purchase Price Will Be Refunded. It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as weather conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of DuPont or Seller. These risks can cause: ineffectiveness of the product or other unintended consequences. WHEN YOU BUY OR USE THIS PRODUCT, YOU AGREE TO ACCEPT THESE RISKS.

DuPont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, DUPONT MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL DUPONT OR SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF DUPONT OR SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHER LEGAL THEORY) RESULTING FROM THE STORAGE, USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT, OR AT THE ELECTION OF DUPONT OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law, DuPont or its distributor must have prompt notice of any claim so that an immediate investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify DuPont or a DuPont distributor of any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy. This Limitation of Warranty and Liability may not be amended by any oral or written agreement.

For product information call: 1-888-6-DUPONT (1-888-638-7668)
Internet address: http://www.proproducts.dupont.com/
© 2006-2008 E.I. du Pont de Nemours and Company, Wilmington, Delaware 19898
All rights reserved.