5/5/2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

May 5, 2010

Tamika N. Davis-Cannon DuPont Crop Protection Stine-Haskell Research Center P.O. Box 30 Newark, DE 19714-0030

Dear Ms. Davis-Cannon:

Subject:

Label Notification per Pesticide Registration Notice 98-10

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10, dated April 21, 2010, for the product "DuPontTM Provaunt® 30 WDG Insecticide," EPA Registration Number 352-716.

The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10, and finds that the requested label changes fall within the scope of PRN 98-10. The information submitted with the application has been stamped "Notification" and will be placed in our records. If you have any questions, please contact me directly at 703-308-8735 or email me at chao.julie@epa.gov.

Sincerely,

Julie A. Chao

Insecticide-Rodenticide Branch

Registration Division (7505P)

Please read instructions on I	reverse before com	form.		Form Appr	000 B No.	2070-006	O. Approval expires 2-28-95		
\$EPA	Environmental	Inited States I Protection Ington, DC 20			Registra Amenda ✓ Other		OPP Identifier Number		
		Application	on for Pesti	cide - Secti	on I				
1. Company/Product Number 352-716	r		1	A Product Mana ble Davis	ger	3. Pro	oposed Classification		
4. Company/Product (Name) DuPont Provaunt 30WI			PM# 7						
5. Name and Address of App DuPont Crop Protection Stine-Haskell Research Cer P.O. Box 30 Newark, DE 19714-0030 Check if this		de)	(b)(i), to: EPA	=	similar or ident		FIFRA Section 3(c)(3) imposition and labeling		
			Section						
Amendment - Explain Resubmission in resp. Notification - Explain	onse to Agency letter	dated		Final printed Agency lette "Me Too" Ap			IFICATION Y - 5 2010		
Explanation: Use addition Added astericks to pest not a 98-10 and EPA regulations at U.S.C. Sec. 1001 to willfully r and 40CFR 152.46, this prod	pproved in California ar t 40 CFR 152.46, and n nake any false stateme	nd updated cor no other change ent to EPA. I fur	mpanies mailing ar les have been mad irther understand th I may be subject to	ddress. This notifi le to the labeling o nat if this notificati o enforcement act	of this product. I un on is not consister	nderstand that nt with the t	hat it is a violation of 18 terms of PR Notice 98-10		
			Section -	· [[]					
1. Material This Product Will	т						***		
Child-Resistant Packaging	Unit Packaging					f Container Metal			
Yes	Yes			Yes			Plastic Plastic		
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt				Glass Paper Other (Specify)		
3. Location of Net Contents I	nformation	4. Size(s) Re	tail Container		5. Location of Lat	pel Directio	ons		
Label Co	ontainer								
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stenc	graph r glued ciled	Other		٠ , , , , , ,	(((
			Section -	IV		, ,	` (
1. Contact Point (Complete	items directly below for	or identificatio	on of individual to	be contacted, if	necessary, to pr	ocess dij	application.)		
Name Tamika N. Davis-Cannon			Title Product Registrations Coordinator		Telephone No. (Include Arca Code) 302-366-6074				
I certify that the staten I acknowledge that any both under applicable I	y knowlinglly false or i		d all attachments				6. Date Application Received (Stampod)		
2. Signature A Mula N- Navis - Com			3. Title Product Registra	Title roduct Registrations Coordinator					
4. Typed Name			5. Date						
Tamika N. Davis-Cannon			4-21-2010						





DuPont Crop Protection Stine-Haskell Research Center P.O. Box 30 Newark, DE 19714-0030

Sent FedEx

April 21, 2010

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency One Potomac Yard, Room S-4900, 4th Floor 2777 S. Crystal Drive Arlington, VA 22202

NOTIFICATION

MAY - 5 2010

Attn: PM Team 7

RE: DuPont™ Provaunt® 30WDG Insecticide (primary name)

DuPont™ Provaunt® Insecticide (alternate name)

EPA Reg. No. 352-716

Add asterisks to pests that are not approved in California

Dear PM team 7:

E.I. du Pont de Nemours and Company (DuPont) hereby submits registration application using the Notification option to make the following change to the above reference DuPont product containing the active ingredient indoxacarb:

- On Page 4 added asterisks to pest not approved for use in California
- On Page 7 added the companies approved mailing address "1007 Market Street"

Enclosed are the following documents to support this Notification:

- EPA Registration Application form 8570-1
- Three (3) copies of the revised DuPont™ Provaunt® 30WDG Insecticide Master Label
- Notification statement

If you have any questions concerning this Notification, please contact me at 302-366-6074 or at tamika.n.davis-cannon@usa.dupont.com.

Sincerely.

Tamika N. Davis-Cannon

Registration Product Manager, Professional Products

anya M. Davis Com

(Label code SL-1357-2MSTR(042110 11-07-08)





DuPont Crop Protection Stine-Haskell Research Center P.O. Box 30 Newark, DE 19714-0030

NOTIFICATION: April 21, 2010

RE: DuPont™ Provaunt™ 30WDG Insecticide (primary name)

DuPont™ Provaunt™ Insecticide (alternate name)

EPA Reg. No. 352-716

Added Asterisks to pest not approved for use in California PRN 98-10

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Tamika N. Davis-Cannon

Product Registrations Coordinator
DuPont Professional Products

4/21/2010

Date

DuPont™ Provaunt® 30 WDG

INSECTICIDE

Professional Products

GROUP 22 INSECTICIDE

A water dispersible granular insecticide for the control of lepidopterous larvae (including armyworms, cutworms, sod webworms, bagworms, fall webworms, gypsy moth caterpillars, tent caterpillars, tussock moth caterpillars and yellownecked caterpillars) and certain other pests infesting landscape and recreational (including golf courses) turfgrass and landscape ornamentals.

Active Ingredient	<u> </u>	By Weight
Indoxacarb*		
(S)-methyl 7-chloro-2,5-dih	ydro-2-[[(methoxy-	
carbonyl)[4(trifluoromethox	y)phenyl]amino]-	
carbonyl]indeno[1,2-e][1,3,4	4]oxadiazine-4a-	
(3H)-carboxylate		30.0%
Other ingredients		70.0%
TOTAL		100.0%
*Indoxacarb belongs to the ox	adiazine chemical c	lass.
EPA Reg. No. 352-716	EPA Est. No	
Net Contents:	_	
E. I. du Pont de Nemours and	Company	
1007 Market Street		
Wilmington, Delaware 19898		

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or a doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.


IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-441-3637 for emergency medical treatment information.

For information on the use of this product call DuPonto Professional Products at 1-888-6-DEPONTO (1-888-638-7668).

NOTIFICATION

MAY - 5 2010





The miracles of science

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution!: Harmful if swallowed. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Harmful if inhaled. Avoid breathing (dust, vapor or spray mist). Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for Category A on the EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- Chemical Resistant Gloves Category A (such as butyl rubber, natural rubber, neoprene rubber or nitrile rubber), all > 14 mls.
- · Shoes plus socks

After the product has been diluted in accordance with label directions for use, shirt, pants, socks, shoes and waterproof gloves are sufficient Personal Protective Equipment. Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

USER SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment rinsewater. Do not apply where/when conditions could favor runoff. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Not for use on plants being grown for sale or other commercial use, or for commercial seed production.
- Do not formulate this product into other end-use products without written permission of DuPont Professional Products
- Do not apply this product through any type of irrigation system.
- Do not apply this product in commercial nurseries and greenhouses or on sod farms.
- Do not apply more than 24 ounces (equivalent to 0.45 lb of active ingredient) of product per acre per season in broadcast applications to turfgrass.
- Wait a minimum of 7 days to retreat.
- Keep people and pets away from treated areas until treatment has dried.

DuPont™ PROVAUNT® 30 WDG insecticide should be used only in accordance with recommendations on this label or in separate DuPont supplemental labeling that may be made temporarily available through local distributors, as a result of new EPA approvals. DuPont will not be responsible for losses or damages resulting from the use of this product in any manner not specifically recommended by DuPont. User assumes all risks associated with such non-recommended use.

GENERAL INFORMATION

PROVAUNT® 30 WDG insecticide is a water dispersible granular that may be applied as a foliar or broadcast spray to control lepidopterous larvae (such as armyworms, cutworms, sod webworms, bagworms, fall webworms, gypsy moth caterpillars, tent caterpillars, tussock moth caterpillars, yellownecked caterpillars) and certain other pests on landscape and recreational (including golf course) turfgrass and landscape ornamentals including trees, shrubs, foliage plants, flowers and non-bearing fruit and nut trees, which will not produce a raw agricultural commodity during the season of application. PROVAUNT® 30 WDG insecticide may only be used on plants or turfgrasses that are being grown for aesthetic or recreational purposes or climatic modification in or around home lawns, residential dwellings, business and office complexes, shopping complexes, multi-family residential complexes, institutional buildings, airports, cemeteries, interior plantscapes, ornamental gardens, parks, playgrounds, schools, golf courses (tee box areas, roughs, fairways, greens, collars etc.), athletic fields and other landscaped areas. PROVAUNT® 30 WDG insecticide is in GROUP 22 of the EPA's Insecticide and Acaricide Groups Based on Target Site of Action (EPA PR Notice 2001-5) and may be used in rotational resistance management programs. PROVAUNT® 30 WDG insecticide must be diluted with water before application.

٠ رو ر د

INTEGRATED PEST MANAGEMENT (IPM) PROGRAMS

DuPontTM PROVAUNT® 30 WDG insecticide is recommended for IPM programs on turf and landscape ornamentals because it does not directly impact natural arthropod predator and parasitoid populations including ladybird beetles, lacewings, minute pirate bugs and predatory mites. The feeding behavior of predatory beneficial arthropods will aid in extending natural control of other insect and mite pests and will reduce the possibility of secondary pest outbreaks. PROVAUNT® 30 WDG insecticide will reduce the target pest species that may serve as a food source for beneficial arthropods. If PROVAUNT® 30 WDG insecticide is tankmixed with an insect control product that negatively impacts beneficial arthropods, then the full benefit of PROVAUNT® 30 WDG insecticide to the IPM program may not be realized.

APPLICATION TIMING

PROVAUNT® 30 WDG insecticide applications should target lepidopterous larvae. Use sufficient water to obtain thorough, uniform coverage. Repeat applications may be made after 7 days, if necessary.

APPLICATION EQUIPMENT PREPARATION

Application equipment must be clean and free of previous pesticide deposits before mixing PROVAUNT® 30 WDG insecticide.

Mixing Directions:

- 1. Use clean, well maintained application equipment.
- 2. Fill sprayer tank 1/4 to 1/2 full of water.
- Then add DuPontTM PROVAUNT® 30 WDG insecticide directly to the sprayer tank.
- 5. Mix thoroughly to fully disperse the insecticide and continue agitation to keep the insecticide in suspension. Use mechanical or hydraulic agitation. Do not use air agitation.
- The mixture should not be stored in the spray tank overnight.

Tank-mixtures:

PROVAUNT® 30 WDG insecticide may be tank-mixed with other pesticides. When tank-mixing PROVAUNT® 30 WDG insecticide with other pesticides, observe all precautions and limitationson each separate product label. No label application rates may be exceeded. PROVAUNT® 30 WDG insecticide cannot be mixed with any product containing a label prohibition against such mixing. The physical compatibility of PROVAUNT® 30 WDG insecticide may vary with different sources of pesticide products and local cultural practices. Any tank-mixture that has not been previously tested should be prepared on a small scale (pint or quart jar) using the proper proportions of pesticides and water to ensure the physical compatibility of the mixture.

Tank-mixing Sequence:

Add different formulation types in the sequence indicated below. Allow time for complete mixing and dispersion after the addition of each product.

- 1. Water soluble bags
- PROVAUNT® 30 WDG and other water dispersible granules

- 3. Wettable powders
- 4. Water-based suspension concentrates
- 5. Water soluble concentrates
- 6. Oil-based suspension concentrates
- 7. Emulsifiable concentrates
- 8. Adjuvants, surfactants, oils
- 9. Soluble fertilizers
- 10. Drift retardants

APPLICATION EQUIPMENT CLEANING

Prior to application, start with clean, well maintained application equipment. Immediately following application, thoroughly clean all application equipment to reduce the risk of forming hardened deposits that might become difficult to remove. Drain application equipment. Thoroughly rinse application equipment and flush hoses, boom and nozzles with clean water. Clean all other associated application equipment. Take all necessary safety precautions when cleaning equipment. Do not clean equipment near wells, water sources or desirable vegetation. Dispose of waste rinse water in accordance with local regulations.

RESISTANCE MANAGEMENT

Some insects are known to develop resistance to products used repeatedly for control. When this occurs, the recommended dosages fail to suppress the pest population below threshold levels. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. These strategies may include incorporation of cultural and biological control practices, alternation of active classes of insecticides on succeeding generations and targeting the most susceptible life stage. Consult your local DuPont Professional Products representative, Cooperative Extension Service specialist or pest control advisor for the latest information on resistance management in your area.

APPLICATION RATES FOR LAWNS, GOLF COURSES AND OTHER RECREATIONAL-TURFGRASS AREAS

To ensure optimum control of lepidopterous larvae, delay watering (irrigation) and mowing for 24 hours after application. If the grass area is being maintained at a mowing height of greater than 1 inch, then the higher application rate (4 ounces per acre) may be required during periods of high pest pressure. For maximum residual effectiveness, PROVAUNT® 30 WDG insecticide may be applied at up to 12 ounces per acre (0.275 ounces per 1,000 square feet = 0.225 lb Al/A).

Target Pest	Product per Acre	Product per 1,000 Square Feet	lb AI/A
Caterpillars (including armyworms, cutworms and sod webworms)	2 to 4 Ounces	0.046 to 0.092 Ounces	0.0375 to 0.075
European Crane Fly Larvae	6 to 12 Ounces	0.138 to 0.275 Ounces	0.1125 to 0.225
Grasshoppers Mole Crickets* Annual Bluegras Weevil Larvae* (Curative)	12 Ounces	0.275 Ounces	0.225

	Product per	Product per 1,000 Square Feet		
Target Pest	Target Pest Acre		lb AI/A	
` ,		0.275 Ounces fter the Preventat	0.225 ive	
• • •	,	Curative treatment		
Annual Bluegra			- ()	
Weevil Larvae				

^{*}Not approved for use in California

APPLICATION RATES FOR ORNAMENTAL PLANTS (EXTERIOR LANDSCAPES AND INTERIOR PLANTSCAPES)

Apply the desired application rate of DuPontTM PROVAUNT® 30 WDG insecticide as a full coverage foliar spray. Repeat treatment as necessary to achieve control using higher application rates as pest pressure and foliage area increases. Repeat applications must be limited to no more than once per seven days. Certain plant species or cultivars may be sensitive to the final spray solution. If local experience is not available, then a small number of plants should be treated and observed for phytotoxicity for at least one week before making application to the entire planting.

Target Pests	Product per 100 Gallons	lb AI per 100 Gallon	s PPM	Percent AI		
Leaf-feeding caterpillars (such as bagworms, gypsy moth caterpillars, tent caterpillars, including easter tent caterpillars, tussock moth caterpillars [including whitemarked tussock moth], webworms [including fall webworm] and yellownecked caterpillars)	1.25 to	0.023	28.1	0.0028		
	2.5	to	to	to		
	Ounces	0.046	56.2	0.0056		
European pine sawfly	2.5 to	0.046	56.2	0.0056		
	5.0	to	to	to		
	Ounces	0.092	112.4	0.01124		
Potato leafhopper	5.0 Ounces	0.092	112.4	0.01124		





APPLICATION DILUTION CHART

Application Volume (Gallons per 1,000	Application Rate (Ounces	Application Rate (Ounces per 1,000	Application Rate (lb A.I.	Ounces of DuPont™ PROVAUNT® 30 WDG diluted to these volumes of finished spray			
Square Feet)	per Acre)	Square Feet)	per Acre)	1 gallon	5 gallons	10 gallons	100 gallons
1 1	1 2 3	0.023 0.046	0.01875 0.0375	0.023 0.046	0.115 0.23	0.23 0.46	2.3 4.6
1 1 1	4 6	0.069 0.092 0.138	0.05625 0.075 0.1125	0.069 0.092 0.138	0.345 0.46 0.69	0.69 0.92 1.38	6.9 9.2 13.8
1 1	8 12	0.184 0.275	0.15 0.225	0.184 0.275	0.92 1.38	1.84 2.76	18.4 27.6
2 2 2 2 2 2 2 2	1 2 3 4 6 8 12	0.023 0.046 0.069 0.092 0.138 0.184 0.275	0.01875 0.0375 0.05625 0.075 0.1125 0.15	0.012 0.023 0.035 0.046 0.069 0.092 0.138	0.058 0.115 0.173 0.23 0.345 0.46 0.69	0.115 0.23 0.345 0.46 0.69 0.92 1.38	1.15 2.3 3.45 4.6 6.9 9.2 13.8
2 3 3 3 3 3 3 3	1 2 3 4 6 8 12	0.023 0.046 0.069 0.092 0.138 0.184 0.275	0.01875 0.0375 0.05625 0.075 0.1125 0.15 0.225	0.008 0.015 0.023 0.031 0.046 0.062 0.092	0.039 0.077 0.116 0.154 0.231 0.308 0.462	0.007 0.154 0.231 0.308 0.462 0.616 0.924	0.77 1.54 2.31 3.08 4.62 6.16 9.24
4 4 4 4 4 4	1 2 3 4 6 8 12	0.023 0.046 0.069 0.092 0.138 0.184 0.275	0.01875 0.0375 0.05625 0.075 0.1125 0.15 0.225	0.006 0.012 0.017 0.023 0.035 0.116 0.070	0.029 0.058 0.087 0.116 0.174 0.232 0.348	0.058 0.116 0.174 0.232 0.348 0.464 0.696	0.58 1.16 1.74 2.32 3.48 4.64l 6.96
5 5 5 5 5 5 5	1 2 3 4 6 8 12	0.023 0.046 0.069 0.092 0.138 0.184 0.275	0.01875 0.0375 0.05625 0.075 0.1125 0.15 0.225	0.005 0.009 0.014 0.018 0.028 0.037 0.055	0.023 0.046 0.069 0.092 0.138 0.184 0.276	0.046 0.092 0.138 0.184 0.276 0.368 0.552	0.46 0.92 1.38 1.84 2.76 3.68 5.52
10 10 10 10 10 10 10	1 2 3 4 6 8 12	0.023 0.046 0.069 0.092 0.138 0.184 0.275	0.01875 0.0375 0.05625 0.075 0.1125 0.15 0.225	0.002 0.005 0.007 0.009 0.014 0.018	0.012 0.023 0.035 0.046 0.069 0.092 0.138	0.023 0.046 0.069 0.092 0.138 0.184 0.276	0.23 0.46 0.69 0.92 1.38 1.84 2.76



<sup>To convert from ounces to grams, multiply by 28.35.
1 ounce = 28.35 grams.
Do not use household utensils to measure PROVAUNT® 30 WDG insecticide</sup>

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage and disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER HANDLING:

Nonrefillable Plastic Containers (Capacity Equal to or Less Than 50 Pounds): Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke

Nonrefillable Plastic Containers (Capacity Greater Than 50 Pounds): Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Plastic Bags or Fiber Sacks including Flexible Intermediate Bulk Containers (FIBC) or Fiber Drums With Liners: Nonrefillable container. Do not reuse or refill this container. Completely empty plastic bag or fiber sack into manufacturing or application equipment by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment. Then offer for recycling, if available or dispose of empty plastic bag, fiber sack or fiber drum with liner in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE TO BUYER— Purchase of this material does not confer any rights under patents of countries outside of the United States.

The DuPont Oval Logo, DuPont™ and PROVAUNT® are trademarks or registered trademarks of E.I. duPont de Nemours and Company.

SL - 1357-2MSTR 042110 11-07-08



LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read This Limitation of Warranty and Liability Before Buying or Using This Product. If the Terms Are Not Acceptable, Return the Product at Once, Unopened, and the Purchase Price Will Be Refunded. It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as weather conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of DuPont or Seller. These risks can cause: ineffectiveness of the product or other unintended consequences.

WHEN YOU BUY OR USE THIS PRODUCT, YOU AGREE TO ACCEPT THESE RISKS.

DuPont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, DUPONT MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL DUPONT OR SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RÉSULTING FROM THE USE OR HANDLING OF THIS PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF DUPONT OR SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHER LEGAL THEORY) RESULTING FROM THE STORAGE, USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT, OR AT THE ELECTION OF DUPONT OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law, DuPont or its distributor must have prompt notice of any claim so that an immediate investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify DuPont or a DuPont distributor of any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy. This Limitation of Warranty and Liability may not be amended by any oral or written agreement.

