


PLEASE NOTE

This image contains more than one label approved for this product on this date.

352-723



09/05/2007

SUPPLEMENTAL LABELING

1/2

DuPont Crop Protection

DUPONT™ BREAKFREE™ ATZ LITE HERBICIDE WEED CONTROL IN SWEET CORN

RESTRICTED USE PESTICIDE
Due to Oncogenicity
 For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

DUPONT™ BREAKFREE™ ATZ LITE HERBICIDE

EPA Reg. No. 352-723

WEED CONTROL IN SWEET CORN

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of pesticide application.
- Read the label affixed to the container for BREAKFREE™ ATZ LITE herbicide before applying. Follow all applicable use directions and precautions on the EPA-registered label.
- Use of BREAKFREE™ ATZ LITE according to this supplemental labeling is subject to all restrictions and limitations imposed by the label affixed to the product container.

DIRECTIONS FOR USE

BREAKFREE™ ATZ LITE Applied Alone

Used alone, BREAKFREE™ ATZ LITE herbicide may be applied to sweet corn using rates recommended in the product label for BREAKFREE™ ATZ LITE and application methods and timing listed below.

Carriers and Spray Volume: Either water or liquid fertilizers such as solutions, slurries or suspensions may be used as liquid carriers. Refer to product label for BREAKFREE™ ATZ LITE for details.

Application Timing and Methods: For the optimum period of effective weed control during the time most critical to corn production, preplant applications of BREAKFREE™ ATZ LITE should occur as close as possible to planting. Preemergence applications should occur as close as possible to planting, but prior to weed emergence. Refer to product label for BREAKFREE™ ATZ LITE for details.

Note: Do not apply BREAKFREE™ ATZ LITE to sweet corn as an early postemergence application.

• **Early Preplant:** On medium and fine textured soils (see Table 1 in main label), BREAKFREE™ ATZ LITE may be applied up to 30 days prior to planting.

- **Preplant Incorporation:** BREAKFREE™ ATZ LITE and certain tank mixes may be mechanically incorporated in the top 2 inches of the soil with field cultivators, discs, or spring tooth harrows at any time within 14 days prior to planting.
- **Preemergence Surface:** BREAKFREE™ ATZ LITE and certain tank mixes may be applied to the soil surface as a broadcast or banded application.
- **Postplant-Preemergence:** BREAKFREE™ ATZ LITE may be applied immediately after planting but prior to corn emergence.
- **Banding Preemergence:** BREAKFREE™ ATZ LITE may be applied in a 10 to 14 inch band after corn planting but prior to corn emergence.

Sprinkler Irrigation: Do not apply BREAKFREE™ ATZ LITE by sprinkler irrigation. Use a sprinkler system only to incorporate BREAKFREE™ ATZ LITE after application. Refer to product label for BREAKFREE™ ATZ LITE for details.

Cultivation: Cultivation should be delayed as long as possible. If weeds develop, a shallow cultivation or rotary hoeing will generally result in improved weed control. Refer to product label for BREAKFREE™ ATZ LITE for details.

For product information call 1-888-6-DUPONT

© 2007 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, Delaware 19898

2/2

Soil Texture and Organic Matter: The use rate of BREAKFREE™ ATZ LITE is determined by a combination of two factors, soil texture and organic matter, which must be determined prior to application. Refer to Table 1 in main product label for soil texture classifications.

Use Rates for Conventional Tillage Systems: Refer to table 2 in main label for application rates and detailed information for conventional systems.

Use Rates for Reduced Tillage Systems: Refer to table 3 in main label for application rates and detailed information for reduced tillage systems.

Weeds Controlled: Refer to table 4 in main label for details.

BREAKFREE ATZ LITE Applied in Tank Mix Combination

Additional weeds may be controlled with tank mixes of BREAKFREE™ ATZ LITE and other products labeled for use on sweet corn. Tank mix combinations may be used in conventional, reduced, or no-till systems and may be applied using application methods and timing listed above unless otherwise specified in the tank mix product label. Refer to the product label for BREAKFREE™ ATZ LITE for details on carriers, mixing instructions and testing for compatibility of tank mixtures.


**IMPORTANT
BEFORE USING BREAKFREE™ ATZ LITE,
READ AND FOLLOW ALL APPLICABLE
DIRECTIONS, RESTRICTIONS AND PRECAUTIONS
ON THE EPA-REGISTERED LABEL.**

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.


DR-756 072407



NEXT

LABEL

352-723



09/05/2007 1/2

SUPPLEMENTAL LABELING

DuPont Crop Protection

**DUPONT™ BREAKFREE™ ATZ LITE HERBICIDE
ROTATIONAL CROP RESTRICTIONS AFTER FINAL APPLICATION**

RESTRICTED USE PESTICIDE
Due to Oncogenicity
 For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

DUPONT™ BREAKFREE™ ATZ LITE HERBICIDE

EPA Reg. No. 352-723

ROTATIONAL CROP RESTRICTIONS AFTER FINAL APPLICATION

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of pesticide application.
- Read the label affixed to the container for BREAKFREE™ ATZ LITE HERBICIDE before applying. Follow all applicable use directions and precautions on the EPA-registered label.
- Use of BREAKFREE™ ATZ LITE according to this supplemental labeling is subject to all restrictions and limitations imposed by the label affixed to the product container.

DIRECTIONS FOR USE

Refer to product label for General Use Precautions, Mixing and Application instructions.

Rotational Crop Restrictions

When tank mixing with other herbicides, follow the most restrictive crop rotation guidelines on the label of each product used.

The following rotational crops may be planted as indicated:

Crop	Interval
Corn (1)	Anytime - 0 Months After Application
Sorghum, Soybean (2)	Spring Following Application
Alfalfa, Barley, Dry beans (3), Lupin (4), Millet, pearl or proso, Oats, Pea (6), Potatoes, Rye, Sugar beets, Sunflower, Tobacco (7), Triticale, Wheat, Wild rice	15 Months After Application (5)

Numbers within parentheses (-) in the table refer to Specific Rotational Crop Requirements or crop descriptions below.

(1) If crop treated with BREAKFREE™ ATZ LITE is lost, corn may be replanted immediately. Do not make a second application of BREAKFREE™ ATZ LITE. Do not apply BREAKFREE™ ATZ LITE after June 10, unless only corn will be planted the following year.

(2) Due to the risk of atrazine carryover, injury to soybeans may occur the year following corn when planted in north central and northwest Iowa, south central and southwest Minnesota, northern Nebraska and southeast South Dakota on soils having a calcareous surface layer and relatively high pH.

(3) Dry beans includes: adzuki, kidney, lima, navy, pinto

(4) Lupin includes: grain, white, white sweet

(5) Approved rotation crops list does not include any species of succulent beans and peas.

(6) Pea includes: blackeyed, chick, cow, Crowder, field, pigeon, Southern

(7) Because of atrazine carryover, injury may occur to tobacco.

For product information call 1-888-6-DUPONT

© 2007 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, Delaware 19898

