



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:

352-813

Date of Issuance:

SEP 27 2010

Term of Issuance: **Conditional**

Name of Pesticide Product:

**DuPont DPX-MAT28 0.05G Turf
Herbicide + Fertilizer**

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

E.I. du Pont de Nemours and Company
 1007 Market Street
 Wilmington, DE 19898

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA provided that you:

1. Submit and/or cite all data required for registration review of your product when the Agency requires all registrants of similar products to submit data.
2. Submit the following product chemistry studies within **one (1) year** from the date of this notice:
 - a. Guideline 830.6317: Storage Stability
 - b. Guideline 830.6320: Corrosion Characteristics
3. Submit the required data as stated in items 2-4 on the technical chemical registrations for DuPont Aminocyclopyrachlor Technical (Reg. No. 352-782) and DuPont Aminocyclopyrachlor Methyl Technical (Reg. No. 352-783).
4. Make the following changes to the label:
 - a. Under Net Contents, correct the typo in the phrase "[Nonrefillable Container]".
 - b. Under AGRICULTURAL USE REQUIREMENTS, change the early entry PPE to "Coveralls, Chemical-resistant gloves made of any waterproof material, and Shoes plus socks."

Continued on Page 2

Signature of Approving Official:

Jim Tompkins
 Product Manager 25
 Herbicide Branch
 Registration Division (7505P)

Date:

SEP 27 2010

- c. Under PRODUCT INFORMATION, change the second paragraph to “DPX-MAT28 0.05G Turf Herbicide + Fertilizer is registered for use on turfgrasses that are being grown for aesthetic...”
- d. On page 3 under TURFGRASS APPLICATION, change the first sentence to “Apply DPX-MAT28 0.05G Turf Herbicide + Fertilizer to the following established turfgrass species:”

The basic confidential statement of formula (CSF) dated May 19, 2010 is acceptable.

A stamped copy of the label is enclosed for your records. Submit one (1) copy of the revised final printed label before you release the product for shipment. Products shipped after eighteen (18) months from the date of this notice or the next printing of the label, whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Enclosure.

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 27 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

352-813

DuPont™ DPX-MAT28 0.05G

TURF HERBICIDE + FERTILIZER

Professional Products

GROUP **4** HERBICIDE

INTENDED FOR USE BY COMMERCIAL APPLICATORS ONLY

DPX-MAT28 0.05G Turf Herbicide + Fertilizer provides selective broadleaf weed control in cool season and certain warm season turfgrasses on Lawns (Residential, Industrial and Institutional), Golf Courses, Parks, Cemeteries, Athletic Fields, and Sod Farms.

- Controls major broadleaf weeds including dandelion, clover, plantains, wild violet and ground ivy
- Controls many other important annual and perennial broadleaf weeds
- Low application rates
- Effective on wet and dry turfgrass

Active Ingredient	By Weight
aminocyclopyrachlor:	
6-amino-5-chloro-2-cyclopropyl-4-pyrimidinecarboxylic acid	0.05%
Other Ingredients	99.95%
TOTAL	100.00%

EPA Reg. No. 352-813 EPA Est. No. _____
 [Refillable Container]
 or
 [Nonrefillable Container]
 Net: _____

E.I. du Pont de Nemours and Company
 1007 Market Street
 Wilmington, Delaware 19898
 X-X-X

Guaranteed Analysis

Total Nitrogen (N)	XX.XX%
XX.XX% Ammoniacal Nitrogen	
XX.XX% Urea Nitrogen*	
XX.XX% Water Insoluble Nitrogen	
XX.XX% Water Soluble Controlled Release Nitrogen	
Available Phosphate (P2O5)	XX.XX%
Soluble Potash (K2O)	XX.XX%
Magnesium (Mg) total	XX.XX%
XX.XX% Water Soluble Magnesium	
Sulfur (S) total	XX.XX%
XX.XX% Free Sulfur (S)	
XX.XX% Combined Sulfur (S)	
Copper (Cu) total	XX.XX%
XX.XX% Soluble Copper	
Iron (Fe) total	XX.XX%
XX.XX% Soluble Iron	
Manganese (Mn) total	XX.XX%

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants.
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

When handlers use closed systems, or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

USERS SHOULD: Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

XX.XX% Water Soluble Manganese	
Zinc (Zn) total	XX.XX%
XX.XX% Soluble Zinc (Zn)	
Derived from: XXXX, XXXX, XXXX, ...	
Chlorine (Cl) Maximum	XX.XX%
*X.XX% Slowly available Nitrogen	



The miracles of science™

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-441-3637 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

Surface Water Advisory

This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water via runoff for several months after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of aminocyclopyrachlor from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Ground Water Advisory

Aminocyclopyrachlor has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and understand the entire label before using this product.

DuPont™ DPX-MAT28 0.05G Turf Herbicide + Fertilizer must be used only in accordance with directions on this label or in separate DuPont supplemental labeling that may be made temporarily available through local distributors, as a result of new EPA approvals. DuPont will not be responsible for losses or damages resulting from the use of this product in any manner not specifically stated on this label or other labels or bulletins published by DuPont. User assumes all risks associated with such non-specified use.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment, restricted-entry interval, and notification to workers (as applicable).

This product may be used on sod farms that are covered by the WPS.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides, 40 CFR part 170. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Professional applications to golf courses, residential, industrial and commercial lawns and sports fields are not within the scope of the Worker Protection Standard.

Do not allow other workers to enter the treated area while application is in progress. Keep pets and unprotected persons out of treated areas until dusts have settled.

PRODUCT INFORMATION

DPX-MAT28 0.05G Turf Herbicide + Fertilizer is registered for selective control of broadleaf weeds in cool season and certain warm season turfgrasses. DPX-MAT28 0.05G Turf Herbicide + Fertilizer provides preemergence and/or postemergence control of the broadleaf weeds listed on this label. Use postemergence applications when targeting perennial species.

DPX-MAT28 0.05G Turf Herbicide + Fertilizer may be used on turfgrasses that are being grown for aesthetic or recreational purposes or climatic modification in or around home lawns, residential dwellings, business and office complexes, shopping complexes, multi-family residential complexes, institutional buildings, airports, cemeteries, parks, playgrounds, schools, day-care facilities, golf

courses, athletic fields, other landscaped areas and sod farms.

DuPont™ DPX-MAT28 0.05G Turf Herbicide + Fertilizer is quickly taken up by the leaves and roots of weeds. DPX-MAT28 0.05G Turf Herbicide + Fertilizer has excellent soil activity. The effects of DPX-MAT28 0.05G Turf Herbicide + Fertilizer may be seen on weeds within a few days after application. The most noticeable symptom is a bending and twisting of stems and leaves. Other advanced symptoms include severe necrosis, stem thickening, growth stunting, leaf crinkling, calloused stems and leaf veins, leaf-cupping, and enlarged roots. Complete death of the weeds may require four to eight weeks.

This product can affect susceptible broadleaf plants indirectly by root uptake from treated soil. Do not apply this product directly to, or allow fertilizer granules to be spread under, ornamental groundcovers, foliage plants, flowers, nearby crops or other desirable plants; or to the soil where potentially sensitive plants will be planted during the same season. Do not exceed specified application rates for any area and particular care must be taken within the dripline of trees and shrubs.

Do not apply DPX-MAT28 0.05G Turf Herbicide + Fertilizer directly to water. DPX-MAT28 0.05G Turf Herbicide + Fertilizer is non-volatile.

Consult your local DuPont Professional Products representative, Cooperative Extension Service specialist or pest control advisor for regionally specific information regarding application timing.

TURFGRASS APPLICATION

Apply MAT8 0.05G Turf Herbicide to the following established turfgrass species:

Established Cool Season Turfgrasses

Common Name	Scientific Name
Bluegrass, Kentucky	<i>Poa pratensis</i>
Fescue, Chewing	<i>Festuca rubra commutata</i>
Fescue, Creeping Red	<i>Festuca rubra</i>
Fescue, Sheep	<i>Festuca ovina</i>
Fescue, Tall	<i>Festuca arundinaceae</i>
Ryegrass, Perennial	<i>Lolium perenne</i>

Established Warm Season Turfgrasses ^{2,3}

Common Name	Scientific Name
Bahiagrass ¹	<i>Paspalum notatum</i>
Centipedegrass ¹	<i>Eremochloa ophiuroides</i>
Zoysiagrass ¹	<i>Zoysia japonica</i>

¹ Do not apply to these turfgrass species unless potential turfgrass injury can be tolerated. When treating these turfgrass species, do not apply more than 150 pounds of DPX-MAT28 0.05G Turf Herbicide + Fertilizer per acre. To minimize the potential for turfgrass injury, a sequential treatment interval of 30 days should be used on these species. Avoid application swath overlaps.

² Do not treat warm season turfgrasses with DPX-MAT28 0.05G Turf Herbicide + Fertilizer when mowing height is less than 1/2 inch.

³ The use of DPX-MAT28 0.05G Turf Herbicide + Fertilizer in the spring when warm season turfgrass is breaking dormancy may delay green-up of the turfgrass.

Application to Turfgrass Species Not Listed On This Label

Users who wish to use DPX-MAT28 0.05G Turf Herbicide + Fertilizer on a turfgrass species that is not listed on this label may determine the suitability for such uses by treating a small area at a specified application rate. Prior to treatment of larger areas, the treated area should be observed for any signs of herbicidal injury during 30 days of normal growing conditions to determine if the treatment is safe to the target species. The user assumes the responsibility for any plant damage or other liability resulting from use of DPX-MAT28 0.05G Turf Herbicide + Fertilizer on a turfgrass species not listed on this label.

APPLICATION RATES FOR LAWNS, GOLF COURSES AND OTHER TURFGRASS AREAS

Apply 150-200 pounds of DPX-MAT28 0.05G Turf Herbicide + Fertilizer per acre. Use properly calibrated application equipment that will provide uniform coverage over the treated area.

Do not make more than three applications of DPX-MAT28 0.05G Turf Herbicide + Fertilizer per acre per year in broadcast applications to turfgrass. Do not apply more than 200 pounds of product (0.1 lb ai) per acre per application. Do not apply more than 600 pounds of product (0.3 lb ai) per acre per year.

Avoid overlapping application swaths, which could result in higher than directed application rates. Application rates above those directed on this label could result in turf injury.

Newly Seeded Turfgrass

DPX-MAT28 0.05G Turf Herbicide + Fertilizer is an effective herbicide for broadleaf weed control immediately prior to or after seeding of cool season turfgrasses (except bentgrass) during turf renovations. DPX-MAT28 0.05G Turf Herbicide + Fertilizer will control many broadleaf weeds that compete with and slow the establishment of cool season turfgrass stands. Apply 150-200 pounds of DPX-MAT28 0.05G Turf Herbicide + Fertilizer per acre. Apply at grass seedling for best performance. Apply DPX-MAT28 0.05G Turf Herbicide + Fertilizer to seedling cool season turfgrasses (except bentgrass) at any time after germination.

TURF APPLICATION RATES

Product Per Acre	Product per 1,000 Square Feet	lb AI/A
150 lb	3.44 lb	0.075 lb
155 lb	3.56 lb	0.077 lb
160 lb	3.67 lb	0.08 lb
165 lb	3.8 lb	0.082 lb
170 lb	3.9 lb	0.085 lb
175 lb	4 lb	0.087 lb
180 lb	4.13 lb	0.09 lb
185 lb	4.25 lb	0.092 lb
190 lb	4.36 lb	0.095 lb
195 lb	4.48 lb	0.097 lb
200 lb	4.59 lb	0.1 lb

WEEDS CONTROLLED

Target Weed	Scientific Name
Black Medic	<i>Medicago lupulina</i>
Bull Thistle	<i>Cirsium vulgare</i>
Canada Thistle	<i>Cirsium arvense</i>
Carolina Geranium	<i>Geranium carolinianum</i>
Chickweed, Common	<i>Stellaria media</i>
Cinquefoil	<i>Potentilla simplex</i>
Clover, Hop	<i>Trifolium aureum</i>
Clover, Small Hop	<i>Trifolium dubium</i>
Clover, White	<i>Trifolium repens</i>
Chamberbitter	<i>Phyllanthus urinaria</i>
Cudweed, Narrowleaf	<i>Gnaphalium falcatum</i>
Cudweed, Purple	<i>Gnaphalium purpureum</i>
Dandelion	<i>Taraxacum officinale</i>
Dandelion, Catsear	<i>Hypochoeris radicata</i>
Dichondra	<i>Dichondra sp.</i>
Dogfennel	<i>Eupatorium capillifolium</i>
Dollarweed	<i>Hydrocotyle spp.</i>
Facelis	<i>Facelis retusa</i>
Florida Betony	<i>Stachys floridana</i>
Ground Ivy	<i>Glechoma hederacea</i>
Henbit	<i>Lamium amplexicaule</i>
Lawn Burweed	<i>Soliva pterosperma</i>
Matchweed	<i>Phyla nodiflora</i>
Pennsylvania Smartweed	<i>Polygonum pennsylvanicum</i>
Plantain, Broadleaf	<i>Plantago major</i>
Plantain, Buckhorn	<i>Plantago lanceolata</i>
Poorjoe	<i>Diodia teres</i>
Purslane, Common	<i>Portulaca oleracea</i>
Violet, Wild	<i>Viola sp.</i>
Virginia Buttonweed	<i>Diodia virginiana</i>

[Spreader settings table to be inserted here]

APPLICATION EQUIPMENT

Apply DuPont™ DPX-MAT28 0.05G Turf Herbicide + Fertilizer with drop-type, rotary-type or hand-held application equipment. The application equipment should be properly calibrated according to the manufacturer's directions to ensure uniform coverage over the treated area. During application, the equipment should be checked periodically to confirm that it is working properly and that the granules are being uniformly distributed.

CLEANING APPLICATION EQUIPMENT

Thoroughly clean all application equipment after use to reduce the risk of forming hardened deposits that might become difficult to remove. Thoroughly rinse application equipment with clean water. Clean all other associated application equipment. Take all necessary safety precautions when cleaning equipment. Do not clean equipment near wells, water sources or desirable vegetation. Dispose of waste rinse water in accordance with local regulations.

RESISTANCE MANAGEMENT

When herbicides that affect the same physiological site of action are used repeatedly over several years to control the same weed species in the same location, naturally-occurring resistant biotypes may survive a properly applied herbicide treatment, propagate, and become predominant in that location. Adequate control of these resistant weed biotypes cannot be expected from herbicides that target the same site of action. If weed control is unsatisfactory, it may be necessary to retreat the problem area using a product that affects a different site of action. To manage herbicide resistance, it may be necessary to tank-mix this product and/or make sequential applications with herbicides that have a different site of action. Consult your local DuPont Professional Products representative, Cooperative Extension

Service specialist or pest control advisor for regionally specific information regarding herbicide resistance management.

INTEGRATED PEST MANAGEMENT

This product may be used as part of an Integrated Pest Management (IPM) program that can include biological, cultural, chemical and genetic practices aimed at preventing economic pest damage. IPM principles and practices include field scouting or other detection methods, correct target pest identification, population monitoring, and treating when target pest populations reach locally determined action thresholds. Consult your local DuPont Professional Products representative, Cooperative Extension Service specialist or pest control advisor to determine appropriate action threshold levels for specific weeds in your area.

RESTRICTIONS

- Do not formulate this product into other end-use products without written permission from DuPont Professional Products.
- Do not apply this product with aerial application equipment.
- Do not apply this product in commercial nurseries or greenhouses.
- Do not make more than three applications of DPX-MAT28 0.05G Turf Herbicide + Fertilizer per acre per year in broadcast applications to turfgrass. Do not apply more than 200 pounds of product (0.1 lb ai) per acre per application. Do not apply more than 600 pounds of product (0.3 lb ai) per acre per year.
- Wait a minimum of 30 days to retreat.
- Do not apply this product directly to, or allow fertilizer granules to be spread under, ornamental groundcovers, foliage plants, flowers, nearby crops or other desirable plants; or to the soil where potentially sensitive plants will be planted during the same season.
- Do not exceed specified application rates for any area and particular care must be taken within the dripline of trees and shrubs.
- Do not apply into any ornamental bed.
- Do not apply where irrigation water may flow onto susceptible turfgrass, ornamental plants or crops as injury may result.
- Do not use this product on golf course putting greens.
- Do not use grass clippings from treated areas for mulch or compost, or allow for collection to composting facilities. Grass clippings must either be left on the treated area, or if allowed by local yard waste regulations, disposed of in the trash. Applicators must give verbal or written notice to property owner/property manager/residents to not use grass clipping from treated turf for mulch or compost.
- Do not seed, sod, sprig or plug treated areas with warm season turfgrass until at least 60 days after application.
- Do not apply to irrigation ditches or water used for irrigation or domestic purposes.
- Do not graze or feed forage, hay, or straw from treated areas to livestock.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Do not subject to temperatures below 32 degrees F. Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Not for use or storage in or around the home.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Refer to the Net Contents section of this product's labeling for the applicable "Refillable Container" or "Nonrefillable Container" designation.

Nonrefillable Paper or Plastic Bags, Fiber Sacks including Flexible Intermediate Bulk Containers (FIBC) or Fiber Drums With Liners: Nonrefillable container. Do not reuse or refill this container.

Completely empty paper or plastic bag, fiber sack or drum liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment. Then offer for recycling if available or dispose of empty paper or plastic bag, fiber sack or fiber drum and liner in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances.

Refillable Fiber Drums With Liners: Refillable container (fiber drum only). Refilling Fiber Drum: Refill this fiber drum with DuPont™ DPX-MAT28 0.05G Turf Herbicide + Fertilizer containing aminocyclopyrachlor only. Do not reuse this fiber drum for any other purpose. Cleaning before refilling is the responsibility of the refiller. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment. Disposing of Fiber Drum and/or Liner: Do not reuse this fiber drum for any other purpose other than refilling (see preceding). Cleaning the container (liner and/or fiber drum) before final disposal is the responsibility of the person disposing of the container. Offer the liner for recycling if available or dispose of liner in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances. If drum is contaminated and cannot be reused, dispose of it in the manner required for its liner. To clean the fiber drum before final disposal, completely empty the fiber drum by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment. Then offer the fiber drum for recycling if available or dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances.

All Other Refillable Containers: Refillable container. Refilling Container: Refill this container with DPX-MAT28 0.05G Turf Herbicide + Fertilizer containing aminocyclopyrachlor only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller. Prior to refilling, inspect carefully for damage such as cracks, punctures, abrasions, worn out threads and closure devices. If damage is found, do not use the container, contact DuPont at the number below for instructions. Check for leaks after refilling and before transporting. If leaks are found, do not reuse or transport container, contact DuPont at the number below for instructions. Disposing of Container: Do not reuse this container for any other purpose other than refilling (see preceding). Cleaning the container before final disposal is the responsibility of the person disposing of the container. To clean the container before final disposal, use the following pressure rinsing procedure. Insert a lance fitted with a suitable tank cleaning nozzle into the container and ensure that the water spray thoroughly covers the top, bottom and all sides inside the container. The nozzle manufacturer generally provides instructions for the appropriate spray pressure, spray duration and/or spray volume. If the manufacturer's instructions are not available, pressure rinse the container for at least 60 seconds using a minimum pressure of 30 PSI with a minimum rinse volume of 10% of the container volume. Drain, pour or pump rinsate into application equipment or rinsate collection system. Repeat this pressure rinsing procedure two more times. Then, for Plastic Containers, offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances. For Metal Containers, offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not transport if this container is damaged or leaking. If the container is damaged, leaking or obsolete, or in the event of a major spill, fire or other emergency, contact DuPont at 1-800-441-3637, day or night.

NOTICE TO BUYER— Purchase of this material does not confer any rights under patents of countries outside of the United States. The DuPont Oval Logo and DuPont™ are trademarks of E. I. du Pont de Nemours and Company.

D - 1393 092210

LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read This Limitation of Warranty and Liability Before Buying or Using This Product. If the Terms Are Not Acceptable, Return the Product at Once, Unopened, and the Purchase Price Will Be Refunded.

It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as weather conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of DuPont or Seller. These risks can cause: ineffectiveness of the product or other unintended consequences. **WHEN YOU BUY OR USE THIS PRODUCT, YOU AGREE TO ACCEPT THESE RISKS.**

DuPont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, DUPONT MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL DUPONT OR SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF DUPONT OR SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHER LEGAL THEORY) RESULTING FROM THE STORAGE, USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT, OR AT THE ELECTION OF DUPONT OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law that allows such requirement, DuPont or its Distributor must have prompt notice of any claim so that an immediate investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify DuPont or a DuPont Distributor of any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy.

This Limitation of Warranty and Liability may not be amended by any oral or written agreement.

For product information call: 1-888-6-DUPONT (1-888-638-7668)

© 2010 E.I. DuPont de Nemours and Company, 1007 Market Street , Wilmington, Delaware 19898

All rights reserved.