

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

April 13, 2016

Edward Bockrath US Registration Specialist DuPont Crop Protection Stine-Haskell Research Center P.O. Box 30 Newark, DE 19714-0030

Subject: Amendment to Add a Supplemental Label – add bolt technology soybeans Product Name: DuPont Finesse Cereal and Fallow Herbicide EPA Registration Number: 352-827 Application Date: 4-1-16 Decision Number: 515924

Dear Mr. Bockrath:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval is only for a supplemental label that is an addendum to the master label. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

This supplemental labeling contains some new and/or revised uses and/or directions which may be additional to the uses and/or directions found on the label on or attached to the container, but this supplemental labeling does not by itself constitute the complete set of use directions. The complete set of use directions is set forth on the container label as combined with this supplemental labeling.

A stamped copy of your labeling is enclosed for your records. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Erik Kraft by phone at 703-308-9358, or via email at <u>kraft.erik@epa.gov</u>.

Page 2 of 2 EPA Reg. No. 352-827 Decision No. 515924

Sincerely,

Ein the for

Heather Garvie, Product Manager 24 Fungicide and Herbicide Branch Registration Division (7505P) Office of Pesticide Programs

Enclosure

DuPont Crop Protection 04/13/2016 Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 352-827

ACCEPTED

SUPPLEMENTAL LABELING

DUPONT[™] FINESSE® CEREAL AND FALLOW HERBICIDE

ROTATION INTERVAL TO SOYBEANS WITH BOLTTM TECHNOLOGY

DUPONTTM FINESSE® CEREAL AND FALLOW HERBICIDE

EPA REG. NO. 352-827

ROTATION INTERVAL TO SOYBEANS WITH BOLTTM TECHNOLOGY

This supplemental label expires on March 17, 2019 and must not be used or distributed after this date.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CROP ROTATION

Minimum Rotation Intervals

Minimum rotation intervals* are determined by the rate of breakdown of FINESSE® cereal and fallow applied. FINESSE® cereal and fallow breakdown in the soil is affected by soil pH, soil temperature, and soil moisture. Low soil pH, high soil temperature, and high soil moisture increase FINESSE® cereal and fallow breakdown in soil, while high soil pH, low soil temperature, and low soil moisture slow FINESSE® cereal and fallow breakdown.

Of these 3 factors, only soil pH remains relatively constant. Soil temperature, and to a greater extent, soil moisture, can vary

significantly from year to year and from area to area. For this reason, soil temperatures and soil moisture should be monitored regularly when considering crop rotations.

regularly when considering crop rotations.

*The minimum rotation interval represents the period of time from the last FINESSE® cereal and fallow application to the anticipated date of the next planting.

Soil pH Limitations

FINESSE® cereal and fallow should not be used on fields having a pH above 7.9, as extended soil residual activity could extend crop rotation intervals beyond those specified in the rotation table, and under certain conditions, could injure wheat or barley. In addition, other crops planted in high-pH soils can be extremely sensitive to low concentrations of FINESSE® cereal and fallow. FINESSE® cereal and fallow should not be used on soils with a pH below 5.0, as additional crop stress from low pH and aluminum toxicity may result in crop injury.

Checking Soil pH

Before using FINESSE® cereal and fallow, determine the soil pH of the field. To obtain a representative pH value take several samples from different areas of the field between 0" and 4" deep and analyze them separately. Consult local

extension publications for additional information on recommended soil sampling procedures.

ROTATION INTERVALS FOR NON CEREAL CROPS IN NON-IRRIGATED LAND FOLLOWING USE OF FINESSE® CEREAL AND FALLOW HERBICIDE

States	Сгор	Soil pH	Application Rate (oz/A)	Minimum Rotation Interval (months)
Colorado (E. of Continental Divide)	BOLT [™] technology soybeans*	7.9 or lower	2/10 to 5/10	4
Kansas Nebraska Oklahoma Texas				

* Under certain conditions (such as drought, prolonged cold weather, pH variability in the fields) temporary discoloration and/or crop injury may occur to BOLTTM technology soybeans planted after DuPontTM FINESSE® applications.

© 2016 E. I. du Pont de Nemours and Company, Chestnut Run Plaza, 974 Centre Road, Wilmington, Delaware 19805

ROTATION INTERVALS FOR NON CEREAL CROPS -- IRRIGATED AND NON-IRRIGATED LAND

States	Сгор	Soil pH	Application Rate (oz/A)	Minimum Rotation Interval* (months)
Alabama	BOLT [™] technology	7.9 or lower	2/10 to 5/10	4
Arkansas	soybeans†			
Delaware				
Georgia				
Illinois				
Indiana				
Kentucky				
Louisiana				
Maryland				
Mississippi				
Missouri				
North Carolina				
New Jersey				
Ohio				
Pennsylvania				
South Carolina				
Tennessee				
Virginia				
West Virginia				

* Rotation intervals are based on normal precipitation/irrigation amounts. If in a water deficit such as a drought, extend rotation intervals until cumulative rainfall/irrigation reaches the normal range. These intervals do not apply to crops grown for seed.

[†] Under certain conditions (such as drought, prolonged cold weather, pH variability in fields), temporary discoloration and/or crop injury may occur to BOLTTM technology soybeans planted after FINESSE® cereal and fallow applications.

Unless indicated, trademarks with ®, TM or SM are trademarks of DuPont, Pioneer or affiliates. © 2016 DuPont

IMPORTANT BEFORE USING FINESSE® CEREAL AND FALLOW HERBICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Derived from SL-1992 031716 03-17-16

© 2016 E. I. du Pont de Nemours and Company, Chestnut Run Plaza, 974 Centre Road, Wilmington, Delaware 19805