

352-830

12/16/2009

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505C)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

352-830

Date of Issuance:

DEC 16 2009

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

DuPont™ Indoxacarb Cockroach Gel

Name and Address of Registrant (include ZIP Code):

DuPont Crop Protection  
Stine-Haskell Research Center  
P.O. Box 30  
Newark, DE 19714-0030

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5), provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Continued on page 2

Signature of Approving Official:

*John Hebert*  
John Hebert, Product Manager 07

Insecticide-Rodenticide Branch, Registration Division (7505P)

Date:

DEC 16 2009

3. Make the following label changes before you release the product for shipment:
  - a. Revise the EPA Reg. No. so it reads, "EPA Reg. No. 352-830."
  
4. For future submissions, make the following changes to your Confidential Statement of Formulation (EPA Form 8570-4):
  - a. Box 4: Revise the EPA Reg. No. so it reads, "EPA Reg. No. 352-830."

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label or durably marked on the container itself. (This information can be added by non-notification/PR Notice 98-10).

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any questions, please contact Julie Chao at 703-308-8735 or [chao.julie@epa.gov](mailto:chao.julie@epa.gov).

John Hebert, Product Manager 07  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

Enclosure

3/5

H-

# DuPont™ Indoxacarb

## COCKROACH GEL

Ready-To-Use Gel Formulation

<i>Active Ingredient</i>	<i>By Weight</i>
Indoxacarb (CASN 173584-44-6)	0.3%
<i>Other ingredients</i>	99.7%
TOTAL	100.0%

EPA Reg. No. 352-XXX  
EPA Est. No. XXX-XXX

**Nonrefillable Container**

**Net Contents:**

Total Weight: xx oz/xx g (xx oz/xx g per dispenser)

E. I. du Pont de Nemours and Company

1007 Market Street

Wilmington, Delaware 19898

**ACCEPTED  
With COMMENTS  
In EPA Letter Dated:**

**DEC 16 2009**

**Under the Federal Insecticide, Fungicide  
and Rodenticide Act, As amended, for the  
pesticide Registered under EPA Reg. No:**

**352-830**

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

**DO NOT TREAT AREAS THAT ARE  
EASILY ACCESSIBLE TO CHILDREN  
AND PETS**

Refer to back/side panels for additional precautionary statements and First Aid

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

#### PHYSICAL AND CHEMICAL HAZARDS

Do not use this product in or on electrical equipment where a possibility of shock hazard exists.



*The miracles of science™*

### [OPTIONAL MARKETING STATEMENTS]

1. [For Hard to Reach Places]
2. [For Hard to Reach Places Such as Cracks and Crevices]
3. [Starts Working in Hours]
4. [The Gel Attracts Roaches in Search of Food and Water]
5. [Ready To Use]
6. [Convenient Syringe Applicator]
7. [Convenient Applicator]
8. [Precision Syringe Applicator]
9. [Precision Applicator]
10. [Gets Bait where (cock)roaches live]
11. [Makes Multiple Bait Placements Quick and Easy]
12. [Makes Baiting Quick and Easy]
13. [Easy Way to Apply Bait]
14. [Easy to Apply Multiple Bait Placements]
15. [Formulated Specifically for (Cock)Roaches]
16. [Quickly (Readily) Consumed by (Cock)Roaches]
17. Use Indoors and Outdoors
18. Can be Used Indoors and Outdoors
19. Kills Roaches Indoors or Outdoors

### READ THE LABEL FIRST!

### PRODUCT FACTS

Kills	Cockroaches (including German and Americans)
Where to use	In and around homes and other buildings/structures where cockroaches have infested or where they travel to seek food, water or shelter
When to use	When cockroaches are observed or there is evidence of an infestation in/around a home, building or structure

[Telephone icon] For information or comments call  
1-xxx-xxx-xxxx

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

### BACKGROUND INFORMATION:

DuPont™ Indoxacarb Cockroach Gel is a ready-to-use highly attractive gel bait formulation that is very effective in controlling German and American cockroaches.

### BEFORE YOU START

- Apply to areas not easily accessible to children and pets.
- Do not apply Indoxacarb Cockroach Gel bait to surfaces recently treated with residual insecticide sprays.
- Surfaces treated with Indoxacarb Cockroach Gel bait must not be treated with insecticidal sprays, as the bait will be rendered ineffective.
- Do not apply in or on electrical equipment due to the possibility of shock.

- Do not apply to surfaces that food contacts.
- Do not allow open foods to contact gel material.
- Do not apply in locations of high temperature or direct sunlight.
- Gel deposits may be cleaned up by using damp paper towel or rag while still wet, or if dried has dried use putty knife to scrape and discard in trash.

### [HOW IT WORKS] (Optional Section)

[DuPont™ Indoxacarb Cockroach Gel bait contains the active ingredient indoxacarb, in a formulation that is highly attractive to German and American cockroaches.

[The handy applicator makes it easy to apply small placements of gel. For high cockroach densities, more placements also allow more cockroaches to eat at the same time.]

### WHERE TO USE

#### Indoors:

- Kitchens/Bathrooms/Basements/Garages/Laundry rooms
- May be used indoors or outdoors applied as a crack and crevice treatment in and around single and multi-family residential buildings.
- Apply to areas frequented by cockroaches such as openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, and behind and under appliances, and cabinets where cockroaches are typically known to hide. Do not apply in locations of high temperature or direct sunlight.
- Inspect bait placements periodically and apply fresh bait as needed.

### OPTIONAL GRAPHICS WITH TEXT

#### [Where To Place The Gel]

#### [Main placement areas]

Panel 1: Picture with arrows pointing under refrigerator

Panel 2: Picture with arrows pointing under drawers

Panel 3: Picture with arrows pointing behind trash receptacle in kitchen

Panel 4: Picture with arrows pointing to inside of storage cabinet under kitchen sink

Panel 5: Picture with arrows pointing behind toilet in bathroom

Panel 6: Picture with arrows pointing to inside edge of bathroom sink cabinet

Panel 7: Picture with arrows pointing behind toilet in bathroom opposite side

Panel 8: Picture with arrows pointing to cracks and crevices at base of bathroom cabinet

#### Outdoors:

- A thorough inspection around a structure may reveal areas where cockroaches are gaining access. Attempts should be made to remove the access.
- Apply Indoxacarb Cockroach Gel bait as a spot or thin bead (see above) to pest entry sites such as along windows, doors, sewer areas, adjacent trees which harbor cockroaches, along walls, garbage holding areas, or suitable placement sites acting as a cockroach harborage.

- Place baits in such a way as to reduce the potential of subsequent human contact.

**HOW MUCH TO APPLY**

- For heavy infestations of cockroaches, apply 3 to 5 spots of DuPont™ Indoxacarb Cockroach Gel bait per 10 linear feet or one square yard.
- For light to moderate infestations of cockroaches, apply 1-3 spots of Indoxacarb Cockroach Gel bait per 10 linear feet or one square yard.
- Each spot of Indoxacarb Cockroach Gel bait should equal about 0.5 grams (approx. 1/4 inch diameter) [ spot graphic insert]
- For all levels of cockroach infestations, when a bead of Indoxacarb Cockroach Gel bait is used, apply a small thin bead that is less than 1/8 inches wide and approximately 2 inches long. [insert 1/8x2 inch bead/line graphic]
- Inspect bait placements periodically and reapply fresh bait as needed.

**HOW TO APPLY**

1. Remove cap from syringe tip
2. Place syringe tip at surface to be treated
3. Apply light pressure to plastic syringe plunger
4. Lift syringe tip from surface and replace cap

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage:** Store in cool, dry place inaccessible to children and pets.

**Pesticide Disposal:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**Container Handling: Nonrefillable container.** Do not reuse or refill the gel bait dispenser. Place empty bait dispensers in trash, offer for recycling, or call your local solid waste authority [or 1-800-xxx-xxxx] for disposal instructions.

**NOTICE TO BUYER**--Purchase of this material does not confer any rights under patents of countries outside of the United States.

[Optional statements] DuPont will not be responsible for losses or damages resulting from use of this product in any manner not specifically stated on this label or other labels or bulletins published by DuPont. User assumes all risks associated with such non-specified use.

[Optional statement] The DuPont Oval Logo and DuPont™ are trademarks or registered trademarks of E. I. duPont de Nemours and Company

**LIMITATION OF WARRANTY AND LIABILITY**

**NOTICE:** Read This Limitation of Warranty and Liability Before Buying or Using This Product. If the Terms Are Not Acceptable, Return the Product at Once, Unopened, and the Purchase Price Will Be Refunded.

It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as weather conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of DuPont or Seller. These risks can cause: ineffectiveness of the product or other unintended consequences.

**WHEN YOU BUY OR USE THIS PRODUCT, YOU AGREE TO ACCEPT THESE RISKS.**

DuPont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, DUPONT MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL DUPONT OR SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BUYER'S OR USER'S BARGAINED FOR EXPECTATION IS PEST CONTROL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF DUPONT OR SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, TORT, OR STRICT LIABILITY RESULTING FROM THE STORAGE, USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT, OR AT THE ELECTION OF DUPONT OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

To the extent consistent with applicable law that allows such requirement, DuPont or its distributor must have prompt notice of any claim so that an immediate investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify DuPont or a DuPont distributor of any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy.

This Limitation of Warranty and Liability may not be amended by any oral or written agreement.

**D - 1349 121609**