

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

January 14, 2014

Tim McPherson
E. I. du Pont de Nemours and Company
1007 Market Street
Wilmington, DE 19898

Subject:

New Use Amendment for DuPont OPTIMUM® GLY Canola

Supplemental Label (For Use on DuPont OPTIMUM® GLY Canola)

DuPont DPX-B2856 3.0 Herbicide

EPA Reg. No. 352-832

Application Dated February 18, 2011

Dear Mr. McPherson:

The application referred to above, submitted under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable under FIFRA §3(c)(7)(B) subject to the following conditions:

- You must submit and/or cite all data required for registration review of your product when the Agency requires all registrants of similar products to submit such data. Data requirements for glyphosate are outlined in GDCI-417300-886 under docket ID EPA-HQ-OPP-2009-0361 at www.regulations.gov.
- 2. The supplemental labeling must be incorporated into the main product labeling within eighteen (18) months from the date of this letter.

A stamped copy of the supplemental label is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipment after eighteen (18) months from the date of this letter must bear the new revised label.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.


If you have any questions, please contact Mindy Ondish at (703)605-0723 or at ondish.mindy@epa.gov.

Sincerely,

Kable Bo Davis Product Manager 25 Herbicide Branch Registration Division (7505P) Office of Pesticide Programs



DuPont Crop Protection



JAN 1 4 2014

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 352-832

SUPPLEMENTAL LABELING

DUPONT™ DPX-B2856 3.0
HERBICIDE
FOR USE ON DUPONT™ OPTIMUM®
GLY CANOLA

DUPONT™ DPX-B2856 3.0 HERBICIDE

EPA REG. NO. 352-832

FOR USE ON DUPONT™ OPTIMUM® GLY CANOLA

This supplemental label expires on November 1, 2016 and must not be used or distributed after this date.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use this product until you have read the entire label.

Apply DuPont DPX-B2856 3.0 herbicide to canola containing the OPTIMUM® GLY herbicide tolerance trait. Application of this product to canola that does not contain the OPTIMUM® GLY trait will result in severe crop injury and yield loss.

Applications to OPTIMUM® GLY Canola				
Application Timing	Maximum fl oz product/A per Single Application	Maximum fl oz product/A per Use Period (Season)	Maximum Number of Applications per Use Period	Preharvest Interval Days
Preplant/ Preemergence	64 fl oz/A	64 fl oz/A		60
Postemergence	24 fl oz/A	32 fl oz/A	2 (16 fl oz/A each)	60

- Apply DPX-B2856 3.0 up to a rate of 64 fl oz/A as a preplant or preemergence broadcast spray made with ground or aerial equipment. The combined total rate, per crop season, for all applications must not exceed 64 fl oz/A.
- A single postemergence application of DPX-B2856 3.0 must be made at a rate of 14 to 24 fl oz/A postemergence from crop emergence until the 6-leaf stage. Do not make applications later than the 6-leaf stage or during crop bolting or flowering, as crop injury and yield loss may result. Avoid spray overlaps which may result in temporary yellowing of the canola, delayed flowering, or growth reduction. Similar symptoms may occur if rates above 14 fl oz/A are applied after the 4-leaf stage of the canola.
- Split (sequential) postemergence applications may be made by spraying 16 fl oz/A at the 1 to 3 leaf stage of OPTIMUM® GLY canola, followed by a second application of 16 fl oz/A after a minimum of 10 days. The second application must not be sprayed later than the 6-leaf stage. Do not make more than two postemergence applications from crop emergence up until the 6-leaf stage of the crop.

Restrictions for Use on OPTIMUM® GLY Canola

- Refer to the Section 3 Federal product label for listings of other labeled crops, weeds controlled, application information, and other important precautions and restrictions.
- Employ a 30-day plantback interval for all non-labeled crops following applications of DPX-B2856 3.0 to Optimum GLY canola.

IMPORTANT

BEFORE USING DPX-B2856 3.0, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA- registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

The DuPont Oval Logo and DuPontTM are trademarks or registered trademarks of E. I. du Pont de Nemours and Company. OPTIMUM® is a registered trademark of Pioneer Hi-Bred International, Inc.