



Harmful if swallowed. Avoid inhalation and skin contact. May be absorbed through skin. In case of contact wash immediately with soap and water. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Keep out of reach of children. Do not use or store near heat or open flame. Do not apply to foliage of white or sweet potatoes. When used on ornamentals, avoid contact with adjacent plants.

Peaches	1 tablespoonful to 1 gallon water or 1 1/2 pints to 50 pails	Apply to trunk and ground base of trees, soaking bark and wetting trunk to within to ground. Do not apply to fruit or foliage.	
Taxus Hemlock	1 tablespoonful to 1 gallon water	Apply in May or early June to the trunks and ground base of trees, soaking the bark and wetting the surface.	
Fine Spruce	1 tablespoonful to 1 gallon water	Apply late in winter or early in spring. Spray lower parts of trees thoroughly.	
Pines	1 pint to 1 gallon water	Apply to trunk and ground base of trees, soaking the bark and wetting the surface.	
English and Western Sparrows	1 teaspoonful to 1 gallon water	Apply to trunk and ground base of trees, soaking the bark and wetting the surface.	


CAUTION:
KEEP BEYOND REACH OF CHILDREN
READ DIRECTIONS ON SIDE PANELS



20% CONCENTRATE

BORER SPRAY

PEACH TREE BORERS • TAXUS WEEVILS
 BARK BEETLES • LEAF MINERS
 GREEN TREE BEETLES • DOGWOOD BORER
 HAWK MOTH • WHITE PINE WEEVILS



MANUFACTURING CO., INC.