

**TRI-OGEN® MILDEWCIDE**

For use on roses, phlox, hardy chrysanthemums, hollyhocks, delphiniums and sweet peas. **FOR** control of powdery mildew. An effective and scientific spray for controlling powdery mildew on roses. Recommended for use alone without addition of other materials. Contains its own spreader. Tri-Ogen Mildewcide is readily mixed even with hard water. Contains no clogging solids. The amount of Tri-Ogen Mildewcide directed for use is calculated for efficient control of disease without injury to the plant or unsightly residue. Does not affect the natural color of blooms and foliage. Makes 60 times its own volume.

The spraying of roses should be started about April 15th in the latitude of Philadelphia, when the buds are set. Continue at regular intervals until late Autumn frosts. Each 100 miles North or South means 3 days difference. The amount of Tri-Ogen Mildewcide used in solution may be increased in the late season when the foliage becomes harder. Do not increase to more than double strength. Under severe conditions spray every three days until signs of powdery mildew disease are gone. Then resume normal preventive treatment with sprayings every 10 days. Spray Phlox from early growth to bloom.

**NOTT** mfg. co., inc.  
PLEASANT VALLEY, NEW YORK  
Made in U.S.A.



the **SAVE YOUR ROSES**

**TRI-OGEN**

**MILDEWCIDE**

**CAUTION:**  
KEEP BEYOND REACH OF CHILDREN  
READ DIRECTIONS ON SIDE PANELS  
See other cautions on side panel.

for HOMES **NOTT** and GARDENS

**DIRECTIONS:** Use 2 tablespoonfuls to the gallon of water.

Shake thoroughly. Allow to stand 5 minutes. Shake again and begin to spray. Spray both upper and lower surfaces of the foliage every five days and also after rains. Keep Tri-Ogen Mildewcide always on the foliage. The spores of the powdery mildew fungi are often present and the Tri-Ogen Mildewcide film will protect against them. Spray in the morning when the dew has partly dried and before the sun raises temperature. Flush sprayer after use with water. Clean periodically with Nott's Instant Sprayer Wash as directed.

**Warning:** May be fatal if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid breathing spray mist or contact with eyes, skin or clothing. Do not apply to food crops and avoid contamination of feed and foodstuffs. Keep out of the reach of children.

Active Ingredient:

*Copper (in the form of <del>an</del> am- moniacal copper <del>complex</del> sulfate <del>metallic</del> )	0.80%
Inert ingredients:	99.20%
Total	100.00%

\*Copper defined from ~~ammoniacal~~

USDA Reg. No. 358-121

SEND for FREE Special PRODUCTS CATALOG

Contents 1 Qt. (32 fl. ozs.)

World's Leaders in Special Products Since 1930

OTHER NO

HEAL-R  
use any  
to prote

ANT-X®  
kills and  
around

MILDEX  
stops r  
roses, a

Handwritten notes: 1/27/67, 358 PL

**MILDEWICIDE**

on chrysanthemums, sweet peas, etc. For spray for controlling mildew. Recommended for use on other materials. Contains 10% Tri-Ogen Mildewicide. Dilute with hard water. Contains amount of Tri-Ogen Mildewicide calculated for use without injury to the plant. Does not affect the color of foliage. Makes 60

could be started about 10 days before Philadelphia, when temperatures are at regular intervals of 100 miles North or South. The amount of Tri-Ogen Mildewicide in solution may be increased when the foliage becomes more than 100 miles North or South. Under severe conditions spray with Tri-Ogen Mildewicide every 10 days. Spray after bloom.

the **SAVE YOUR ROSES**  
**TRI-OGEN**



**CAUTION:**

**KEEP BEYOND REACH OF CHILDREN**  
**READ DIRECTIONS ON SIDE PANELS**  
See other cautions on side panel.

for **HOMES** **NOTT** and **GARDENS** Contents 1 Qt. (32 fl. ozs.)

**DIRECTIONS:** Use 2 tablespoonfuls to the gallon of water.

Shake thoroughly. Allow to stand 5 minutes. Shake again and begin to spray. Spray both upper and lower surfaces of the foliage every five days and also after rains. Keep Tri-Ogen Mildewicide always on the foliage. The spores of the powdery mildew fungi are often present and the Tri-Ogen Mildewicide film will protect against them. Spray in the morning when the dew has partly dried and before the sun raises the temperature. Flush sprayer after use with water. Clean periodically with Nott's Instant Sprayer Wash as directed.

**Warning:** May be fatal if swallowed. May cause irritation of eyes, nose, throat and skin. Avoid breathing spray mist or contact with eyes, skin or clothing. Do not apply to food crops and avoid contamination of feed and foodstuffs. Keep out of the reach of children.

Active Ingredient:

*Copper (in the form of <del>am-</del> am-	
moniacal copper <del>sulfate</del> sulfate)	
<del>moniacal</del>	0.80%
Inert ingredients:	99.20%
	<hr/>
Total	100.00%

~~\*Copper defined from amoniacal sulfate~~

USDA Reg. No. 358-121

SEND for FREE Special PRODUCTS CATALOG

OTHER **NOTT** PRODUCTS

**HEAL-RITE**  
use any time of year  
to protect tree wounds

**ANT-X<sup>®</sup> ANT JELLY**  
kills ants in lawns,  
around garbage areas

**MILDEX<sup>®</sup>**  
stops mildew damage on  
roses, aster, dahlia

Handwritten: 7/27/67  
358-121

World's Leaders in Special Products Since 1930