PRODUCT NO.

ACCEPTED

UNDER THE FEGERAL AL LOTICIDE FUNGICILE AND RELENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 359-

# ATLAS "A"

### A SODIUM ARSENITE SOLUTION

(Contains 4 Pounds of As,O<sub>3</sub> per Gallon)

**NET CONTENTS GALLONS** 

**ACTIVE INGREDIENT:** 

Sodium Arsenite (NaH2AsO3)2 ● HAsO2 INERT INGREDIENTS

Total Arsenic all in water soluble form expressed as metallic Contains 4 lbs. arsenic trioxide (As.O.) per gal. at 68 F.

44.0% 56.0%

24.5%



Keep Out of Reach of Children



ANTIDOTE: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then give two tablespoonfuls of Epsom Salts or Milk of Magnesia in water, and plenty of milk and water. Have patient lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY!

DANGER: Poisonous if swallowed. Keep people and animals away from chemical, empty drums and diluted spray. Keep spray off all vegetation not to be killed. Keep livestock off treated areas. Do not permit ar mals to feed on treated vegetation. Do not contaminate feeds and foodstuffs. Wash and rinse empty drums thoroughly with plenty of clear water. Wash spray equipment thoroughly after use.

DANGER: Avoid getting spray or concentrate in the eyes, nose and mouth or on skin and clothing. Goggles should be worn by spray operators; flush eyes out thoroughly with water and bathe with boric acid solution if splashed in eyes. SEE A DOCTOR. Do not breathe spray mist. In case of skin contact, wash off immediately. Wash contaminated clothing with hot, soapy water befor re-use. If skin rash and festers develop from unsuspected contact, apply milk of magnesia to affected skin areas after washing thoroughly; repeat application if needed.

Do not reuse emoty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

Do not apply to areas underlaid by roots of desirable trees and shrubs.

Dispose of rinse water where it will not be a hazard to humans, animals or wildlife. Do not contaminate water used for irrigation or domestic purposes. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

Birds and other wildlife in treuted areas may be killed. Apply this product only as specified on this label.

This product is toxic to wildlife.

This product is highly toxic to bees exposed to direct treatment or residues on crops.

Protective information may be obtained from your Cooperative Agricultural Extension Service.

### **DIRECTIONS**

NON-SELECTIVE WEED CONTROL: For treatment of bare ground and small enclosed industrial areas such as tank farms and substations, use 1 pin; of Atlas "A" mixed with 21/2 gallons of water; apply with sprayer to cover 500 square feet of area. For non-selective weed control in enclosed industrial areas, use the same rate wetting all leaves, stems, and root crowns. Do not use around the home or on or near desirable plants. Avoid spray drift to desirable plants. Do not use more than 12 ½ gallons (50 pounds arsenic trioxide equivalent) per acre.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Do NOT Use or Store in or Around the Home

Do NOT Store with Foodstuffs

Do NOT Allow Domestic Animals To Graze Treated Areas

Manufactured by

RHODIA INC. CHIPMAN DIVISION NEW BRUNSWICK, NEW JERSEY

Fresno, California Pasadena, Tex Portland, Ore St Paul, Minn




U.S.D.A. Reg No. 359-1

N B 3M 1 21

Atlanta, Ga. Bound Brook, N. J. Chicago, III N Kansas City, Mo

PRODUCT NO.



**NET CONTENTS GALLONS** 

### A SODIUM ARSENITE SOLUTION

(Contains 4 Pounds of As<sub>2</sub>O<sub>3</sub> per Gallon)

ACTIVE INGREDIENT:

Sodium Arsenite (NaH AsO.) • HAsO INERT INGREDIENTS

Total Arsenic all in water soluble form expressed as metallic Contains 4 lbs arsenic trioxide (As O) per gal. at 68 F.

44.0% 56.0%

24 5%



## POISON - DANGER Keep Out of Reach of Children



that is the same a some of the art of a group and a some and within a and a series of an Trend with a tip especial tip of Section Make it Magnetic and water and county to be a not water the elapatement of the en-AND THE REPORT OF A PHASE OF ASSESSMENT AS

DANGER: Poisonous if swallowed. Keep people and animals away from chemical, empty drums and diluted spray. Keep spray off all vegetation not to be killed. Keep livestock off treated areas. Do not permit animals to feed on treated vegetation. Do not contaminate feeds and foodstuffs. Wash and rinse empty drums thoroughly with plenty of clear water. Wash spray equipment thoroughly after use.

DANGER. Avoid getting spray or concentrate in the eyes nose and mouth or on skin and clothing. Goggles should be worn by spray operators; flush eyes out thoroughly with water and bathe with boric acid solution if splashed in eyes. SEE A DOCTOR Do not breathe spray mist. In case of skin contact, wash off immediately. Wash contaminated clothing with hot, soapy water befor re-use. If skin rash and festers develop from unsuspected contact, apply milk of magnesia to affected skin areas after washing thoroughly, repeat application if needed

Do not reuse emot, container. Destroy it by perforating or crushing. Bury or discard in a safe place

Do not apply to areas underlaid by roots of desirable trees and shrubs

Dispose of rinse water where it will not be a hazard to humans, animals or wildlife. Do not contaminate water used for irrigation or domestic purposes. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

Birds and other wildlife in treated areas may be killed. Apply this product only as specified on this label

This product is toxic to wildlife.

This product is highly toxic to bees exposed to direct treatment or residues on CIODS.

Protective information may be obtained from your Cooperative Agricultural Extension Service.

### DIRECTIONS

NON-SELECTIVE WEED CONTROL: for treatment of bare ground and small enclosed industrial areas such as tank farms and substations, use 1 pin of Atlas "A" mixed with 212 gallons of water, apply with sprayer to cover 500 square feet of area. For non-selective weed control in enclosed industrial areas, use the same rate wetting all leaves, stems, and root crowns. Do not use around the home or on or near desirable plants. Avoid spray drift to desirable plants. Do not use more than  $12^{1}$ 2 gallons (50 pounds arsenic trioxide equivalent) per acre

Follow directions, and thy I ming and method of applications we after and crop randitions in at his with other from a cost in finally recommended and other officencing factors in the country bod of the begond the letter of the second Barrier and it the complete above to the term of the residence of group and including

Do NOT Use or Store in or Around the Home • Do NOT Store with Foodstuffs • Do NOT Allow Domestic Animals to Graze Treated Areas

Man , ty turned I .

RHODIA INC CHIPMAN DIVISION

NEW BRUNSWICK NEW ERSET

Freino California Pa advice to Part and On P . M



USDA Reg No 354 1

Atlanta Ga Bound Brook N J Chicago Pi A Kar, C., M