

A WEED KILLING CHEMICAL

ACCEPTED
12-9-68
359-512
UNDER
FUNGICIDES

ACTIVE INGREDIENTS:

Sodium Chlorate (NaClO ₃)	28.5%
Sodium Metaborate (Na ₂ B ₂ O ₄ ·6H ₂ O)*	69.5%
INERT INGREDIENTS	2.0%

*Equivalent to 6.27% boron expressed as elemental boron.

CAUTION: Keep Out of Reach of Children

CAUTION: Avoid contamination of feed and foodstuffs. Harmful if swallowed. Keep opened containers away from children and domestic animals. Wash clothing and equipment after handling this product. Keep animals off treated areas until rains have washed chemical into the soil, as grazing reduces effect of treatment and salt hungry animals may eat poisonous weeds.

GENERAL INFORMATION

CHLORAX "285" contains certain chemicals which increase the effectiveness of its chlorate content and, at the same time, reduces the fire hazard encountered with the use of sodium chlorate.

CHLORAX "285" may be used by railroads and industry to control all vegetation around bridges, trestles, buildings; in storage areas, yards, rail sidings, around oil storage areas, lumber yards and mills, warehouses, power sub-stations, telephone and power line poles, outdoor theatres and for road and street maintenance, and in any other areas where vegetation is not wanted and there is no danger to valuable plants.

CHLORAX "285" may be used in agriculture to control vegetation along fences around farm buildings, granaries, elevators, in driveways, tennis courts and playgrounds, and in any areas where vegetation is not wanted and there is no danger to valuable plants.

CHLORAX "285" can be used as a "pre-paving," residual herbicide under asphalt to prevent premature breakdown of paving due to weeds and grasses.

DO NOT STORE WITH FOODSTUFFS

AVOID DIRECT CONTACT WITH GROUND OR CONCRETE FLOORS

APPLICATION

IT IS ESSENTIAL FOR GOOD RESULTS THAT THE CHEMICAL BE APPLIED UNIFORMLY AT THE RATES GIVEN.

FOR ANNUAL WEEDS AND GRASSES AND OTHER SHALLOW ROOTED PLANTS—Apply 1 to 2 pounds of CHLORAX "285" per 100 sq. ft. in the spring or at the time the weeds are small.

FOR PERENNIAL GRASSES AND DEEP-ROOTED PLANTS—Apply 2 to 4 pounds per 100 sq. ft. In areas of light winter rainfall (less than 20 inches) it is generally best to treat during fall or early winter. In areas of more than 20 inches of rainfall, spring applications should be made.

TREATING SOIL PRIOR TO TOPPING WITH ASPHALT—Apply as a spray at the rate of 2 to 4 pounds CHLORAX "285" per 100 sq. ft. This can be applied just before applying asphalt.

SPRAY—For spray application, use at the rate of 2 pounds per gallon of water in any spray equipment with continuous agitation. When filling spray tank, add water until tank is approximately half full. With agitator running, add CHLORAX "285". Continue agitation while adding additional water to make proper dilution and while spraying. Apply to give thorough coverage.

DRY—Use undiluted and apply uniformly by hand sifter, fertilizer spreader or by hand.

IMPORTANT—The killing action of CHLORAX "285" is primarily through the roots of the plants and therefore moisture is required after application. Too little moisture will not carry the chemical throughout the root zone, while too much rainfall may leach beyond the root zone. Therefore, follow up applications may be necessary.

Local conditions may affect the use of this chemical. Consult state agricultural extension or experiment station weed specialists for specific recommendations for local weed problems.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

STORE IN A COOL, DRY PLACE

THIS LABEL Required by Federal Law and Affixed in accordance with FAR Rule 36
Do NOT remove until car is empty.

PRODUCT NO.

458

NET CONTENTS
GALLONS

METHOXONE[®] - CHLORAX[™] NO. 2 GN

ACTIVE INGREDIENTS:

Sodium chlorate	9.30%
Sodium metaborate (Na ₂ B ₂ O ₄)*	5.31%
2-methyl-4-chlorophenoxyacetic acid	0.10%

INERT INGREDIENTS	85.29%
--------------------------------	---------------

*Equivalent to 0.873% elemental boron.

TO BE APPLIED BY OR UNDER THE SUPERVI-
SION OF RHODIA, INC., CHIPMAN DIVISION
OR COMPETENT RAILROAD PERSONNEL.

CAUTION: Keep Out of Reach of Children

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not breathe spray mist. Avoid contamination of feed and foodstuffs. Keep opened containers away from children and domestic animals. Wash clothing and equipment after handling this product.

Keep animals off treated areas. Do not permit spray to drift onto pastures and rangeland where animals graze.

Do not permit solution or spray drift to contact desirable plants as this product may injure cotton, beans, peas, other vegetables, fruit trees, legumes, ornamentals, etc. Coarse sprays are less likely to drift than are fine mist sprays.

Vapors from this product may injure susceptible plants in the vicinity. Avoid contamination of water intended for irrigation and domestic use.

Manufactured by

Atlanta, Ga.
Bound Brook, N. J.
Chicago, Ill.
N. Kansas City, Mo.

RHODIA INC.
CHIPMAN DIVISION
NEW BRUNSWICK, NEW JERSEY

Palo Alto, Calif.
St. Paul, Minn.
Pasadena, Tex.
Portland, Ore.

U.S.D.A. Reg. No. 359 513

N.B. 3C 1 98