


PRODUCT NUMBER  
2170

55 FORD AVENUE  
PHILADELPHIA, PA. 19104



For control of many broadleaf weeds on golf course turf, lawns and similar recreational and ornamental turf areas.

Apply to turf areas in early spring or late fall. Apply to areas where weeds are present or expected to appear. Apply to areas where weeds are present or expected to appear. Apply to areas where weeds are present or expected to appear.

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: ...  
IF ON SKIN: ...  
IF IN EYES: ...

**RHONE-POULENC CHEMICAL COMPANY**  
AGROCHEMICAL DIVISION  
RHONE-POULENC INC.

EPA Reg. No. 247-104  
EPA Est. No. 1-104

NET CONTENTS  
GALLONS  
LITERS

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Harmful if inhaled. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS**

Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from target area.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, feed, seeds, fertilizers, insecticides, or fungicides by transport, storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not use or store near heat or open flame. Do not store near other pesticides or seeds. Do not reuse containers. Store at temperatures above 32 F. If allowed to freeze remix before using.

**PESTICIDE DISPOSAL:**

Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

**CONTAINER DISPOSAL:**

Triple rinse (or equivalent) and dispose of in approved landfill or bury in a safe place. Consult Federal, State or Local Deposit Authorities for approved alternative procedures.

Apply this product only as specified on this label.

**GENERAL INFORMATION:**

Coarse sprays drift less likely than finer mist sprays. Do not allow this chemical or solution of it to come in contact with desirable plants such as citrus grapes, melons, tomatoes, beans, peas, other vegetables, edibles, ornamentals and fruit trees. Do not use the same spray equipment for other purposes as water equivalent amounts of this chemical may cause injury. Do not use in or around greenhouses.

MOPP has proven useful for control of surfaces, creeping or prostrate broadleaf weeds and 2,4-D controls many other broadleaf weeds as well as Wild Onions. Together these two chemicals will control the common broadleaf weed growing in turf. May be used on all types of turf where 2,4-D is recommended, including Merion, Kentucky, Bluegrass, Bermudagrass, Fescues, and Ryegrass. Once the weeds have been removed the bare areas should be reseeded and the entire turf area given a pre-fertilizer treatment to encourage grasses. Bare areas may be reseeded 3 to 4 weeks after application. Note: MOPP plus 2,4-D will control 2,4-D resistant weeds which will be controlled by 2,4-D alone.

**CONTROLS THESE SUSCEPTIBLE WEEDS**

Bearnhorn	Wild Oat*	Common Chickweed	Ground Ivy
Other plantains	Wild Onion	Mooseear Chickweed	Stitchwort
Curly Dock	Yarrow	Red Clover	Knotweed
Dandelion*	English Daisy*	White Clover	Speedwell
Red Sorrel*			

**DIRECTIONS FOR USE**

AMOUNT TO APPLY	PER 1,000 SQ. FT.	PER ACRE
Low Rate	3 1/4 fl. oz.	5 quarts
High Rate	4 1/2 fl. oz.	6 quarts

\*Use high rate for weeds marked with an asterisk in the above list.

**MIXING AND APPLYING** Mix with water, using 2 to 4 gallons of water per 1,000 sq. ft. On an acreage basis apply in 20 to 40 gallons of water per acre. Apply by means of a sprayer or watering can to give uniform coverage. Repeat application may be necessary, especially with heavy infestations of the less susceptible weeds indicated thus.

**WHEN TO APPLY:**

Apply in spring or fall when weeds are actively growing. Knotweed is controlled more easily in spring or early summer when weeds are young.

**CAUTION:**

Do not apply when turf is suffering from drought conditions or during very hot weather or damage to grass may result. Do not mow for several days before or after application. Withhold sprinkling for 24 hours after application. Do not apply during periods of heavy rainfall. Do not use on newly seeded areas. Do not use if you want to preserve your turf. In some areas Dichondra, Bentgrass, Carpetgrass, Buffalograss, and St. Augustinegrass may be injured, therefore do not use on turf where these grasses predominate.

This product is a selective herbicide which kills broadleaf weeds but is safe for most grasses. It is safe for use on lawns, golf courses, and other areas where grasses are the desired plants. It is safe for use on lawns, golf courses, and other areas where grasses are the desired plants. It is safe for use on lawns, golf courses, and other areas where grasses are the desired plants.