



PRODUCT NO.
148

CHIPMAN[®] AMINE BRUSH KILLER

NET CONTENTS
GALLONS

For selective control of mixed species of woody plants and broad-leaved weeds in established grass pastures,* forest management areas, rangelands, roadsides, rights of way, abandoned fields and other areas.

ACTIVE INGREDIENTS:

- Triethylamine Salt of 2,4-Dichlorophenoxyacetic acid* 30.2%
- Triethylamine Salt 2,4,5-Trichlorophenoxyacetic acid* 29.0%

INERT INGREDIENTS: 40.8%

*Equivalent to 20.77% 2,4-Dichlorophenoxyacetic acid and 20.77% 2,4,5-Trichlorophenoxyacetic acid or not less than 2.00 lbs. each per gallon at 68°F.

CAUTION: Keep Out of Reach of Children

CAUTION: Avoid contact with skin, eyes or clothing. Do NOT take internally. In case of contact flush eyes with plenty of water; wash skin with soap and water. Avoid breathing spray mist. Do NOT allow solution or spray drift to contact desirable plants. Among crops highly susceptible to 2,4-D and 2,4,5-T injury are cotton, tobacco, blackeyed peas, beans, tomatoes, melons, other vegetables, grapes, fruit trees and some ornamentals. (Coarse sprays are less likely to drift than are fine mist sprays.) It is difficult to completely clean 2,4-D and 2,4,5-T from sprayers or other equipment, therefore do not use such sprayers and other equipment for purposes where even trace amounts of this chemical may cause injury. Do not reuse shipping containers; destroy by crushing and burying. Do not transport with or store near seeds, fertilizers, insecticides or fungicides. Vapors from this product may injure susceptible plants in the vicinity. Do not use or store near heat or open flame.

Toxic to fish. Do not contaminate any body of water intended for irrigation and domestic use.

CONTROLS THESE BRUSH AND WEED SPECIES

- | | | |
|----------------------------------|--------------|--------------------|
| Cottonwood | Chokecherry | Elderberry |
| Aspens | Sassafras | Wild Grapes |
| Wild Gooseberries | Wild Roses | Plums |
| Blackberries | Sweetgum | Cotone Brush |
| Raspberries and related brambles | Willows | Milkvetch |
| Oaks | Locust | Sumac |
| Poison Ivy | Perennial | Maples |
| Honeysuckle | Groundcherry | Many other species |
| Poison Oak | Horsenettle | |
| | Currants | |

*Do not graze dairy animals within 7 days after application.

DIRECTIONS

FOLIAGE SPRAYING: Spray woody plants 6 to 8 ft. tall, when in full leaf, preferably in early summer while actively growing. Spray to wet plants thoroughly with 3 to 4 quarts per 100 gals. of water. Taller trees can be sprayed although basal treatment may be more desirable. Will also control many broadleaved herbaceous weeds. Complete control seldom results from one spraying. Retreatment during successive years will control all susceptible species. When present, grasses quickly replace brush and weeds.

PINE RELEASE: To control hardwoods, such as oak, hickory, maple, pecan, elm, sumac and hawthorn in Southern pine stands, use Chipman Amine Brush Killer undiluted in a concentrate tree injector calibrated to apply 0.75 ml. per injection. Space injections 2" apart, edge to edge, completely around the tree, and close to the base. The injector bit must penetrate the inner bark. On hard-to-kill species such as hickory, dogwood, red maple, blue beech and ash, make injections 1" to 1 1/2" apart, edge to edge. Treatment may be made at any time of year.

Local conditions may affect the use of this chemical. Consult State Agricultural Extension or Experiment Station Weed specialists for specific recommendations for local weed problems and for information on possible lower dosages.

Follow directions carefully. Timing and method of application, weather and crop conditions mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Do NOT Store with Foodstuffs

U.S.D.A. Reg.
No. 359-549

Port 1M-1-79

Atlanta, Ga.
Bound Brook, N. J.
Chicago, Ill.
St. Paul, Minn.
N. Kansas City, Mo.

Manufactured by
RHODIA INC.
CHIPMAN DIVISION
NEW BRUNSWICK, NEW JERSEY

Palo Alto, Calif.
Pasadena, Tex.
Portland, Ore.
Billings, Mont.

