


SUPPLEMENTAL LABELING

Hoelon[®] and BUCTRIL[®] 3EC HERBICIDE HERBICIDE (EPA Reg No. 8340-11) (EPA Reg No. 359-564)



TANK MIX

RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Crop: Fall or spring seeded wheat and spring seeded barley.
Target Pest: Refer to individual labels for list of susceptible weed species.

Rate:	Crop	Buctril Rate per Acre	Annual Grasses Stage of Growth	Hoelon 3EC Rate per Acre
	Wheat	1 1/2 - 2 Pts **	1-3 leaves 3-4 leaves more than 4 leaves	2-2 1/2 Pts 2 1/2 - 3 1/2 Pts Do not Apply
	Spring Seeded Barley	1 1/2 - 2 Pts **	1-3 leaves more than 3 leaves	2-2 1/2 Pts Do not Apply

**The use rate of Buctril is dependent upon the weed spectrum present. Refer to the package label for information on the use rate.

Frequency and Timing

Application should be made when the annual grasses are in the one to three leaf stage of growth. 4-leaf stage wheat and the two leaf weed are more than six inches tall and just past the three to four leaf stage of growth.

Method of Application and Dilution Rate

Apply this mixture by ground or aerial application using the equipment and methods specified on the individual labels.

Hoelon[®] 3EC is a registered trademark of Hoechst AG.

In order to assure maximum safety and weed control, follow label recommendations on this label and all the cautions and limitations on the package labels of both tank mix components.

This labeling must be in the possession of the user at the time of pesticide application.