

PRODUCT NO.

186

CHIPMAN[®] DCB MIX NO. 4

NET CONTENTS
50 POUNDS

ACCEPTED
April 5, 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR SUCH AND FURTHER REGISTERED
AND OTHER USES AS MAY BE DETERMINED
BY THE APPLICABLE REGULATIONS

FOR FURTHER MANUFACTURING PURPOSES ONLY

359-608

ACTIVE INGREDIENTS:

| | |
|---|--------|
| 2,4-dichlorophenoxyacetic acid | 7.04% |
| Dimethylamine salt of Dicamba (2-methoxy-3,6-dichlorobenzoic acid)* | 3.40% |
| Technical Chlordane** | 40.14% |

INERT INGREDIENTS

*Equivalent to 2.82% Banval "D" acid.

**Equivalent to 24.08% octachloro-4,7-methanotetrahydroindane and 16.06% of related compounds.

CAUTION: Keep Out of Reach of Children

Do NOT Store with Foodstuffs

CAUTION

Harmful if swallowed. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

Avoid breathing dust or spray mist. Avoid contamination of feed and foodstuffs. Thoroughly clean equipment before using for other purposes.

Do not transport or store near fertilizer, seeds, insecticides, fungicides or live plants. Do not contaminate water used for irrigation or domestic purposes or waters inhabited by fish. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. For eyes get medical attention.

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

SPECIMEN LABEL

U.S.D.A. Reg.
No. 359-608

Port. 5c-1-38

Atlanta, Ga.
Bound Brook, N. J.
Chicago, Ill.
N. Kansas City, Mo.

Manufactured by
RHODIA INC.
CHIPMAN DIVISION
NEW BRUNSWICK, NEW JERSEY

Palo Alto, Calif.
St. Paul, Minn.
Pasadena, Tex.
Portland, Ore.



DIRECTIONS FOR USE

PRODUCT C-4

NET

GALLONS

SUBTERRANEAN TERMITE CONTROL OUTSIDE OF STRUCTURES

TRENCHING

Where outside trenching operations next to foundation wall are desired, it is usually advisable to dig the trench 8 to 12 inches wide and 30 inches deep, but not below the top of the footing if this is shallower. Apply a 1/2% to 2% chlordane water-emulsion in the trench at the rate of 1 gallon per linear foot including backfill. The most satisfactory percentage of chlordane to be used will be determined by the nature of the soil encountered. As a rule, sandy soils require the least, clays and loams somewhat more, with peats and mucks requiring the most. Avoid contamination of wells, cisterns and any other possible water supplies.

EXPOSED SOIL AREAS UNDER PORCHES, Etc.

Treat by trenching along foundation walls. The remaining soil area should be soaked with a 1/2% chlordane water-emulsion, at the minimum rate of 2 gallons per square yard of soil.

UNEXPOSED SOIL AREAS UNDER TERRACES, SIDEWALKS, DRIVEWAYS, PORCHES, Etc.

Treat adjacent to the foundation walls with the same concentration and rate as is used in trenching along foundations. Unexposed dirt fill, should be soaked with a 2% chlordane water-emulsion.

MISCELLANEOUS WOOD AND SOIL CONTACT POINTS

Where wooden stairs, stoops, supports, trellises, etc., are in contact with the soil treatment should be made with a 2% chlordane emulsion.

UNDER STRUCTURES

ALONG INSIDE OF FOUNDATION

Use chlordane water-emulsions at strengths of 1/2 to 2%. Where soil surface is exposed treat a shallow trench about 6" wide dug adjacent to the inner foundation wall with chlordane emulsion at the rate of 1 gallon per 4 linear feet. Where the soil surface is not exposed, either remove covering or drill through it and treat with a 1/2 to 2% chlordane water-emulsion.

CHIMNEY BASES, SUPPORTING PIERS, Etc.

Treat soil around these areas and other possible entry-ways into the dwelling from soil, with a 2% chlordane water-emulsion.

TREATING ENTIRE COVERED SOIL AREAS UNDER STRUCTURES

Use 1/2 to 2% chlordane water-emulsion at about 1/2 to 1 gallon per square yard of area to be treated depending on the depth of penetration required and type of soil. Annual re-inspection with retreatment where necessary is a part of good termite control procedure.

CAUTION

Contact with skin can cause toxic symptoms. Avoid breathing spray mist and skin contact. In case of spillage on skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Harmful if swallowed.

FIRE HAZARD

Do not store near open flame. Do not spray petroleum solutions into or near fire or open flame. Do not smoke while spraying.

HOUSEHOLD APPLICATIONS

C-4 Concentrate is intended in household applications only for use against roaches, waterbugs, silverfish, ants, carpet beetles in premises and not for any other purpose.

To make a 2% water emulsion spray, mix 1 quart of C-4 concentrate with 23 quarts of water. To make a 2% oil solution, mix 1 quart of C-4 Concentrate with 29 quarts of deodorized kerosene. Apply either formulation as a coarse wet spray. Apply only on a "SPOT" basis to cracks, surface, or other areas where the insects have been seen resting, running or hiding.

Under no circumstances is application recommended to large areas of walks, floors, shelving, cabinets, ceilings or other room surfaces, nor is application to be made as a space spray.

ROACHES

For control of roaches make thorough treatment of infested cracks and other hiding or resting places. Application of the insecticide to a limited extent may be made on some exposed surfaces where roaches will crawl over it when they come out of hiding. Application should be repeated as often as necessary to maintain effective control.

SILVERFISH

The directions are the same as directions for roaches except that emphasis must be given to treatment of baseboards, areas behind shelving, bookcases and storage areas.

ANTS

The directions for control of ants are similar to those for roaches. Instead of treating hiding places, however, apply the treatment to ant trails and areas around door sills and window frames where the pests may enter the premises. It is frequently desirable to treat the openings around water pipes, heat ducts, electrical outlets and baseboards where ants may come out into rooms from wall spaces and partitions. Applications should be repeated as often as necessary to maintain effective control.

BROWN DOG TICKS IN PREMISES

The directions for the control of brown dog ticks in premises is similar to those given for roaches. Be sure to make repeated treatments around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. The frequency and extent of applications required will depend upon the source and intensity of the infestation. Replace bedding in animals quarters following treatment. Do not treat pets, or other animals with these products.

CARPET BEETLES IN PREMISES

Directions for the control of carpet beetles in premises require localized applications to areas of the floor and baseboards. Working the liquid into cracks and under carpets where these insects may be found. Treatment of areas on floors, baseboards, and shelves of closets are also indicated. Repeated applications may be required.

USDA Reg. No. 453-075

SINCE 1915

THE C-4 BRAND

ACCEPTED

March 27, 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
INDEX NO. 100000 SUBJECT
CHLORDANE

4 LB. CHLORDANE EMULSION CONCENTRATE

Contains 4 Pounds Chlordane Per Gallon

For the control of Household Insect Pests such as Ants, Roaches, Waterbugs,
Silverfish, Carpet Beetles, Brown Dog Ticks and Subterranean Termites.

ACTIVE INGREDIENTS

Technical Chlordane* 46.0 %
Petroleum Hydrocarbons 50.0 %

INERT INGREDIENTS: 4.0 %

TOTAL 100.0 %

*Equivalent to 27.6 Octachloro-4, 7-Methano-Tetrahydroindane and 18.4% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN
See side panel for other cautions

Manufactured For

COOPERS CREEK CHEMICAL CORPORATION

DISTILLERS AND MANUFACTURERS

WEST CONSHOHOCKEN, PA. 19406

2-15-67

363-27