

359-643  
 TRADE NAME: VISKO-RHAP  
 MANUFACTURED AND BOTTLED BY  
 RHOEDIA INC., NEW BRUNSWICK, N.J.  
 08903

VISKO-RHAP formulations are designed to produce thick invert emulsions when used in the Rhodia Inc., Chipman Division Two-Fluid Spray System. The formulation and water enter the spray system separately to be mixed in a special chamber as the spraying is performed.

**WHERE TO USE**

VISKO-RHAP LOW VOLATILE 2TP controls aquatic weeds and certain woody and herbaceous plants in rights-of-way, industrial sites, fence rows, and similar non-crop areas.

**PLANTS CONTROLLED**

VISKO-RHAP LOW VOLATILE 2TP will kill or control the following woody and herbaceous plants and aquatic weeds as well as others less susceptible to 2,4-D or 2,4,5-T.

**WOODY GROWTH**

Blackjack oak	Poison ivy	Scrub oak
Ground ivy	Post oak	White oak
Mesquite	Red oak	Wild blackberry
Pin oak	Salt cedar	Yucca
	Sand shinnery oak	

**EMERGENT AQUATIC WEEDS**

Alligatorweed	Pickeralweed	Spatterdock
Arrowhead	Rush	Waterlily

**DIRECTIONS**

This special formulation is designed for use in the Rhodia Inc., Chipman Division Two-Fluid Spray System. The formulation and water SHOULD NOT be mixed before use.

If this product is to be applied through a bifluid nozzle, sodium bisulfate water-conditioning agent must be added at the rate of 2 pounds per 50 gallons of water.

Best results are obtained when spraying is done while plants are in a rapid stage of growth and after leaves are fully developed. Repeat applications may be necessary if new growth appears.

Application rates of 1 to 2 gallons of product per acre are recommended depending on plants density, height, and species.

**Ground Application (Handgun, Manifold, or Spray Boom):** Fill water tank with fresh, clean water. Add VISKO-RHAP LOW VOLATILE 2TP herbicide to the formulation tank. Use orifices to give desired chemical-to-water ratio in 1:7 to 1:15 range. Adjust pressure to suit the spray job being done. Do not exceed 40 p.s.i. when using spray boom. Do not exceed 100 p.s.i. when using handgun or manifold.

**For Emergent Aquatic Weeds in lakes, ponds, drainage ditches, marshes, and similar water areas:** Use 1 to 2 gallons of product per acre to control Arrowhead, Pickeralweed, Rush, Spatterdock and Waterlily; use 2 to 4 gallons of product per acre to control Alligatorweed. Application should be made when leaves are fully developed above the water line and plants are actively growing. DO NOT apply to more than 1/2 to 3/4 of a lake or pond in any one month, because excessive decaying vegetation may deplete oxygen content of water, killing fish.

PRODUCT NO.

**709-G**



NET CONTENTS  
GALLONS

**VISKO-RHAP**

**LOW VOLATILE ESTER  
2TP  
HERBICIDE  
FOR GROUND APPLICATION**

**2,4,5-TP**

2 LBS OF SILVEX EQUIVALENT PER GALLON

**CAUTION: KEEP OUT OF REACH OF CHILDREN.**

READ SIDE PANELS FOR ADDITIONAL HANDLING PRECAUTIONS.

The product in this container is especially formulated and recommended for use in the process of U. S. Patent 3,197,299. In consideration of the payment of royalty of \$0.75 per gallon of product in this container Rhodia Inc., Chipman Division hereby grants to the purchaser of said product a non-exclusive license to practice the process of U. S. Patent 3,197,299 with said product. Licenses to practice said process with material from any source are available at the same royalty from Rhodia Inc., Chipman Division, New Brunswick, N. J. 08903.

<b>ACTIVE INGREDIENT:</b>	
2-Ethylhexyl Ester of Silvex (2-(2,4,5-Trichlorophenoxy) Propionic Acid)	34.7%
(Equivalent to 24.5% Silvex) (2-(2,4,5-Trichlorophenoxy) Propionic Acid)	
<b>INERT INGREDIENTS</b>	65.3%
†An Isooctyl Ester	<b>TOTAL 100.0%</b>

Manufactured by  
**RHODIA INC.**  
**CHIPMAN DIVISION**  
 NEW BRUNSWICK, NEW JERSEY

EPA Reg. No. 359-643-AA  
 LICENSED FOR USE UNDER U. S. PATENT NO. 3,197,299

**WARNING**

Avoid spray drift to susceptible broad-leaved plants that are desirable such as cotton, soybeans, tomatoes, grapes, clover, ornamentals. Excessive amounts of this product in the soil may temporarily inhibit seed germination and all plant growth.

This product when used as directed forms a thick invert emulsion that breaks up into large spray droplets, which are least likely to drift. However, minute quantities can cause injury by drift, and application conditions that permit drift of spray should be avoided. Although this product contains an ester of low volatility, use it with caution where the spreading of vapors can damage nearby susceptible plants.

**DO NOT** contaminate water in irrigation ditches or water used for domestic purposes or crop spraying purposes.

Users should note that herbicide treatment of public waters requires a permit from appropriate state agencies in most states. Your State Conservation Department or Game and Fish Commission will aid you in securing a permit if required in your state.

**DO NOT** graze dairy animals on treated areas within seven days after application.

**DO NOT** store this product near fertilizers, seeds, insecticides, or fungicides. **DO NOT** contaminate feed or foodstuffs.

**DO NOT** use spray equipment contaminated with this product for any other purpose. **DO NOT** apply insecticides, fungicides, or other agricultural products unless the equipment has been cleaned very carefully with a suitable chemical cleaner.

**DO NOT** mix with liquid fertilizers.

If stored below freezing, it may be necessary to warm to 40°F. and agitate before using. This does not affect the efficiency of the product.

**DO NOT** reuse empty containers. Destroy by burying in an isolated place away from water supplies.

**CAUTION**

This product may cause skin irritation. Avoid inhaling spray mist. Harmful if swallowed. Avoid contact with the eyes, skin, or clothing. In case of contact with skin or eyes, immediately flush with plenty of water and get medical attention for eyes. Wash clothing before reuse. Keep away from heat or open flame.

Keep out of reach of children.

Follow directions carefully. Timing and method of application, weather conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME**