

VISKO-RHAP formulations are designed to produce better results when used in the Rhodia Agricultural Division Two Fluid Spray System. The formulation and water enter the spray system separately to be mixed in the spray nozzle or in the spray tank.

**WHERE TO USE**

VISKO-RHAP LOW VOLATILE ESTER 1D-1T is used to control weeds and certain woody and herbaceous plants in rights-of-way, industrial sites, forest management, fence rows, and similar non-crop areas.

**PLANTS CONTROLLED**

VISKO-RHAP LOW VOLATILE ESTER 1D-1T combines the effectiveness of 2,4-D and 2,4,5-T to kill or to control the following as well as many other woody plants:

Alder	Elderberry	Pin Spruce
Aspen	Elm	Poplar
Birch	Hawthorn	Saxifrage
Buckbrush	Hickory	Sassafras
Buxelder	Honeysuckle	Sumac
Buckbrush	Juniper	Sweetgum
Catawba	Mulberry	Wild Cherry
Chokecherry	Oak	Wild Grape
Cottonwood	Osageorange	Wild Plum
Elder	Persimmon	Willow
	Prunella	

**DIRECTIONS**

This special formulation is designed for use in the Rhodia Inc. Agricultural Division Two Fluid Spray System. The formulation and water SHOULD NOT be mixed before use.

Annual and perennial weeds are most easily killed in the young seedling stage. Established perennials are best controlled at the time of flowering. In woody species, leaves are most susceptible after leaves are fully developed and when plants are actively growing.

Application rates of 4 to 12 pounds (2 to 6 gallons of product) per acre are recommended. 2,4-D, 2,4,5-T and equivalent herbicides are listed in the following table.

**Ground Application (Handgun, Manifold, or Spray)**  
 For use in the Rhodia Inc. Agricultural Division Two Fluid Spray System. The formulation and water enter the spray system separately to be mixed in the spray nozzle or in the spray tank. The formulation and water enter the spray system separately to be mixed in the spray nozzle or in the spray tank.

2920

NET CONTENTS  
GALLONS

**VISKO-RHAP®**

**LOW VOLATILE ESTER  
1D-1T**

**HERBICIDE  
FOR GROUND APPLICATION**

**2,4-D•2,4,5-T**

1 LB. OF 2,4-D AND 1 LB. OF 2,4,5-T ACID EQUIVALENTS PER GALLON

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

READ SIDE PANELS FOR ADDITIONAL HANDLING PRECAUTIONS

<b>ACTIVE INGREDIENTS</b>	
2-ethylhexyl ester of 2,4-dichlorophenoxyacetic acid	18.4
2-ethylhexyl ester of 2,4,5-trichlorophenoxyacetic acid	17.6
<b>INERT INGREDIENTS</b>	64.0
<b>TOTAL</b>	<b>100.0</b>
As isopropyl ester	Equivalent to 2,4,5-T
Equivalent to 2,4,5-T	Equivalent to 2,4,5-T
Equivalent to 2,4,5-T	Equivalent to 2,4,5-T

Manufactured by  
**RHODIA INC.**  
**AGRICULTURAL DIVISION**  
 MONMOUTH JUNCTION, NEW JERSEY 08852

EPA Reg. No. 139-61-44  
 EPA Est. 139-MO

2920

NET CONTENTS  
GALLONS

# VISKO-RHAP®

## LOW VOLATILE ESTER ID-IT

HERBICIDE  
FOR GROUND APPLICATION

## 2,4-D•2,4,5-T

1 LB. OF 2,4-D AND 1 LB. OF 2,4,5-T ACID EQUIVALENTS PER GALLON

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

READ SIDE PANELS FOR ADDITIONAL HAZARD PRECAUTIONS

<b>ACTIVE INGREDIENTS</b>	
2-ethylhexyl ester of 2,4-dichlorophenoxyacetic acid	18.5%
2-ethylhexyl ester of 2,4,5-trichlorophenoxyacetic acid	17.5%
<b>INERT INGREDIENT</b>	
An isoctyl ester	TOTAL 100.0%
Equivalent to 17.24 lbs. of 2,4-dichlorophenoxyacetic acid	
Equivalent to 1.74 lbs. of 2,4,5-trichlorophenoxyacetic acid	

Made by  
**RHODIA INC.**  
AGRICULTURAL DIVISION

EPA Reg. No. 159-611-A4  
EPA Est. 159-MO-1

### WARNING

Avoid spray drift to susceptible broadleaf plants that are sensitive such as cotton, soybeans, tomatoes, melons, and other fruits. Excessive amounts of this product in the soil may temporarily inhibit seed germination of many plants.

This product when used as directed forms a thick inert emulsion that breaks up into large spray droplets, which are least likely to drift. However, minute quantities of residue may be left and application conditions that permit drift of spray should be avoided. Although this product contains esters of low volatility, use it with caution where the spreading of vapors could be harmful to susceptible plants.

Do not contaminate water in irrigation ditches or water courses for domestic purposes. Dispose of rinse water where it will not be harmful to humans, animals or wildlife. Do not apply where run-off is likely to occur.

Do not use on areas around the home, recreation areas and similar sites.

Do not contaminate any body of water by direct application, cleaning of equipment, or disposal of wastes and containers.

Do not apply on ditch banks.

Do not graze dairy animals on treated areas within 6 weeks after application.

Do not graze meat animals on treated areas within 2 weeks of slaughter.

Do not store this product near fertilizers, seeds, insecticides, or fungicides. Do not contaminate feed or fertilizer.

Do not use spray equipment contaminated with this product for any other purpose. Do not apply insecticides, fungicides, or other agricultural products unless the equipment has been cleaned very carefully with suitable detergent.

Do not mix with liquid fertilizers.

If stored below freezing, it may be necessary to warm to 40°F and agitate before using. This does not harm the effectiveness of the product.

Do not reuse empty containers. Destroy by burying in a hole at least 6 inches deep from water supplies.

This product is toxic to fish. Keep out of lakes, streams and ponds.

### CAUTION

This product may cause skin irritation. Avoid inhaling spray mist. Harmful if swallowed. Avoid contact with the eyes. In case of contact with the eyes, immediately flush with plenty of water and seek medical attention for eyes. Wash hands thoroughly. Keep away from heat or open flame.

Keep out of reach of children.

Follow directions carefully. Do not mix with other products unless specifically indicated, and other directions apply. The use of this product are subject to the terms and conditions of the master agreement. Do not use if the master agreement is not available. Do not use if the master agreement is not available.

**DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME**

LOT No.