

Visko-Rhap formulations are designed to produce thick invert emulsions when used in the Rhone-Poulenc Inc. Agricultural Division Two-Fluid Spray System. The formulation and water enter the spray system separately to be mixed in a special chamber as the spraying is performed.

WHERE TO USE

Visko-Rhap Low Volatile 2DP is used to control broadleaf weeds in rights-of-way, industrial sites, fencerows, drainage ditchbanks, and firebreaks; and similar non-crop areas.

WEEDS CONTROLLED

Visko-Rhap Low Volatile 2DP will control Sand Sagebrush and Shinnery Oak.

DIRECTIONS

This special formulation is designed for use in the Rhone-Poulenc Inc. Agricultural Division Two-Fluid Spray System. The formulation and water SHOULD NOT be mixed before use.

If this product is to be applied through a bifluid nozzle, sodium bisulfate, water-conditioning agent, must be added at the rate of 2 pounds per 50 gallons of water.

Best results are obtained when spraying is done while weeds are young and actively growing.

Application rates of 1/2 to 1 pound per acre of 2,4-DP acid equivalent (1 to 2 quarts of formulation) are recommended depending on brush density and height. Spray to cover foliage of unwanted vegetation. Two successive applications spaced a year apart are recommended for Shinnery Oak.

Aerial Application: Fill water tank with fresh, clean water. Water temperature should not be less than 55°F. Dissolve sodium bisulfate, water-conditioning agent (supplied with formulation), at the rate of 2 pounds per 50 gallons of water. Add Visko-Rhap Low Volatile 2DP herbicide to the formulation tank. Use orifices giving (formulation:water) ratio in the range of 1:3 to 1:9. Adjust pressure regulator on the pumps to suit the spray job being done, but do not exceed 35 p.s.i.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

PRODUCT NO.

2913

ACCEPTED
MAY 18 1979
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 359-654

NET CONTENTS
GALLONS

VISKO-RHAP®

**LOW VOLATILE
2DP
HERBICIDE**

2,4-DP

2 LBS. OF 2,4-DP ACID EQUIVALENT PER GALLON

CAUTION: KEEP OUT OF REACH OF CHILDREN

READ SIDE PANELS FOR ADDITIONAL HANDLING PRECAUTIONS.

By virtue of an agreement with the patent owner, the purchaser of the material in this container is hereby authorized to practice with said material the processes of U. S. Patents 3,197,299; 3,592,385; and 3,640,461. Similar authorization to practice the processes of said patents with material from any source is available from the patent owner.

ACTIVE INGREDIENT:	
Isocetyl ester of 2-(2,4-dichlorophenoxy) propionic acid*	36.3%
*Equivalent to 24.6% 2,4-DP acid or not less than 2.0 lbs. of 2,4-DP acid per gallon.	
INERT INGREDIENTS	63.7%
TOTAL	100.0%

EPA Reg. No. 359-654-AA
EPA Est. 359-MO-1
LICENSED FOR USE UNDER U. S. PATENT NO. 3,189,430


Manufactured by
rhône-poulenc inc.
agricultural division
monmouth junction, n.j. 08852

WARNING

Avoid spray drift to susceptible broadleaf plants that are desirable such as cotton, soybeans, tomatoes, grapes, clover, ornamentals. Excessive amounts of this product in the soil may temporarily inhibit seed germination and all plant growth.

This product when used as directed forms a thick invert emulsion that breaks up into large spray droplets, which are least likely to drift. However, minute quantities can cause injury by drift, and application conditions that permit drift of spray should be avoided. Although this product contains an ester of low volatility, use it with caution where the spreading of vapors can damage nearby susceptible plants.

Do not contaminate water in irrigation ditches or water used for domestic purposes.

Do not apply this product on lawns. Legumes, such as White Clover, are susceptible and may be severely damaged or killed.

Do not graze dairy animals on treated areas within 6 weeks after application.

Do not graze meat animals on treated areas within 2 weeks of slaughter.

Do not store this product near fertilizers, seeds, insecticides, or fungicides. Do not contaminate feed or foodstuffs.

Do not use spray equipment contaminated with this product for any other purpose. Do not spray insecticides, fungicides, or other agricultural products unless the equipment has been cleaned very carefully with a suitable chemical cleaner.

Do not mix with liquid fertilizers.

If stored below freezing, it may be necessary to warm to 40°F. and agitate before using. This does not affect the efficiency of this product.

Do not reuse empty containers. Destroy by burying in an isolated place away from water supplies.

CAUTION

This product may cause skin irritation. Avoid inhaling spray mist. Harmful if swallowed. Avoid contact with the eyes, skin, or clothing. In case of contact with skin or eyes, immediately flush with plenty of water and get medical attention for eyes. Wash clothing before reuse. Keep away from heat or open flame.

The water solution of sodium bisulfate used with this product to form the invert emulsion is slightly acid, and should not be used for any other purpose. It may be corrosive to metals and clothing or irritating to the skin. If splashed on the skin or in eyes, wash with plenty of water and get medical attention for eyes. Splashes on skin, clothes, or other materials may be neutralized with baking soda.

Keep out of reach of children.

Follow directions carefully. Timing and method of application, weather conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

DO NOT USE AROUND HOME, OR RECREATION AREAS

359-654

05/18/1979

LOT NO.

1/1